





Lamp Catalogue

BAILEY

ELECTRIC & ELECTRONICS



Part 3G
General service
&
Home application



TABLE OF CONTENTS

Page Nr.		Page Nr.		Page Nr.	
2-D lamps	G136-G137	Fantasy lamps	G26/G100/G101	Pigmy lamps	G4-G10
Ball lamps	G35-G57	Fluorescent tubes	G128-G129	Reflector lamps	G94-GG98
Candle lamps	G58-G73	Fuel tanks lamps	G21/G33/G34	Sewing machine l.	G115-G117
Christmas lamps	G118-G124	Globe lamps	G99	Standard lamps	G74-G93
Compact fluorescent	G132-G137	Micro wave lamps	G108-G114	Striplite lamps	G125-G127
Energy saving	G130/G131/G138	Oven lamps	G102-G107	Tubular lamps	G11-G32
<hr/>					
Ball lamps		Candle lamps		Energy saving light bulbs	
Ba15d G18x35	G43	B22d C35x100 Twisted	G72	E14 Double tube	G130
Ba15d G25x45	G43	B22d C50x130 Twisted Giant	G73	E27 GLS	G138
Ba15d G35x65 For Caravans	G44	E14 C35x97 Krypton	G61	E27 Double tube	G130
Ba15d G45x75	G45	E14 C35x97 Flicker Flame	G62	E27 Triple tube	G131
Ba15s G15x28	G46	E14 C35x100	G58	G23 2 Pin	G132
Ba15s G18x35	G46	E14 C35x100 Reinforced	G59	G24d 2 Pin	G134
Ba15s G19x37	G47	E14 C35x100 Coulored	G60	G24q 4 Pin	G135
Ba15s G25x45	G47	E14 C35x100 Twisted	G65	Fantasy lamps	
B22d G40x60	G52	E14 C35x102 Neodymlight	G61	E27 Love You	G100
B22d G45x75	G53-G54	E14 C35x105 Fl. Fl. Bended	G63	E27 Flame	G100
B22d G45x75 Coloured	G55	E14 C35x105 Bended Tip	G64	E27 Flowers	G101
B22d G45x75 Reinforced	G56	E14 C50x130 Twisted Giant	G66	E27 Happy Birthday	G101
B22d G45x75 Krypton	G57	E27 C35x100	G68	E27 30x90 Cross	G26
E14 G15x28	G35	E27 C50x130 Twisted Giant	G69	E27 30x90 Crucifix	G26
E14 G18x35	G35	Christmas lamps		Fluorescent tubes	
E14 G25x45	G36	E10 Plastic envelop Candle	G123	220-240 Volt	G128-G129
E14 G35x64	G37	E10 Indoor Small Candle	G120	Fuel pump and tank trucks lamps	
E14 G45x70	G38	E10 Outdoor Small Candle	G121	BX22d G33	
E14 G45x70 Coloured	G39	E10 C22x52 Candle	G122	Fuel tank lamps	
E14 G45x70 Reinf. constr.	G40	E10 C30x95 Candle	G122	Ba15d/19 18x85	G21
E14 G45x70 Krypton	G40	E14 Plastic envelop Candle	G124	BX22d/32 22x85	G34
E14 G45x75 Top Mirror	G41	Pisello Wire Ended Fused	G118	GLS lamps	
E14 G45x100 Bended Tip	G42	Pisello Wire Ended Blinking	G118	B22d Top Mirror	G91
E27 G40x60	G48	Pisello Wire Ended Flashing	G118	B22d Superlux Krypton	G92
E27 G45x75	G49	Pisello 5x30 Replaceable	G119	B22d 60x105 Clear	G86-G87
E27 G45x75 Coloured	G50	Pisello E5.5 5.5x32	G119	B22d 60x105 Frosted	G86-G87
E27 G45x75 Reinf. constr.	G51	Energy saving light bulbs		B22d 60x105 Armour Plated	G83
E27 G45x75 Krypton	G51	2D Type	G136-G137	B22d 60x105 Reinforced	G88
Candle lamps		2G7 4 Pin	G133	Fuel pump and tank trucks lamps	
Ba15d C35x100	G67	B22d Double tube	G130	BX22d G33	
B22d C35x91 Krypton	G71	B22d Triple tube	G131	Fuel tank lamps	
B22d C35x100	G70			Ba15d/19 18x85	G21
				BX22d/32 22x85	G34



TABLE OF CONTENTS

This catalogue has been composed with our full attention and care and we are convinced that it should be correct at the time of printing. However, Bailey Electric & Electronics can never accept any responsibility on descriptions and drawings or any other printing errors.

Page Nr.		Page Nr.		Page Nr.	
GLS lamps					
B22d 60x105 Longlife	G89				
B22d 60x105 Coloured	G90				
B22d 60x110 Im. Blackl. Blue	G84				
B22d 60x110 Fire Glow	G84				
B22d 60x110 Daylight	G85				
B22d 60x110 Carbon	G85				
<hr/>					
E27 Top Mirror	G79				
E27 K-Superlux Krypton	G81				
E27 60x103 Softone	G82				
E27 60x105 Clear	G74-G75				
E27 60x105 Frosted	G74-G75				
E27 60x105 Flame	G74-G75				
E27 60x105 Opal	G74-G75				
E27 60x105 Reinf. constr.	G76				
E27 60x105 Longlife	G77				
E27 60x105 Coloured	G78				
E27 60x105 Anti Insect	G80				
E27 60x105 Armour Plated	G83				
E27 60x110 Im. Blackl. Blue	G84				
E27 60x110 Fire Glow	G84				
E27 60x110 Daylight	G85				
E27 60x110 Carbon	G85				
<hr/>					
E40 Clear/Frosted	G93				
E40 60x105 Armour Plated	G83				
<hr/>					
Globe lamps					
E27 G60 Opal	G99				
E27 G80 Opal	G99				
E27 G100 Opal	G99				
E27 G125 Opal	G99				
<hr/>					
Microwave Oven lamps					
E12 T20x48	G108				
E14 T22x58	G108				
E14s T22x60	G109				
E14s T25x70	G109				
E14s S35x62	G110				
E16 T22x56	G110				
E16 S35x58 Gas Filled	G111				
<hr/>					
Microwave Oven lamps					
Sp. Plastic Socket T22x54	G112				
Sp. Plastic Socket T22x53	G113				
Sp. Metal Base T22x57	G113				
Sp. Plastic Socket T25x62	G112				
Sp. Metal Base T25x70	G114				
<hr/>					
Oven lamps					
B22d Tubular 300°	G106				
B22d 60x105 GLS Clear 300°	G105				
E14 P22x48 Pigmy 300°	G102				
E14 G45x70 Ball 300°	G103				
E14 Tubular 300°	G106				
E27 60x105 GLS Clear 300°	G105				
E27 G45x70 Ball 300°	G104				
Infra Red Halogen	G107				
<hr/>					
Pigmy lamps					
Ba15d P22x48	G7				
Ba15d P26x57	G8				
Ba15d P28x64	G8				
B22d P30x60	G10				
E14 P22x48	G4				
E14 P26x57	G5				
E14 P28x64	G6				
E27 P30x60	G9				
<hr/>					
Reflector lamps					
E14 R39/R50	G94				
E14 R50x84 Spot	G95				
E27 R60x103 Top Mirror	G97				
E27 R63x103 Spot	G98				
E27 R63	G96				
E27 R80	G96				
E27 R95	G96				
E27 R125	G96				
<hr/>					
Sewing Machine lamps					
Ba15d	G117				
E12	G115				
<hr/>					
Sewing Machine lamps					
E14	G115				
E14 G35x64	G116				
E16	G115				
<hr/>					
Sriplight lamps					
2x S14	G127				
S14	G127				
S15	G125				
S19	G126				
<hr/>					
Tubular lamps					
Ba15d T20x85	Size 1	G19			
Ba15d T25x85	Size 4	G20			
B22d T22x43		G27			
B22d T22x50		G27			
B22d T26x54		G28			
B22d T25x80		G29			
B22d T25x85	Krypton	G30			
B22d T27x60		G28			
B22d T27x60	Neon	G32			
B22d T30x90		G31			
E14 Special Ladder Constr.		G18			
E14 T20x85	Size 1	G12			
E14 T20x115	Size 2	G15			
E14 T22x64		G11			
E14 T25x70		G11			
E14 T25x85	Size4	G13			
E14 T25x85	Krypton	G14			
E14 T30x90	Size 3	G16			
E14 T30x140		G17			
E27 T26x54		G22			
E27 T27x60		G22			
E27 T27x60	Neon	G25			
E27 T30x90	Size 3	G23			
E27 T38x309		G24			


Also Bailey Electric & Electronics is free to delete or alter lamp types and descriptions.



Pigmy lamps

E14

P 22x48 Life: 1.000 hours Clear



Volt	Watt	Filament	Type number
12	5	C-2R	E 48.012.005
12	10	C-2R	E 48.012.010
12	15	C-2R	E 48.012.015
12	25	C-2V	E 48.012.025
24	3	C-2V	E 48.024.003
24	5	C-2V	E 48.024.005
24	10	C-2V	E 48.024.010
24	15	C-2V	E 48.024.015
24	25	C-2V	E 48.024.025
24	40	C-3A	E 48.024.040
42	5	C-3A	E 48.042.005
42-48	15	C-3A	E 48.048.015
60	7	C-3A	E 48.060.007
60	10	C-3A	E 48.060.010
60	15	C-3A	E 48.060.015
80	7	C-3A	E 48.080.007
130	5	C-5A	E 48.130.005
130	10	C-5A	E 48.130.010
130	15	C-5A	E 48.130.015
220	10	C-7A	E 48.220.010
220-260	5-7	C-7A	E 48.260.007
220-260	6-10	C-7A	E 48.260.010
220-260	10-15	C-7A	E 48.260.015


Other specifications on request.

Pigmy lamps

E14

P 26x57 Life: 1.000 hours Clear

Volt	Watt	Type number	
12	10	SE 457.012.010	
12	15	SE 457.012.015	
12	25	SE 457.012.025	
24	10	SE 457.024.010	
24	15	SE 457.024.015	
24	25	SE 457.024.025	
30	15	SE 457.030.015	
30	25	SE 457.030.025	
42	15	SE 457.042.015	
42	25	SE 457.042.025	
65	15	SE 457.065.015	
65	25	SE 457.065.025	
110-140	6-10	SE 457.140.010	
110-140	10-15	SE 457.140.015	
140	25	SE 457.140.025	
220-260	5-7	SE 457.260.007	
220-260	6-10	SE 457.260.010	
220-260	12	SE 457.260.012	
220-260	10-15	SE 457.260.015	
220-260	25	SE 457.260.025	
230	15	TV lamp blue	SE 457.230.015 B




Other specifications on request.



Pigmy lamps

E14

P 28x64 Life: 1.000 hours



Volt	Watt	Colour	Type number
12	5	clear	SE 464.012.005
12	15	clear	SE 464.012.015
12	25	clear	SE 464.012.025
12	40	clear	SE 464.012.040
24	15	clear	SE 464.024.015
24	25	clear	SE 464.024.025
24	25	frosted	SE 464.024.025 F
24	40	clear	SE 464.024.040
48	15	clear	SE 464.048.015
50	15	clear	SE 464.050.015
65	10	clear	SE 464.065.010
130	15	clear	SE 464.130.015
130	25	clear	SE 464.130.025
130	40	clear	SE 464.130.040
235	25	rotating light	SE 464.235.025 RC
240	15	clear	SE 464.240.015
240	15	frosted	SE 464.240.015 F
240	15	flame	SE 464.240.015 FL
240	25	clear	SE 464.240.025
240	25	frosted	SE 464.240.025 F


Other specifications on request.

Pigmy lamps

Ba15d

P 22x48 Life: 1.000 hours Clear

Volt	Watt	Filament	Type number
12	5	C-2R	B 48.012.005
12	10	C-2R	B 48.012.010
12	15	C-2R	B 48.012.015
12	25	C-2V	B 48.012.025
24	5	C-2V	B 48.024.005
24	7	C-2V	B 48.024.007
24	10	C-2V	B 48.024.010
24	15	C-2V	B 48.024.015
24	25	C-2V	B 48.024.025
42	5	C-3A	B 48.042.005
50	10	C-3A	B 48.050.010
60	5	C-3A	B 48.060.005
60	15	C-3A	B 48.060.015
130	5	C-5A	B 48.130.005
130	10	C-5A	B 48.130.010
130	15	C-5A	B 48.130.015
220-260	5-7	C-7A	B 48.260.007
220-260	6-10	C-7A	B 48.260.010
220-260	10-15	C-7A	B 48.260.015
240	25	C-7A	B 48.240.025





Other specifications on request.



Pigmy lamps

Ba15d

P 26x57/28x64 Life: 1.000 hours Clear



Volt	Watt	Dimension	Type number
12	10	26x57	SB 557.012.010
12	15	26x57	SB 557.012.015
12	25	26x57	SB 557.012.025
24	10	26x57	SB 557.024.010
24	15	26x57	SB 557.024.015
24	25	26x57	SB 557.024.025
24	25	28x64	SB 564.024.025
24	40	28x64	SB 564.024.040
30	15	26x57	SB 557.030.015
30	25	26x57	SB 557.030.025
42	15	26x57	SB 557.042.015
42	25	26x57	SB 557.042.025
65	15	26x57	SB 557.065.015
65	25	26x57	SB 557.065.025
110-140	6-10	26x57	SB 557.140.010
110-140	10-15	26x57	SB 557.140.015
110-140	25	26x57	SB 557.140.025
130	25	28x64	SB 564.130.025
220-260	5-7	26x57	SB 557.260.007
220-260	6-10	26x57	SB 557.260.010
220-260	12	26x57	SB 557.260.012
220-260	10-15	26x57	SB 557.260.015
220-260	25	26x57	SB 557.260.025


Other specifications on request.

Pigmy lamps

E27

P 30x60 Life: 1.000 hours Clear

Volt	Watt	Type number
12	15	SE 760.012.015
24	10	SE 760.024.010
24	15	SE 760.024.015
24	25	SE 760.024.025
32	15	SE 760.032.015
48	5	SE 760.048.005
50	15	SE 760.050.015
60	15	SE 760.060.015
130	15	SE 760.130.015
240	15	SE 760.240.015
240	25	SE 760.240.025




Other specifications on request.



Pigmy lamps

B22d

P 30x60 Life: 1.000 hours Clear



Volt	Watt	Type number
24	5	SB 260.024.005
24	15	SB 260.024.015
24	25	SB 260.024.025
50	15	SB 260.050.015
130	10	SB 260.130.010
130	15	SB 260.130.015
130	25	SB 260.130.025
240	15	SB 260.240.015
240	25	SB 260.240.025


Other specifications on request.

Tubular lamps

E14

T 22x64/25x70 Clear

Volt	Watt	Filament	Dimension	Type number
24-30	5-7		25x70	TE 470.030.007
130	15	C-5A	22x64	TE 464.130.015
130	25	C-5A	22x64	TE 464.130.025
130	40	C-5A	22x64	TE 464.130.040
240	15		25x70	TE 470.240.015
240	25		25x70	TE 470.240.025
240	40		25x70	TE 470.240.040
260	25		25x70	TE 470.260.025
260	40		25x70	TE 470.260.040




Other specifications on request.



Tubular lamps

E14

T 20x85 Clear Size 1



Volt	Watt	Type number
12	25	TE 484.012.025
24	10	TE 484.024.010
24	15	TE 484.024.015
24	25	TE 484.024.025
30	15	TE 484.030.015
30	25	TE 484.030.025
42	15	TE 484.042.015
42	25	TE 484.042.025
60	10	TE 484.060.010
65	15	TE 484.065.015
80	25	TE 484.080.025
130	15	TE 484.130.015
130	25	TE 484.130.025
240	15	TE 484.240.015
260	15	TE 484.260.015
260	25	TE 484.260.025


Other specifications on request.

Tubular lamps

E14

T 25x85 Size 4

Volt	Watt	Colour	Type number
24	15	clear	TE 485.024.015
24	25	clear	TE 485.024.025
24	40	clear	TE 485.024.040
42	40	clear	TE 485.042.040
65	25	clear	TE 485.065.025
65	40	clear	TE 485.065.040
110	25	clear	TE 485.110.025
130	15	clear	TE 485.130.015
130	40	clear	TE 485.130.040
230-240	15	clear	TE 485.240.015
230-240	15	frosted	TE 485.240.015 F
230-240	25	clear	TE 485.235.025
230-240	25	frosted	TE 485.240.025 F
230-240	40	clear	TE 485.240.040
260	40	clear	TE 485.260.040




Other specifications on request.

Tubular lamps


E14 krypton

Gas filled Opal



Volt	Watt	Dimension	Type number
------	------	-----------	-------------

240	25	25x85	TK 485.240.025 F
240	40	25x85	TK 485.240.040 F
240	60	30x94	TK 494.240.060 F




Other specifications on request.

Tubular lamps

E14

T 20x115 Size 2

Volt	Watt	Colour	Type number
130	15	clear	TE 499.130.015
240	25	clear	TE 499.240.025
240	25	frosted	TE 499.240.025 F
240	40	clear	TE 499.240.040
240	40	frosted	TE 499.240.040 F




Other specifications on request.


Tubular lamps

E14

T 30x90 Size 3



Volt	Watt	Colour	Type number
130	25	frosted	TE 490.130.025 F
130	40	frosted	TE 490.130.040 F
240	25	clear	TE 490.240.025
240	25	frosted	TE 490.240.025 F
240	40	frosted	TE 490.240.040 F



Other specifications on request.

Tubular lamps



E14

T 30x140

Volt	Watt	Colour	Type number
------	------	--------	-------------

240	40	opal	TE 4140.240.040 W
-----	----	------	-------------------

240	60	opal	TE 4140.240.060 W
-----	----	------	-------------------




Other specifications on request.




Tubular lamps

E14 ladder construction

Clear



Volt	Watt	Dimension	Type number
240	25	20x100	TL 4100.240.025
240	25	20x115	TL 4115.240.025
240	40	20x125	TL 4125.240.040
240	40	20x140	TL 4140.240.040




Other specifications on request.

Tubular lamps

Ba15d

T 20x85 Clear Size 1

Volt	Watt	Type number
24	15	TB 584.024.015
24	25	TB 584.024.025
42	25	TB 584.042.025
65	15	TB 584.065.015
240	15	TB 584.240.015




Other specifications on request.



Tubular lamps

Ba15d

T 25x85 Clear Size 4



Volt	Watt	Type number
24	25	TB 585.024.025
240	15	TB 585.240.015
240	25	TB 585.240.025



Other specifications on request.

Special lamps for fuel tanks

Ba15d/19

T 18x85 Clear

Volt	Watt	Type number
12	15	TBX5.085.012.015
24	15	TBX5.085.024.015
24	25	TBX5.085.024.025
42	15	TBX5.085.042.015
42	25	TBX5.085.042.025





Other specifications on request.

Tubular lamps

E27

T 26x54/27x60 Clear



Volt	Watt	Dimension	Type number
12	15	26x54	TE 754.012.015
12	15	27x60	TE 760.012.015
24	5	26x54	TE 754.024.005
24	5	27x60	TE 760.024.005
24	10	27x60	TE 760.024.010
24	15	26x54	TE 754.024.015
24	15	27x60	TE 760.024.015
24	25	27x60	TE 760.024.025
30	15	27x60	TE 760.030.015
36	10	27x60	TE 760.036.010
48	5	27x60	TE 760.048.005
48	10	27x60	TE 760.048.010
60	5	27x60	TE 760.060.005
60	10	27x60	TE 760.060.010
60	15	27x60	TE 760.060.015
110-140	6-10	26x54	TE 754.140.010
130	10	27x60	TE 760.130.010
130	15	27x60	TE 760.130.015
220-240	10	27x60	TE 760.240.010
220-240	15	27x60	TE 760.240.015
220-240	25	27x60	TE 760.240.025
220-260	5-7	26x54	TE 754.260.007
220-260	5-7	27x60	TE 760.260.007
220-260	6-10	26x54	TE 754.260.010
220-260	6-10	27x60	TE 760.260.010
220-260	10-15	26x54	TE 754.260.015



Other specifications on request.

Tubular lamps

E27

T 30x90 Size 3

Volt	Watt	Colour	Type number
240	25	clear	TE 790.240.025
240	25	frosted	TE 790.240.025 F
240	40	clear	TE 790.240.040
240	40	frosted	TE 790.240.040 F
240	60	clear	TE 790.240.060





Other specifications on request.


Tubular lamps

E27

T 38x309



Volt	Watt	Colour	Type number
240	40	clear	TE 7309.240.040
240	40	opal	TE 7309.240.040 W
240	60	clear	TE 7309.240.060
240	60	opal	TE 7309.240.060 W





Other specifications on request.

Tubular lamps

E27 neon

T 27x60

Volt	Colour	Type number
110	glass clear	NE 60.110 GC
220	glass clear	NE 60.220 GC
380	glass clear	NE 60.380 GC


A large, light-colored outline of the tubular lamp, showing its overall shape, the internal filament structure, and the E27 base. The outline is centered on a background of horizontal green stripes.

Other specifications on request.

Tubular lamps

Fantasy lamps

E27 30x90



Volt	Description	Type number
240	Cross	FAT 7090.240 CRO
240	Crucifix	FAT 7090.240 CRU

Also available with B22d base


Other specifications on request.

Tubular lamps

B22d

T 22x43/22x50 Clear

Volt	Watt	Dimension	Type number
12	15	22x50	TB 250.012.015
24	5	22x43	TB 243.024.005
24	10	22x43	TB 243.024.010
24	15	22x43	TB 243.024.015
24	15	22x50	TB 250.024.015
30	5	22x43	TB 243.030.005
30	10	22x43	TB 243.030.010
30	15	22x50	TB 250.030.015
48	5	22x43	TB 243.048.005
48	10	22x43	TB 243.048.010
48	15	22x43	TB 243.048.015
48	15	22x50	TB 250.048.015
60	5	22x43	TB 243.060.005
60	10	22x50	TB 250.060.010
60	15	22x50	TB 250.060.015
130	10	22x50	TB 250.130.010
130	15	22x43	TB 243.130.015
130	15	22x50	TB 250.130.015
140	7-10	22x43	TB 243.140.010
160	15	22x50	TB 250.160.015
240	7-10	22x43	TB 243.240.010
240	10	22x50	TB 250.240.010
240	15	22x50	TB 250.240.015
240	15	22x43	TB 243.240.015
260	5	22x43	TB 243.260.005
260	10	22x50	TB 250.260.010
260	15	22x50	TB 250.260.015




Other specifications on request.

Tubular lamps

B22d

T 26x54/27x60 Clear



Volt	Watt	Dimension	Type number
12	15	26x54	TB 254.012.015
12	15	27x60	TB 260.012.015
24	5	26x54	TB 254.024.005
24	5	27x60	TB 260.024.005
24	10	27x60	TB 260.024.010
24	15	27x60	TB 260.024.015
24	15	26x54	TB 254.024.015
36	10	27x60	TB 260.036.010
36	15	27x60	TB 260.036.015
48	15	27x60	TB 260.048.015
60	5	27x60	TB 260.060.005
60	10	27x60	TB 260.060.010
60	15	27x60	TB 260.060.015
110-140	6-10	26x54	TB 254.140.010
110-140	6-10	27x60	TB 260.140.010
110-140	15-25	27x60	TB 260.140.025
130	10	27x60	TB 260.130.010
130	15	27x60	TB 260.130.015
220	10	27x60	TB 260.220.010
240	5-7	27x60	TB 260.240.007
240	15	27x60	TB 260.240.015
240	25	27x60	TB 260.240.025
240	40	27x60	TB 260.240.040
220-260	5-7	26x54	TB 254.260.007
220-260	6-10	26x54	TB 254.260.010
220-260	10-15	26x54	TB 254.260.015
280	10	27x60	TB 260.280.010


Other specifications on request.

Tubular lamps

B22d

T 25x80 Clear

Volt	Watt	Type number
24	25	TB 280.024.025
24	40	TB 280.024.040
117	25	TB 280.117.025
130	25	TB 280.130.025
130	40	TB 280.130.040
240	25	TB 280.240.025
240	40	TB 280.240.040




Other specifications on request.



Tubular lamps

B22d krypton

Gas filled Opal



Volt	Watt	Dimension	Type number
240	25	25x85	TK 285.240.025 F
240	40	25x85	TK 285.240.040 F
240	60	30x94	TK 294.240.060 F





Other specifications on request.

Tubular lamps

B22d

T 30x90 Frosted

Volt	Watt	Colour	Type number
130	40	frosted	TB 290.130.040 F
240	25	frosted	TB 290.240.025 F
240	40	frosted	TB 290.240.040 F






Other specifications on request.



Tubular lamps

B22d neon

T 27x60







Volt	Colour	Type number
110	glass clear	NB 60.110 GC
220	glass clear	NB 60.220 GC
380	glass clear	NB 60.380 GC

Other specifications on request.

Special lamps for fuel pumps and tank trucks

BX22d/32

Volt	Watt	Dimension	Type number
12	15	28x65	frosted TBX 2065.012.015
24	15	28x65	frosted TBX 2065.024.015
24	25	28x65	frosted TBX 2065.024.025
230	40	26x228	clear TBX 2228.230.040




Other Specifications on request.



Special lamps for fuel tanks

BX22d/32

T 22x85 Clear



Volt	Watt	Type number
24	15	TBX 2085.024.015
24	25	TBX 2085.024.025
42	15	TBX 2085.042.015
42	25	TBX 2085.042.025

Other specifications on request.

Ball lamps **E14**


G 15x28 Clear

Volt	Watt	Type number
12	5	KE 428.012.005
24	5	KE 428.024.005
30	5	KE 428.030.005
48	5	KE 428.048.005
60	5	KE 428.060.005
130	2,6	KE 428.130.002
230	3	KE 428.230.003

Ball lamps **E14**

G 18x35 Clear

Volt	Watt	Type number
6	5	KE 435.006.005
8	3	KE 435.008.003
12	3	KE 435.012.003
12	5	KE 435.012.005
24	3	KE 435.024.003
24	5	KE 435.024.005
30	5	KE 435.030.005
48	3	KE 435.048.003
60	5	KE 435.060.005
130	2,6	KE 435.130.002
230	3	KE 435.230.003





Other Specifications on request.

Ball lamps

E14

G 25x45 Clear



Volt	Watt	Type number
4	5	KE 445.004.005
6	5	KE 445.006.005
12	5	KE 445.012.005
24	5	KE 445.024.005
30	5	KE 445.030.005
48	5	KE 445.048.005
60	10	KE 445.060.010
115	10	KE 445.115.010
220-260	5-7	KE 445.260.007
220-260	6-10	KE 445.260.010
230	15	KE 445.230.015


Other specifications on request.

Ball lamps

E14

G 35x64

Volt	Watt	Colour	Type number
12	15	clear	KE 464.012.015
12	15	frosted	KE 464.012.015 F
12	25	clear	KE 464.012.025
12	40	clear	KE 464.012.040
14	5	clear	KE 465.014.005
24	25	clear	KE 465.024.025
24	40	clear	KE 465.024.040
30	25	clear	KE 465.030.025
48	25	clear	KE 465.048.025
65	15	clear	KE 465.065.015
110-140	40	clear	KE 465.140.040




Other specifications on request.

Ball lamps

E14

G 45x70



Volt	Watt	Colour	Type number
6	15	clear	KE 475.006.015
12	5	frosted	KE 475.012.005 F
12	10	frosted	KE 475.012.010 F
12	15	clear	KE 475.012.015
12	15	frosted	KE 475.012.015 F
12	25	frosted	KE 475.012.025 F
12	40	frosted	KE 475.012.040 F
24	5	frosted	KE 475.024.005 F
24	10	frosted	KE 475.024.010 F
24	15	clear	KE 475.024.015
24	15	frosted	KE 475.024.015 F
24	25	clear	KE 475.024.025
24	25	frosted	KE 475.024.025 F
24	40	clear	KE 475.024.040
24	40	frosted	KE 475.024.040 F
130	15	clear	KE 475.130.015
130	25	clear	KE 475.130.025
130	25	frosted	KE 475.130.025 F
130	40	clear	KE 475.130.040
130	40	frosted	KE 475.130.040 F
130	60	clear	KE 475.130.060
240	5	clear	KE 475.240.005
240	7	frosted	KE 475.240.007 F
240	15	clear	KE 475.240.015
240	15	frosted	KE 475.240.015 F
240	15	flame	KE 475.240.015 FL
240	15	opal	KE 475.240.015 W
240	25	clear	KE 475.240.025
240	25	frosted	KE 475.240.025 F
240	25	flame	KE 475.240.025 FL
240	25	opal	KE 475.240.025 W
240	25	neodym	KE 475.240.025 N
240	40	clear	KE 475.240.040
240	40	frosted	KE 475.240.040 F
240	40	flame	KE 475.240.040 FL
240	40	opal	KE 475.240.040 W
240	40	neodym	KE 475.240.040 N
240	60	clear	KE 475.240.060
240	60	frosted	KE 475.240.060 F
240	60	opal	KE 475.240.060 W

240V, 25-40-60W also available in softone


Other specifications on request.

Ball Lamps

E14 coloured

G 45x70

Volt	Watt	Colour	Type number
240	15	orange	KE 475.240.015 A
240	15	blue	KE 475.240.015 B
240	15	green	KE 475.240.015 G
240	15	red	KE 475.240.015 R
240	15	yellow	KE 475.240.015 Y
240	20	orange	KE 475.240.020 A
240	20	blue	KE 475.240.020 B
240	20	green	KE 475.240.020 G
240	20	red	KE 475.240.020 R
240	20	yellow	KE 475.240.020 Y
240	25	orange	KE 475.240.025 A
240	25	blue	KE 475.240.025 B
240	25	green	KE 475.240.025 G
240	25	red	KE 475.240.025 R
240	25	yellow	KE 475.240.025 Y




Other specifications on request.

Ball lamps

E14 reinforced construction

G 45x70



Volt	Watt	Colour	Type number
240	15	clear	KRE 475.240.015
240	15	frosted	KRE 475.240.015 F
240	25	clear	KRE 475.240.025
240	25	frosted	KRE 475.240.025 F
240	40	clear	KRE 475.240.040
240	40	frosted	KRE 475.240.040 F
240	60	clear	KRE 475.240.060
240	60	frosted	KRE 475.240.060 F

Ball lamps

E14 krypton

G 45x70 Opal

Volt	Watt	Colour	Type number
240	25	opal	KKE 475.240.025 W
240	40	opal	KKE 475.240.040 W
240	60	opal	KKE 475.240.060 W



Other specifications on request.

Ball Lamps

E14 top mirror

G 45x75

Volt	Watt	Type number
240	25	KME 475.240.025
240	40	KME 475.240.040




Other specifications on request.


Ball lamps

E14 bended tip

G 45x100 Frosted



Volt	Watt	Colour	Type number
240	25	frosted	KE 475.240.025 BF
240	40	frosted	KE 475.240.040 BF



Other specifications on request.

Ball Lamps

Ba15d

G 18x35 Clear

Volt	Watt	Type number
2.5	2.5	KB 535.002.002
24	3	KB 535.024.003
28-30	12	KB 535.030.012
30	5	KB 535.030.005
42	5	KB 535.042.005
48	3	KB 535.048.003
80	5	KB 535.080.005

For other types see part 3A page A22


Ball lamps

Ba15d

G 25x45 Clear

Volt	Watt	Type number
2,4	3	KB 545.002.003
6	10	KB 545.006.010
6	25	KB 545.006.025
12	5	KB 545.012.005
12	10	KB 545.012.010
12	25	KB 545.012.025
30	5	KB 545.030.005
30	10	KB 545.030.010
30	15	KB 545.030.015
32	5	KB 545.032.005
32	15	KB 545.032.015
32	25	KB 545.032.025
36	15	KB 545.036.015
37	12	KB 545.037.012
40	15	KB 545.040.015
42	10	KB 545.042.010
60	10	KB 545.060.010
96	5	KB 545.096.005
96	10	KB 545.096.010
96	15	KB 545.096.015

For other types see part 3A page A21




Other specifications on request.



Ball Lamps

Ba15d for caravans

G 35x65 Clear



Volt	Watt	Type number
6	15	KB 565.006.015
12	15	KB 565.012.015
12	25	KB 565.012.025
12	40	KB 565.012.040
24	10	KB 565.024.010
24	25	KB 565.024.025
24	40	KB 565.024.040
28	15	KB 565.028.015
28	25	KB 565.028.025
48	25	KB 565.048.025
65	15	KB 565.065.015
86	25	KB 565.086.025
110-140	25	KB 565.140.025
235	25	KB 565.235.025
240	40	KB 565.240.040



Other specifications on request.

Ball Lamps

Ba15d

G 45x75

Volt	Watt	Colour	Type number
24	15	clear	KB 575.024.015
240	25	frosted	KB 575.240.025 F
240	40	clear	KB 575.240.040
240	40	frosted	KB 575.240.040 F



Other specifications on request.



Ball lamps

Ba15s

G 15x28 Clear



Volt	Watt	Type number
------	------	-------------

12	5	KS 528.012.005
----	---	----------------

32	3	KS 528.032.003
----	---	----------------

Ball lamps

Ba15s

G 18x35 Clear

Volt	Watt	Type number
------	------	-------------

48	5	KS 535.048.005
----	---	----------------

60	5	KS 535.060.005
----	---	----------------

For other types see part 3A page A19


Other specifications on request.

Ball lamps

Ba15s

G 19x37

Volt	mA	Type number	
7	630	GE61	US61
28	230	GE1251	US1251




Ball lamps

Ba15s

G 25x45 Clear

Volt	Watt	Type number
2,4	4	KS 545.002.004
40	8	KS 545.040.008
45	15	KS 545.045.015
48	15	KS 545.048.015




For other types see part 3A page A18

Other specifications on request.

Ball lamps

E27

G 40x60



Volt	Watt	Colour	Type number
65	15	clear	KE 760.065.015
65	25	frosted	KE 760.065.025 F

Other specifications on request.


Ball lamps

E27

G 45x75

Volt	Watt	Colour	Type number
12	10	frosted	KE 775.012.010 F
12	15	clear	KE 775.012.015
12	15	frosted	KE 775.012.015 F
12	25	clear	KE 775.012.025
12	25	frosted	KE 775.012.025 F
12	40	clear	KE 775.012.040
12	40	frosted	KE 775.012.040 F
24	5	frosted	KE 775.024.005 F
24	10	frosted	KE 775.024.010 F
24	15	clear	KE 775.024.015
24	15	frosted	KE 775.024.015 F
24	25	clear	KE 775.024.025
24	25	frosted	KE 775.024.025 F
24	40	clear	KE 775.024.040
24	40	frosted	KE 775.024.040 F
24	60	clear	KE 775.024.060
27	15	clear	KE 775.027.015
27	40	clear	KE 775.027.040
27	60	clear	KE 775.027.060
48	15	clear	KE 775.048.015
48	25	clear	KE 775.048.025
48	40	clear	KE 775.048.040
60	15	clear	KE 775.060.015
60	25	clear	KE 775.060.025
130	15	clear	KE 775.130.015
130	25	clear	KE 775.130.025
130	25	frosted	KE 775.130.025 F
130	40	clear	KE 775.130.040
130	40	frosted	KE 775.130.040 F
130	60	frosted	KE 775.130.060
240	5	frosted	KE 775.240.005 F
240	7	clear	KE 775.240.007
240	15	clear	KE 775.240.015
240	15	frosted	KE 775.240.015 F
240	25	clear	KE 775.240.025
240	25	frosted	KE 775.240.025 F
240	25	flame	KE 775.240.025 FL
240	25	neodym	KE 775.240.025 N
240	40	clear	KE 775.240.040
240	40	frosted	KE 775.240.040 F
240	40	neodym	KE 775.240.040 N
240	60	clear	KE 775.240.060
240	60	frosted	KE 775.240.060 F

240V, 25-40-60W also available in softone




Other specifications on request.

Ball lamps

E27 coloured

G 45x75



Volt	Watt	Colour	Type number
240	15	orange	KE 775.240.015 A
240	15	blue	KE 775.240.015 B
240	15	green	KE 775.240.015 G
240	15	red	KE 775.240.015 R
240	15	yellow	KE 775.240.015 Y
240	25	orange	KE 775.240.025 A
240	25	blue	KE 775.240.025 B
240	25	green	KE 775.240.025 G
240	25	red	KE 775.240.025 R
240	25	yellow	KE 775.240.025 Y


Other specifications on request.

Ball lamps

E27 reinforced construction

G 45x75

Volt	Watt	Colour	Life	Type number
24	25	frosted	2500	KRE 775.024.025 F
240	15	clear	2500	KRE 775.240.015
240	15	frosted	2500	KRE 775.240.015 F
240	25	clear	2500	KRE 775.240.025
240	25	frosted	2500	KRE 775.240.025 F
240	40	clear	2500	KRE 775.240.040
240	40	frosted	2500	KRE 775.240.040 F
240	60	clear	1000	KRE 775.240.060
240	60	frosted	1000	KRE 775.240.060 F




Ball lamps

E27 krypton

G 45x75

Volt	Watt	Colour	Type number
240	25	opal	KKE 775.240.025 W
240	40	opal	KKE 775.240.040 W
240	60	opal	KKE 775.240.060 W




Other specifications on request.

Ball lamps

B22d

G 40x60



Volt	Watt	Colour	Type number
24	5	clear	KB 260.024.005
24	15	clear	KB 260.024.015
24	25	clear	KB 260.024.025
24	25	frosted	KB 260.024.025 F
28-30	35	clear	KB 260.030.035
65	10	frosted	KB 260.065.010 F
65	25	clear	KB 260.065.025
85	10	clear	KB 260.085.010
85	25	clear	KB 260.085.025
85	40	clear	KB 260.085.040
110-115	40	clear	KB 265.115.040


Other specifications on request.

Ball lamps

B22d

G 45x75

Volt	Watt	Colour	Type number
6	15	clear	KB 275.006.015
6	25	clear	KB 275.006.025
12	15	clear	KB 275.012.015
12	15	frosted	KB 275.012.015 F
12	25	clear	KB 275.012.025
12	25	frosted	KB 275.012.025 F
12	40	clear	KB 275.012.040
12	40	frosted	KB 275.012.040 F
24	5	clear	KB 275.024.005
24	10	frosted	KB 275.024.010 F
24	15	clear	KB 275.024.015
24	15	frosted	KB 275.024.015 F
24	25	clear	KB 275.024.025
24	25	frosted	KB 275.024.025 F
24	40	clear	KB 275.024.040
24	40	frosted	KB 275.024.040 F
24	60	clear	KB 275.024.060
27	15	clear	KB 275.027.015
27	25	clear	KB 275.027.025
27	40	clear	KB 275.027.040
27	60	clear	KB 275.027.060
28	40	frosted	KB 275.028.040 F
32	25	clear	KB 275.032.025
32	40	clear	KB 275.032.040
42	25	frosted	KB 275.042.025 F
48	15	clear	KB 275.048.015
48	25	clear	KB 275.048.025
48	40	clear	KB 275.048.040
60	15	clear	KB 275.060.015
60	25	clear	KB 275.060.025
60	40	clear	KB 275.060.040
86	15	clear	KB 275.086.015
96	10	clear	KB 275.096.010
96	40	clear	KB 275.096.040
96	60	frosted	KB 275.096.060 F
130	15	clear	KB 275.130.015
130	15	frosted	KB 275.130.015 F
130	25	clear	KB 275.130.025
130	25	frosted	KB 275.130.025 F
130	40	clear	KB 275.130.040
130	40	frosted	KB 275.130.040 F
130	60	clear	KB 275.130.060




continue on page G52

Other specifications on request.

Ball lamps

B22d

G 45x75



Volt	Watt	Colour	Type number
240	7	frosted	KB 275.240.007 F
240	15	clear	KB 275.240.015
240	15	frosted	KB 275.240.015 F
240	25	clear	KB 275.240.025
240	25	frosted	KB 275.240.025 F
240	40	clear	KB 275.240.040
240	40	frosted	KB 275.240.040 F
240	60	clear	KB 275.240.060


Other specifications on request.

Ball lamps

B22d coloured

G 45x75

Volt	Watt	Colour	Type number
240	15	blue	KB 275.240.015 B
240	15	green	KB 275.240.015 G
240	15	red	KB 275.240.015 R
240	15	yellow	KB 275.240.015 Y
240	25	orange	KB 275.240.025 A
240	25	blue	KB 275.240.025 B
240	25	green	KB 275.240.025 G
240	25	red	KB 275.240.025 R
240	25	yellow	KB 275.240.025 Y




Other specifications on request.

Ball lamps

B22d reinforced construction

G 45x75



Volt	Watt	Colour	Life	Type number
85	25	clear	2500	KRB2.75.085.025
85	40	clear	2500	KRB2.75.085.040
240	15	clear	2500	KRB2.75.240.015
240	15	frosted	2500	KRB2.75.240.015 F
240	25	clear	2500	KRB2.75.240.025
240	25	frosted	2500	KRB2.75.240.025 F
240	40	clear	2500	KRB2.75.240.040
240	40	frosted	2500	KRB2.75.240.040 F
240	60	clear	1000	KRB2.75.240.060
240	60	frosted	1000	KRB2.75.240.060 F


Other specifications on request.

Ball lamps

B22d krypton

G 45x75 Opal

Volt	Watt	Colour	Type number
240	25	opal	KKB 275.240.025 W
240	40	opal	KKB 275.240.040 W
240	60	opal	KKB 275.240.060 W




Other specifications on request.

Candle lamps

E14

C 35x100 Clear - frosted - flame



Volt	Watt	Colour	Type number
24	15	frosted	CE 498.024.015 F
24	25	frosted	CE 498.024.025 F
24	40	frosted	CE 498.024.040 F
26	25	frosted	CE 498.026.025 F
26	40	frosted	CE 498.026.040 F
42	15	frosted	CE 498.042.015 F
42	25	frosted	CE 498.042.025 F
42	40	frosted	CE 498.042.040 F
65	15	frosted	CE 498.065.015 F
65	25	frosted	CE 498.065.025 F
130	15	frosted	CE 498.130.015 F
130	25	clear	CE 498.130.025
130	25	frosted	CE 498.130.025 F
130	40	clear	CE 498.130.040
130	40	frosted	CE 498.130.040 F
130	60	clear	CE 498.130.060
130	60	frosted	CE 498.130.060 F
240	15	clear	CE 498.240.015
240	15	frosted	CE 498.240.015 F
240	14	flame	CE 498.240.015 FL
240	25	clear	CE 498.240.025
240	25	frosted	CE 498.240.025 F
240	25	flame	CE 498.240.025 FL
240	40	clear	CE 498.240.040
240	40	frosted	CE 498.240.040 F
240	40	flame	CE 498.240.040 FL
240	60	clear	CE 498.240.060
240	60	frosted	CE 498.240.060 F

240V, 25-40-60W also available in softone

See for E10 christmas candle lamps part G christmas candle lamps


Other specifications on request.

Candle lamps

E14 reinforced construction

C 35x100 Life: 2.500 hours

Volt	Watt	Colour	Type number
240	15	clear	CRE 498.240.015
240	15	frosted	CRE 498.240.015 F
240	25	clear	CRE 498.240.025
240	25	frosted	CRE 498.240.025 F
240	40	clear	CRE 498.240.040
240	40	frosted	CRE 498.240.040 F




Other specifications on request.


Candle lamps

E14 coloured

C 35x100



Volt	Watt	Colour	Type number
240	25	orange	CE 498.240.025 A
240	25	blue	CE 498.240.025 B
240	25	green	CE 498.240.025 G
240	25	red	CE 498.240.025 R
240	25	yellow	CE 498.240.025 Y



Other specifications on request.

Candle lamps

E14 krypton

C 35x97 Opal


Volt	Watt	Colour	Type number
240	25	opal	CKE 498.240.025 W
240	40	opal	CKE 498.240.040 W
240	60	opal	CKE 498.240.060 W

Candle lamps

E14 neodym

C 35x102

Volt	Watt	Type number
240	15	CE 498.240.015 N
240	25	CE 498.240.025 N
240	40	CE 498.240.040 N




Other specifications on request.

Candle lamps


E14 flicker flame

C 35x97



Volt	Watt	Type number
------	------	-------------

240	3	CE 498.240.003 FF
-----	---	-------------------





Other specifications on request.

Candle lamps

E14 flicker flame bended tip

C 35x105

Volt	Watt	Type number
240	3	CE 498.240.003 FB




Other specifications on request.

Candle lamps

E14 bended tip

C 35x105



Volt	Watt	Colour	Type number
240	15	clear	CE 498.240.015 BT
240	15	frosted	CE 498.240.015 BF
240	25	clear	CE 498.240.025 BT
240	25	frosted	CE 498.240.025 BF
240	40	frosted	CE 498.240.040 BF
240	60	frosted	CE 498.240.060 BF


Other specifications on request.

Candle lamps

E14 twisted

C 35x100

Volt	Watt	Colour	Type number
240	15	clear	CE 498.240.015 T
240	25	clear	CE 498.240.025 T
240	25	yellow	CE 498.240.025 TY
240	25	frosted	CE 498.240.025 TF
240	40	clear	CE 498.240.040 T
240	40	frosted	CE 498.240.040 TF
240	60	clear	CE 498.240.060 T
240	60	frosted	CE 498.240.060 TF




Other specifications on request.


Candle lamps

E14 twisted giant

C 50x130



Volt	Watt	Colour	Type number
240	40	frosted	CE 499.240.040 TF
240	60	frosted	CE 499.240.060 TF




Other specifications on request.

Candle lamps

Ba15d

C 35x100

Volt	Watt	Colour	Type number
130	60	clear	CB 598.130.060
240	15	clear	CB 598.240.015
240	25	clear	CB 598.240.025
240	25	frosted	CB 598.240.025 F
240	40	clear	CB 598.240.040
240	40	frosted	CB 598.240.040 F
240	60	clear	CB 598.240.060




Other specifications on request.


Candle lamps

E27

C 35x100



Volt	Watt	Colour	Type number
240	40	frosted	CE 796.240.040 F
240	60	clear	CE 796.240.060
240	60	frosted	CE 796.240.060 F

A large, stylized graphic of a candle lamp, rendered in a light grey color. It features a teardrop-shaped body, a black band with the word 'BAILEY' in white, and a threaded E27 base. The graphic is set against a background of horizontal green stripes.



Other specifications on request.

Candle lamps

E27 twisted giant

C 50x130

Volt	Watt	Colour	Type number
240	40	frosted	CE 799.240.040 TF
240	60	frosted	CE 799.240.060 TF




Other specifications on request.

Candle lamps

B22d

C 35x100



Volt	Watt	Colour	Type number
130	40	clear	CB 296.130.040
130	60	clear	CB 296.130.060
240	15	frosted	CB 296.240.015 F
240	25	clear	CB 296.240.025
240	25	frosted	CB 296.240.025 F
240	40	clear	CB 296.240.040
240	40	frosted	CB 296.240.040 F
240	60	clear	CB 296.240.060
240	60	frosted	CB 296.240.060 F





Other specifications on request.

Candle lamps

B22d krypton

C 35x91 Opal

Volt	Watt	Colour	Type number
240	25	opal	CKB 296.240.025 W
240	40	opal	CKB 296.240.040 W
240	60	opal	CKB 296.240.060 W




Other specifications on request.


Candle lamps

B22d twisted

C 35x100



Volt	Watt	Colour	Type number
240	25	clear	CB 296.240.025 T
240	25	frosted	CB 296.240.025 TF
240	40	clear	CB 296.240.040 T
240	40	frosted	CB 296.240.040 TF
240	60	clear	CB 296.240.060 T
240	60	frosted	CB 296.240.060 TF




Other specifications on request.

Candle lamps

B22d twisted giant

C 50x130

Volt	Watt	Colour	Type number
240	40	frosted	CB 299.240.040 TF
240	60	frosted	CB 299.240.060 TF




Other specifications on request.



GLS lamps

E27

60x105 Clear - frosted - flame - opal



Volt	Watt	Colour	Type number
12	10	frosted	G 27.012.010 F
12	15	frosted	G 27.012.015 F
12	25	frosted	G 27.012.025 F
12	40	frosted	G 27.012.040 F
12	60	frosted	G 27.012.060 F
12	100	frosted	G 27.012.100 F
24	10	frosted	G 27.024.010 F
24	15	clear	G 27.024.015
24	15	frosted	G 27.024.015 F
24	25	clear	G 27.024.025
24	25	frosted	G 27.024.025 F
24	40	clear	G 27.024.040
24	40	frosted	G 27.024.040 F
24	60	clear	G 27.024.060
24	60	frosted	G 27.024.060 F
24	100	clear	G 27.024.100
24	100	frosted	G 27.024.100 F
30	5	frosted	G 27.030.005 F
30	15	frosted	G 27.030.015 F
32	60	clear	G 27.032.060
42	15	frosted	G 27.042.015 F
42	25	frosted	G 27.042.025 F
42	40	frosted	G 27.042.040 F
42	60	frosted	G 27.042.060 F
42	100	frosted	G 27.042.100 F
42	150	frosted	80x147 G 27.042.150 F
42	200	frosted	80x165 G 27.042.200 F
50	40	frosted	G 27.050.040 F
50	60	frosted	G 27.050.060 F
50	100	frosted	G 27.050.100 F
50	150	frosted	80x147 G 27.050.150 F
65	15	frosted	G 27.065.015 F
65	25	frosted	G 27.065.025 F
65	40	frosted	G 27.065.040 F
65	60	frosted	G 27.065.060 F
65	100	frosted	G 27.065.100 F
130	5	frosted	G 27.130.005 F
130	15	frosted	G 27.130.015 F
130	25	clear	G 27.130.025
130	25	frosted	G 27.130.025 F
130	40	clear	G 27.130.040
130	40	frosted	G 27.130.040 F
130	60	clear	G 27.130.060
130	60	frosted	G 27.130.060 F
130	75	clear	G 27.130.075
130	75	frosted	G 27.130.075 F
130	100	clear	G 27.130.100
130	100	frosted	G 27.130.100 F
130	150	frosted	65x122 G 27.130.150 F
130	200	clear	80x166 G 27.130.200
130	200	frosted	80x166 G 27.130.200 F

continue on page G 75


Other specifications on request.

GLS lamps

E27

60x105 Clear - frosted - flame - opal

Volt	Watt	Colour	Type number
240	15	clear	G 27.240.015
240	15	frosted	G 27.240.015 F
240	15	flame	G 27.240.015 FL
240	25	clear	G 27.240.025
240	25	frosted	G 27.240.025 F
240	25	flame	G 27.240.025 FL
240	25	opal	G 27.240.025 W
240	40	clear	G 27.240.040
240	40	frosted	G 27.240.040 F
240	40	flame	G 27.240.040 FL
240	40	opal	G 27.240.040 W
240	60	clear	G 27.240.060
240	60	frosted	G 27.240.060 F
240	60	flame	G 27.240.060 FL
240	60	opal	G 27.240.060 W
240	60	neodym	G 27.240.060 N
240	75	clear	G 27.240.075
240	75	frosted	G 27.240.075 F
240	75	flame	G 27.240.075 FL
240	75	opal	G 27.240.075 W
240	100	clear	G 27.240.100
240	100	frosted	G 27.240.100 F
240	100	flame	G 27.240.100 FL
240	100	opal	G 27.240.100 W
240	100	neodym	G 27.240.100 N
240	150	frosted	65x122 G 27.240.150 F
240	150	opal	65x122 G 27.240.150 W
240	200	clear	80x166 G 27.240.200
240	200	frosted	80x166 G 27.240.200 F
240	300	clear	88x176 G 27.240.300
240	300	frosted	88x176 G 27.240.300 F




Other specifications on request.

GLS lamps

E27 reinforced construction

60x105 life: 2.500 hours



Volt	Watt	Colour	Type number
130	25	frosted	GR 27.130.025 F
130	40	frosted	GR 27.130.040 F
130	60	frosted	GR 27.130.060 F
130	75	frosted	GR 27.130.075 F
130	100	frosted	GR 27.130.100 F
130	150	frosted 65x124	GR 27.130.150 F
240	15	clear	GR 27.240.015
240	15	frosted	GR 27.240.015 F
240	25	clear	GR 27.240.025
240	25	frosted	GR 27.240.025 F
240	40	clear	GR 27.240.040
240	40	frosted	GR 27.240.040 F
240	60	clear	GR 27.240.060
240	60	frosted	GR 27.240.060 F
240	75	clear	GR 27.240.075
240	75	frosted	GR 27.240.075 F
240	100	clear	GR 27.240.100
240	100	frosted	GR 27.240.100 F
240	150	frosted 65x124	GR 27.240.150 F
240	200	frosted 80x170	GR 27.240.200 F


Other specifications on request.

GLS lamps

E27 longlife

60x105

Volt	Watt	Colour	Life	Type number
240	25	clear	5.000	G 27.240.026
240	25	frosted	5.000	G 27.240.026 F
240	40	clear	5.000	G 27.240.041
240	40	frosted	5.000	G 27.240.041 F
240	60	clear	5.000	G 27.240.061
240	60	frosted	5.000	G 27.240.061 F
240	75	clear	5.000	G 27.240.076
240	75	frosted	5.000	G 27.240.076 F
240	100	clear	5.000	G 27.240.101
240	100	frosted	5.000	G 27.240.101 F
240	40	clear	8.000	G 27.240.042
240	40	frosted	8.000	G 27.240.042 F
240	60	clear	8.000	G 27.240.062
240	60	frosted	8.000	G 27.240.062 F
240	100	clear	8.000	G 27.240.102
240	100	frosted	8.000	G 27.240.102 F




Other specifications on request.



GLS lamps **E27 coloured**

60x105



Volt	Watt	Colour	Type number
130	15	orange	G 27.130.015 A
130	15	blue	G 27.130.015 B
130	15	green	G 27.130.015 G
130	15	red	G 27.130.015 R
130	15	yellow	G 27.130.015 Y
130	25	orange	G 27.130.025 A
130	25	blue	G 27.130.025 B
130	25	green	G 27.130.025 G
130	25	red	G 27.130.025 R
130	25	yellow	G 27.130.025 Y
130	40	orange	G 27.130.040 A
130	40	blue	G 27.130.040 B
130	40	green	G 27.130.040 G
130	40	red	G 27.130.040 R
130	40	yellow	G 27.130.040 Y
130	60	green	G 27.130.060 G
130	60	red	G 27.130.060 R
240	15	orange	G 27.240.015 A
240	15	blue	G 27.240.015 B
240	15	green	G 27.240.015 G
240	15	red	G 27.240.015 R
240	15	yellow	G 27.240.015 Y
240	25	orange	G 27.240.025 A
240	25	blue	G 27.240.025 B
240	25	green	G 27.240.025 G
240	25	red	G 27.240.025 R
240	25	yellow	G 27.240.025 Y
240	40	orange	G 27.240.040 A
240	40	blue	G 27.240.040 B
240	40	green	G 27.240.040 G
240	40	red	G 27.240.040 R
240	40	yellow	G 27.240.040 Y
240	40	pink	G 27.240.040 P
240	60	orange	G 27.240.060 A
240	60	blue	G 27.240.060 B
240	60	green	G 27.240.060 G
240	60	red	G 27.240.060 R
240	60	yellow	G 27.240.060 Y
240	60	pink	G 27.240.060 P
240	75	pink	G 27.240.075 P


Other specifications on request.

GLS lamps

E27 top mirror

clear - frosted - gold

Volt	Watt	Dimension	Colour	Type number
130	60	60x105	clear	GM 27.130.060
240	40	60x105	clear	GM 27.240.040
240	40	60x110	frosted	GM 27.240.040 F
240	40	60x105	gold	GM 27.240.040 GLD
240	60	60x105	clear	GM 27.240.060
240	60	60x110	frosted	GM 27.240.060 F
240	60	60x105	gold	GM 27.240.060 GLD
240	75	70x105	clear	GM 27.240.075
240	100	70x129	clear	GM 27.240.100
240	100	70x120	gold	GM 27.240.100 GLD




Other specifications on request.

GLS lamps

E27 anti insect

60x105



Volt	Watt	Colour	Type number
------	------	--------	-------------

240	60	yellow	G 27.240.060 AI
-----	----	--------	------------------------

240	100	yellow	G 27.240.100 AI
-----	-----	--------	------------------------




Other specifications on request.

GLS lamps

E27 krypton

K - Superlux lamps life: 2.500 hours

Volt	Watt	Colour	Dimension	Type number
240	40	opal	50x88	GK 27.240.040 W
240	60	opal	50x88	GK 27.240.060 W
240	75	opal	60x105	GK 27.240.075 W
240	100	opal	60x105	GK 27.240.100 W
240	150	opal	75x112	GK 27.240.150 W




Other specifications on request.

GLS lamps


E27 softone

60x103



Volt	Watt	Colour	Type number
240	25	soft white	G 27.240.025 S
240	40	soft white	G 27.240.040 S
240	60	soft white	G 27.240.060 S
240	75	soft white	G 27.240.075 S
240	100	soft white	G 27.240.100 S

also available in soft blue - green - pink - yellow




Other specifications on request.

GLS lamps

E27-B22d-E40 armour plated lamps

Volt	Watt	Base	Dim.	Type number
24	60	E27	60x105	GP 27.024.060
24	60	B22d	60x105	GP 22.024.060
24	150	E27	80x147	GP 27.024.150
42	60	E27	60x105	GP 27.042.060
42	60	B22d	60x105	GP 22.042.060
240	15	E27	60x105	GP 27.240.015
240	15	B22d	60x105	GP 22.240.015
240	25	E27	60x105	GP 27.240.025
240	25	B22d	60x105	GP 22.240.025
240	40	E27	60x105	GP 27.240.040
240	40	B22d	60x105	GP 22.240.040
240	60	E27	60x105	GP 27.240.060
240	60	B22d	60x105	GP 22.240.060
240	75	E27	60x105	GP 27.240.075
240	75	B22d	60x105	GP 22.240.075
240	100	E27	60x105	GP 27.240.100
240	100	B22d	60x105	GP 22.240.100
240	150	E27	80x147	GP 27.240.150
240	150	B22d	80x147	GP 22.240.150
240	200	E27	80x166	GP 27.240.200
240	200	B22d	80x166	GP 22.240.200
240	300	E27	88x176	GP 27.240.300
240	300	E40	88x186	GP 40.240.300
240	500	E40	110x239	GP 40.240.500




Other specifications on request.

GLS

E27-B22d Imitation blacklight blue

60x110



Volt	Watt	Base	Type number
------	------	------	-------------

240	75	E27	G 27.240.075 BLB
240	75	B22d	G 22.240.075 BLB
240	100	E27	G 27.240.100 BLB

GLS

E27-B22d Fire glow transparent red

60x110

Volt	Watt	Base	Type number
------	------	------	-------------

240	60	E27	G 27.240.060 FG
240	60	B22d	G 22.240.060 FG
240	60	B22d/3 pin	G 23.240.060 FG

Other specifications on request.

GLS lamps

E27-B22d daylight


60x110

Volt	Watt	Base	Type number
240	60	E27	G 27.240.060 DL
240	100	E27	G 27.240.100 DL
240	100	B22d	G 22.240.100 DL

GLS lamps

E27-B22d Carbon filament

Volt	Watt	Base	Type number
240	60	E27	G 27.240.060 CF
240	65	B22d	G 22.240.065 CF
240	90	E27	G 27.240.090 CF
240	110	E27	G 27.240.115 CF




Other specifications on request.



GLS lamps

B22d

60x105 Clear - frosted



Volt	Watt	Colour	Type number
12	15	frosted	G 22.012.015 F
12	25	frosted	G 22.012.025 F
12	40	frosted	G 22.012.040 F
12	60	frosted	G 22.012.060 F
12	100	frosted	G 22.012.100 F
24	10	frosted	G 22.024.010 F
24	15	clear	G 22.024.015
24	15	frosted	G 22.024.015 F
24	25	frosted	G 22.024.025 F
24	40	clear	G 22.024.040
24	40	frosted	G 22.024.040 F
24	60	frosted	G 22.024.060 F
24	100	frosted	G 22.024.100 F
32	15	frosted	G 22.032.015 F
32	40	frosted	G 22.032.040 F
32	60	frosted	G 22.032.060 F
32	75	clear	G 22.032.075
32	100	frosted	G 22.032.100 F
42	15	frosted	G 22.042.015 F
42	25	frosted	G 22.042.025 F
42	40	frosted	G 22.042.040 F
42	60	frosted	G 22.042.060 F
42	100	frosted	G 22.042.100 F
48	25	frosted	G 22.048.025 F
50	15	frosted	G 22.050.015 F
50	25	frosted	G 22.050.025 F
50	40	frosted	G 22.050.040 F
50	60	frosted	G 22.050.060 F
50	100	frosted	G 22.050.100 F
65	15	frosted	G 22.065.015 F
65	25	frosted	G 22.065.025 F
65	40	frosted	G 22.065.040 F
65	60	frosted	G 22.065.060 F
65	100	frosted	G 22.065.100 F
85	40	clear	G 22.085.040
130	15	frosted	G 22.130.015 F
130	25	clear	G 22.130.025
130	25	frosted	G 22.130.025 F
130	40	clear	G 22.130.040
130	40	frosted	G 22.130.040 F
130	60	clear	G 22.130.060
130	60	frosted	G 22.130.060 F
130	75	clear	G 22.130.075
130	75	frosted	G 22.130.075 F
130	100	clear	G 22.130.100
130	100	frosted	G 22.130.100 F
130	150	frosted	65x122 G 22.130.150 F
130	200	frosted	80x165 G 22.130.200 F
130	300	frosted	88x175 G 22.130.300 F

continue on page G 87


Other specifications on request.

GLS lamps

B22d

60x105 Clear - frosted

Volt	Watt	Colour	Type number
240	15	clear	G 22.240.015
240	15	frosted	G 22.240.015 F
240	25	clear	G 22.240.025
240	25	frosted	G 22.240.025 F
240	40	clear	G 22.240.040
240	40	frosted	G 22.240.040 F
240	60	clear	G 22.240.060
240	60	frosted	G 22.240.060 F
240	75	clear	G 22.240.075
240	75	frosted	G 22.240.075 F
240	100	clear	G 22.240.100
240	100	frosted	G 22.240.100 F
240	150	frosted	G 22.240.150 F
240	200	frosted	G 22.240.200 F




Other specifications on request.

GLS lamps

B22d reinforced construction

60x105 life: 2.500 hours




Volt	Watt	Colour	Dim.	Type number
60	60	clear		GR 22.060.060
130	25	frosted		GR 22.130.025 F
130	40	frosted		GR 22.130.040 F
130	60	frosted		GR 22.130.060 F
130	100	frosted		GR 22.130.100 F
130	150	frosted	65x122	GR 22.130.150 F
130	200	frosted	80x165	GR 22.130.200 F
240	15	clear		GR 22.240.015
240	15	frosted		GR 22.240.015 F
240	25	clear		GR 22.240.025
240	25	frosted		GR 22.240.025 F
240	40	clear		GR 22.240.040
240	40	frosted		GR 22.240.040 F
240	60	clear		GR 22.240.060
240	60	frosted		GR 22.240.060 F
240	75	clear		GR 22.240.075
240	75	frosted		GR 22.240.075 F
240	100	clear		GR 22.240.100
240	100	frosted		GR 22.240.100 F
240	150	frosted	65x122	GR 22.240.150 F
240	200	frosted	80x165	GR 22.240.200 F

Other specifications on request.

GLS lamps **B22d longlife**

60x105

Volt	Watt	Colour	Life	Type number
240	25	clear	5.000	G 22.240.026
240	25	frosted	5.000	G 22.240.026 F
240	40	clear	5.000	G 22.240.041
240	40	frosted	5.000	G 22.240.041 F
240	60	clear	5.000	G 22.240.061
240	60	frosted	5.000	G 22.240.061 F
240	75	clear	5.000	G 22.240.076
240	75	frosted	5.000	G 22.240.076 F
240	100	clear	5.000	G 22.240.101
240	100	frosted	5.000	G 22.240.101 F
240	40	clear	8.000	G 22.240.042 F
240	40	frosted	8.000	G 22.240.042 F
240	60	clear	8.000	G 22.240.062 F
240	60	frosted	8.000	G 22.240.062 F
240	75	clear	8.000	G 22.240.077 F
240	75	frosted	8.000	G 22.240.077 F
240	100	clear	8.000	G 22.240.102 F
240	100	frosted	8.000	G 22.240.102 F




Other specifications on request.



GLS lamps

B22d coloured

60x105





Volt	Watt	Colour	Type number
130	15	orange	G 22.130.015 A
130	15	blue	G 22.130.015 B
130	15	green	G 22.130.015 G
130	15	red	G 22.130.015 R
130	15	yellow	G 22.130.015 Y
130	40	orange	G 22.130.040 A
130	40	blue	G 22.130.040 B
130	40	green	G 22.130.040 G
130	40	red	G 22.130.040 R
130	40	yellow	G 22.130.040 Y
130	60	blue	G 22.130.060 B
130	60	green	G 22.130.060 G
130	60	red	G 22.130.060 R
130	60	yellow	G 22.130.060 Y
240	15	orange	G 22.240.015 A
240	15	blue	G 22.240.015 B
240	15	green	G 22.240.015 G
240	15	red	G 22.240.015 R
240	15	yellow	G 22.240.015 Y
240	25	orange	G 22.240.025 A
240	25	blue	G 22.240.025 B
240	25	green	G 22.240.025 G
240	25	red	G 22.240.025 R
240	25	yellow	G 22.240.025 Y
240	40	orange	G 22.240.040 A
240	40	blue	G 22.240.040 B
240	40	green	G 22.240.040 G
240	40	red	G 22.240.040 R
240	40	yellow	G 22.240.040 Y
240	60	blue	G 22.240.060 B
240	60	green	G 22.240.060 G
240	60	yellow	G 22.240.060 Y

Other specifications on request.

GLS lamps

B22d top mirror

Volt	Watt	Dimensions	Type number
240	25	60x105	GM 22.240.025
240	40	60x105	GM 22.240.040
240	60	60x105	GM 22.240.060
240	75	70x105	GM 22.240.075
240	100	70x129	GM 22.240.100





Other specifications on request.


GLS lamps

B22d krypton

K - Superlux life: 2.500 hours



Volt	Watt	Colour	Dimension	Type number
240	40	opal	60x98	GK 22.240.040 W
240	60	opal	60x98	GK 22.240.060 W
240	75	opal	60x103	GK 22.240.075 W
240	100	opal	60x103	GK 22.240.100 W
240	150	opal	75x112	GK 22.240.150 W




Other specifications on request.

GLS lamps

E40

Clear - frosted

Volt	Watt	Colour	Dimension	Type number
24	200	clear	80x165	G 40.024.200
24	300	clear	110x233	G 40.024.300
130	200	clear	88x165	G 40.130.200
130	300	clear	110x220	G 40.130.300
130	300	frosted	110x239	G 40.130.300 F
130	500	clear	110x239	G 40.130.500
130	1.000	clear	130x274	G 40.130.995
240	150	frosted	80x160	G 40.240.150 F
240	200	clear	80x166	G 40.240.200
240	200	frosted	80x166	G 40.240.200 F
240	300	clear	88x186	G 40.240.300
240	500	clear	110x239	G 40.240.500
240	750	clear	130x265	G 40.240.750
240	1.000	clear	130x274	G 40.240.995





Other specifications on request.


Reflector lamps

E14

R39-R50



Volt	Watt	Descr.	Colour	Dim.	Type number
240	25	R50	frosted	50x86	RE 4050.240.025
240	25	R50	neodym	50x86	RN 4050.240.025
240	30	R39	frosted	39x66	RE 4039.240.030
240	40	R50	frosted	50x86	RE 4050.240.040
240	40	R50	neodym	50x86	RN 4050.240.040
240	40	R50	blue	50x86	RE 4050.240.040 B
240	40	R50	green	50x86	RE 4050.240.040 G
240	40	R50	red	50x86	RE 4050.240.040 R
240	40	R50	yellow	50x86	RE 4050.240.040 Y





Other specifications on request.

Reflector lamps

E14 spot type

R50x84 frosted

Volt	Watt	Type number
240	25	RS 4050.240.025
240	40	RS 4050.240.040




Other specifications on request.

Reflector lamps

E27

R63-R80-R95-R125



Volt	Watt	Descr.	Colour	Dim.	Type number
24	40	R63	frosted	63x105	RE 7063.024.040
240	40	R63	frosted	63x105	RE 7063.240.040
240	40	R63	blue	63x105	RE 7063.240.040 B
240	40	R63	green	63x105	RE 7063.240.040 G
240	40	R63	red	63x105	RE 7063.240.040 R
240	40	R63	yellow	63x105	RE 7063.240.040 Y
240	40	R63	neodym	63x105	RN 7063.240.040
240	40	R80	frosted	80x105	RE 7080.240.040
240	60	R63	frosted	63x105	RE 7063.240.060
240	60	R63	neodym	63x105	RN 7063.240.060
240	60	R80	frosted	80x105	RE 7080.240.060
240	60	R80	blue	80x116	RE 7080.240.060 B
240	60	R80	green	80x116	RE 7080.240.060 G
240	60	R80	red	80x116	RE 7080.240.060 R
240	60	R80	violet	80x116	RE 7080.240.060 V
240	60	R80	yellow	80x116	RE 7080.240.060 Y
240	60	R80	neodym	80x111	RN 7080.240.060
240	75	R80	frosted	80x105	RE 7080.240.075
240	75	R95	frosted	95x140	RE 7095.240.075
240	100	R80	frosted	80x105	RE 7080.240.100
240	100	R80	neodym	80x111	RN 7080.240.100
240	100	R95	frosted	95x140	RE 7095.240.100
240	100	R95	neodym	95x140	RN 7095.240.100
240	150	R125	frosted	125x180	RE 7125.240.150

Also available in longlife version, 10.000 hours life



Other specifications on request.

Reflector lamps

E27 top mirror

R60x103

Volt	Watt	Type number
240	40	RM 7060.240.040
240	60	RM 7060.240.060


A large, stylized white graphic of the lamp's reflector and base, set against a background of horizontal green stripes. The graphic shows the top mirror shape, the internal filament structure, and the base with the 'BE&E' logo.

Other specifications on request.

Reflector lamps

E27 spot type

R63x103 frosted



Volt	Watt	Type number
240	25	RS 7063.240.025
240	40	RS 7063.240.040
240	60	RS 7063.240.060

Other specifications on request.

Globe lamps


E27 opal

G60 - G80 - G100 - G125

Volt	Watt	Dimension	Type number
240	40	60x90	GL 706.240.040 MW
240	60	60x90	GL 706.240.060 MW
240	40	80x135	GL 708.240.040 MW
240	60	80x135	GL 708.240.060 MW
240	100	80x135	GL 708.240.100 MW
240	25	95x142	GL 709.240.025 MW
240	40	95x142	GL 709.240.040 MW
240	60	95x142	GL 709.240.060 MW
240	75	95x142	GL 709.240.075 MW
240	60	125x185	GL 712.240.060 MW
240	100	125x185	GL 712.240.100 MW

Globe lamps also available in:

clear	smoke
satin	antik
top mirror	crackle
side mirror	crackle bronze
ring mirror	ice-crystal
bottom mirror	mirror silver
full	full mirror gold
pink	



Other specifications on request.

Fantasy lamps

E27

240 Volt



Volt	Watt	Type number
240	3	G80 FAG 7080.240 LOV
240	3	G80 FAG 7080.240 FLA

Also available in B22d

Other specifications on request.


Fantasy lamps

E27

240 Volt

Volt	Watt	Type number	
------	------	-------------	--

240	3	G80	FAG 7080.240 FLO
-----	---	-----	------------------



240	3	G80	FAG 7080.240 HAP
-----	---	-----	------------------



Also available in B22d






Other specifications on request.

Oven lamps

E14 pigmy

P 22x48 300°C Clear



Volt	Watt	Filament	Description	Type number
220	10	C-7A		E 48.220.010
235	15	C-7A		E 48.235.015
235	15	C-7A	ind. packing	E 48.235.015 I
235	15	C-7A	reinforced construction	E 48.235.015 RC
235	25	C-7A		E 48.235.025
235	25	C-7A	ind. packing	E 48.235.025 I
235	25	C-7A	reinforced construction	E 48.235.025 RC


Other specifications on request.

Oven lamps

E14 ball

G 45x70 300°C

Volt	Watt	Colour	Type number
24	25	frosted	KCE 475.024.025 F
24	40	frosted	KCE 475.024.040 F
130	40	clear	KCE 475.130.040
240	25	clear	KCE 475.240.025
240	40	clear	KCE 475.240.040




Other specifications on request.



Oven lamps


E27 ball

G 45x70 300°C



Volt	Watt	Filament	Colour	Type number
------	------	----------	--------	-------------

24	40		frosted	KCE 775.024.040 F
240	15	C-7A	clear	KCE 775.240.015
240	25	C-7A	clear	KCE 775.240.025
240	40	C-7A	clear	KCE 775.240.040





Other specifications on request.

Oven lamps

E27 - B22d GLS

60x105 300°C Clear

Volt	Watt	Base	Type number
24	60	E27	GC 27.024.060
24	100	E27	GC 27.024.100
240	60	E27	GC 27.240.060
24	60	B22d	GC 22.024.060
240	60	B22d	GC 22.240.060


A large, light-colored stylized logo of Bailey Electric & Electronics is centered on the page. It features a lightbulb shape with the letters 'BE&E' inside, and a larger 'BEE' logo below it.

Other specifications on request.

Oven lamps

E14, B22d

Tubular 300°C life: 2.000 hours Clear



Volt	Watt	Base	Size	Type number
24	40	E14	23x80	TCE 480.024.040
28	25	E14	22x70	TCE 470.028.025
240	25	E14	25x56	TCE 456.240.025
24	40	B22d	23x80	TCB 280.024.040
24	60	B22d	28x90	TCB 290.024.060

Other specifications on request.


Oven lamps

Infra red, Halogen lamps


For gastrology professional ovens life: 5.000 hours

Volt	Watt	Lamp base	Size	Type number
------	------	-----------	------	-------------

235	200	R7s	10x186	HI 186.235.0200
235	700	R7s	10x251	HI 251.235.0700
235	1000	R7s	10x327	HI 327.235.1000
235	1500	R7s	10x420	HI 420.235.1500



235	2200	cable	12x350	HI 350.235.2200
-----	------	-------	--------	-----------------




Other specifications on request.

Microwave oven lamps

E12

T 20x48 Life: 2.000 hours Clear



Volt	Watt	Filament	Type number
------	------	----------	-------------

240	10	C-7A	MWO 248.240.010
-----	----	------	------------------------



Microwave oven lamps

E14

T 22x58 Life: 2.000 hours Clear

Volt	Watt	Filament	Type number
------	------	----------	-------------

110	20	C-5A	MWO 458.110.020
-----	----	------	------------------------




Other specifications on request.

Microwave oven lamps

E14s

T 22x60 Life: 2.000 hours Clear

Volt	Watt	Filament	Type number
120	15	C-5A	MWO 460.120.015
220	15	CC-7A	MWO 460.220.015




Microwave oven lamps

E14s

T 25x70 Life: 2.000 hours Clear

Volt	Watt	Filament	Type number
120	25	C-5A	MWO 470.120.025
240	20	CC-7A	MWO 470.240.020




Other specifications on request.

Microwave oven lamps

E14s

S 35x62 Life: 2.000 hours Clear



Volt	Watt	Filament	Type number
240	30	CC-7A	MWO 462.240.030

Microwave oven lamps

E16

T 22x56 Life: 2.000 hours Clear

Volt	Watt	Filament	Type number
240	20	CC-7A	MWO 656.240.020



Other specifications on request.

Microwave oven lamps

E16

S 35x58 Life: 2.000 hours Clear

Volt	Watt	Filament	Type number
125	30	C-3A	MWO 658.125.030


A large, light green outline of a microwave oven lamp. The lamp has a rounded top, a central filament structure, and a base with the 'BE&E' logo. The background of the entire page features horizontal green stripes.

Other specifications on request.

Microwave oven lamps

Special plastic socket

T 22x54 Life: 2.000 hours Clear



Volt	Watt	Filament	Type number
110	25	C-5A	MWOP 54.110.025
125	20	C-5A	MWOP 54.125.020
240	25	CC-7A	MWOP 54.240.025

Microwave oven lamps

Special plastic socket

T 25x62 Life: 2.000 hours Clear

Volt	Watt	Filament	Type number
100	25	C-5A	MWOP 62.100.025
125	25	C-5A	MWOP 62.125.025
240	25	CC-7A	MWOP 62.240.025


Other specifications on request.

Microwave oven lamps

Special plastic socket

T 22x53 Life: 2.000 hours Clear

Volt	Watt	Filament	Type number
240	25	CC-7A	MWOP 53.240.025





Microwave oven lamps

Special metal base

T 22x57 Life: 2.000 hours Clear

Volt	Watt	Filament	Type number
110	20	C-5A	MWOM 57.110.020
240	20	CC-7A	MWOM 57.240.020



C-5A


CC-7A

Other specifications on request.


Microwave oven lamps

Special metal base

T 25x70 Life; 2.000 hours Clear



Volt	Watt	Filament	Type number
110	30	C-3A gas filled	MWOM 70.110.030
120	25	C-5A	MWOM 70.120.025
240	25	CC-7A	MWOM 70.240.025




Other specifications on request.

Sewing machine lamps

E12-E14-E16

Volt	Watt	Base	Dimens.	Colour	Type number
110-120	15	E12	T22x51	clear	SM 251.120.015
240	15	E12	T22x51	clear	SM 251.240.015
240	15	E12	T22x51	frosted	SM 251.240.015 F
24	15	E14	T22x63	clear	SM 463.024.015
24	15	E14	T22x63	frosted	SM 463.024.015 F
240	15	E14	T22x57	clear	SM 457.240.015
240	15	E14	T22x57	frosted	SM 457.240.015 F
240	15	E14	T22x63	clear	SM 463.240.015
240	15	E14	T22x63	frosted	SM 463.240.015 F
240	20	E14	T22x63	frosted	SM 463.240.020 F
240	25	E14	T22x57	clear	SM 457.240.025
240	25	E14	T22x63	clear	SM 463.240.025
240	25	E14	T22x63	frosted	SM 463.240.025 F
110	10	E16	T22x57	clear	SM 657.110.010
110-130	15	E16	T22x57	frosted	SM 657.130.015 F
130	20	E16	T22x57	frosted	SM 657.130.020 F
240	15	E16	T22x57	frosted	SM 657.240.015 F
240	25	E16	T22x57	clear	SM 657.240.025




Other specifications on request.

Sewing machine lamps

E14

G 35x64





Volt	Watt	Dimension	Colour	Type number
12	15	G35x64	clear	SM 464.012.015
12	15	G35x64	frosted	SM 464.012.015 F
240	25	G35x64	frosted	SM 464.240.025 F

Other specifications on request.

Sewing machine lamps

Ba15d

Volt	Watt	Dimension	Colour	Type number
240	15	T22x57	clear	SM 557.240.015
240	15	T22x57	frosted	SM 557.240.015 F
240	15	T22x63	clear	SM 563.240.015
240	20	T22x57	frosted	SM 557.240.020 F
240	25	T22x57	clear	SM 557.240.025
240	25	T22x57	frosted	SM 557.240.025 F





Other specifications on request.

Christmas lamps

Pisello wire ended

Clear fused



Volt	mA	Dimension	Type number
2,5	200	4,2x13	WP 13.02.200.1
3,5	200	4,2x13	WP 13.03.200.1
6	100	5,2x16	WP 16.06.100.1
12	40	5,2x16	WP 16.12.040.1
12	60	5,2x16	WP 16.12.060.1
12	100	5,2x16	WP 16.12.100.1
24	40	5,2x16	WP 16.24.040.1
24	50	5,2x16	WP 16.24.050.1

Christmas lamps

Pisello wire ended

Blinking/flushing Clear

Volt	mA	Dimension	Type number
2,5	300	5x23	WP 23.02.300 BL
3,8	300	5x23	WP 23.03.300 BL
4,8	500	5x23	WP 23.04.500 BL
6	500	5x23	WP 23.06.500 BL


Other specifications on request.

Christmas lamps

Replaceable pisello

5x30 Fused Clear

Volt	Watt	Base	Type number
2,5	1,2	white	CMW 002.001
2,5	1,2	green	CMG 002.001
3,5	1,2	white	CMW 003.001
3,5	1,2	green	CMG 003.001
5	1,2	white	CMW 005.001
5	1,2	green	CMG 005.001
7	1,2	white	CMW 007.001
7	1,2	green	CMG 007.001
12	1,2	white	CMW 012.001
12	1,2	green	CMG 012.001
24	1,2	white	CMW 024.001
24	1,2	green	CMG 024.001



Christmas lamps

Pisello E5,5

5.5x32 Fused Clear

Volt	Watt	Type number
2,5	1,2	MSP 05.02.001
3	1,5	MSP 05.03.001
12	1,2	MSP 05.12.001
24	1,2	MSP 05.24.001





Other specifications on request.

Christmas lamps

Small candle E10

13.5x45 Ribbed glass indoor use



Volt	Watt	Colour	Type number
7	2	clear	CE 045.007.002 RI
14	3	clear	CE 045.014.03 RI
14	3	blue	CE 045.014.03 RIB
14	3	green	CE 045.014.03 RIG
14	3	purple	CE 045.014.03 RIP
14	3	red	CE 045.014.03 RIR
14	3	yellow	CE 045.014.03 RIY
23	3	clear	CE 045.023.03 RI
23	3	blue	CE 045.023.03 RIB
23	3	purple	CE 045.023.03 RIP
23	3	red	CE 045.023.03 RIR
23	3	yellow	CE 045.023.03 RIY
34	3	clear	CE 045.034.03 RI
34	3	blue	CE 045.034.03 RIB
34	3	purple	CE 045.034.03 RIP
34	3	red	CE 045.034.03 RIR
34	3	yellow	CE 045.034.03 RIY
55	3	clear	CE 045.055.03 RI
55	3	blue	CE 045.055.03 RIB
55	3	purple	CE 045.055.03 RIP
55	3	red	CE 045.055.03 RIR
55	3	yellow	CE 045.055.03 RIY


Other specifications on request.

Christmas lamps

Small candle E10

13.5x45 Ribbed glass outdoor use

Volt	Watt	Colour	Type number
14	3	clear	CE 045.014.03 RO
14	3	blue	CE 045.014.03 ROB
14	3	green	CE 045.014.03 ROG
14	3	purple	CE 045.014.03 ROP
14	3	red	CE 045.014.03 ROR
14	3	yellow	CE 045.014.03 ROY
23	3	clear	CE 045.023.03 RO
23	3	blue	CE 045.023.03 ROR
23	3	green	CE 045.023.03 ROG
23	3	purple	CE 045.023.03 ROP
23	3	red	CE 045.023.03 ROR
23	3	yellow	CE 045.023.03 ROY
34	3	clear	CE 045.034.03 RO
34	3	blue	CE 045.034.03 ROB
34	3	green	CE 045.034.03 ROG
34	3	purple	CE 045.034.03 ROP
34	3	red	CE 045.034.03 ROR
34	3	yellow	CE 045.034.03 ROY
55	3	clear	CE 045.055.03 RO
55	3	blue	CE 045.055.03 ROB
55	3	green	CE 045.055.03 ROG
55	3	purple	CE 045.055.03 ROP
55	3	red	CE 045.055.03 ROR
55	3	yellow	CE 045.055.03 ROY




Other specifications on request.

Christmas lamps

E10 Candle

C 22x52 Clear



Volt	Watt	Type number
12	3	CE 052.012.003
14	3	CE 052.014.003
23	3	CE 052.023.003
34	3	CE 052.034.003
48	3	CE 052.048.003
55	3	CE 052.055.003

Christmas lamps

E10 Candle

C 30x95 Clear

Volt	Watt	Type number
14	3	CE 095.014.003


Other specifications on request.

Christmas lamps

E10 candle

With plastic envelop Clear

Volt	Watt	Dimension	Type number
8	3	11,5x70	CE 070.008.003
14	3	11,5x70	CE 070.014.003
23	3	11,5x70	CE 070.023.003
55	3	11,5x70	CE 070.055.003
8	3	15x103	CE 103.008.003
14	3	15x103	CE 103.014.003
23	3	15x103	CE 103.023.003




Other specifications on request.



Christmas lamps

E14/23x15 candle

With plastic envelop Clear




Volt	Watt	Type number
8	5	CE 499.008.005
8	7	CE 499.008.007
14	5	CE 499.014.005
14	7	CE 499.014.007

Other specifications on request.

Striplight lamps

S15

Volt	Watt	Dim.	Colour	Type number
240	25	21x221	clear	S15.240.025
240	25	21x221	opal	S15.240.025.W
240	25	21x221	half mirror	S15.240.025.M
240	25	25x221	clear	S15.240.025.1
240	25	25x221	opal	S15.240.025.1W
240	25	25x221	half mirror	S15.240.025.1M
240	25	25x221	frosted	S15.240.025.1F
240	25	25x254	clear	S15.240.025.2
240	25	25x254	opal	S15.240.025.2W
240	25	25x254	half mirror	S15.240.025.2M
240	25	25x254	frosted	S15.240.025.2F
240	25	25x284	clear	S15.240.025.3
240	25	25x284	opal	S15.240.025.3W
240	25	25x284	half mirror	S15.240.025.3M
240	25	25x284	frosted	S15.240.025.3F
240	30	25x221	clear	S15.240.030
240	40	25x221	clear	S15.240.040
240	40	25x221	opal	S15.240.040.W
240	40	25x221	half mirror	S15.240.040.M
240	40	25x221	frosted	S15.240.040.F
240	40	25x254	clear	S15.240.040.2
240	40	25x254	opal	S15.240.040.2W
240	40	25x254	half mirror	S15.240.040.2M
240	40	25x254	frosted	S15.240.040.2F
240	40	25x284	clear	S15.240.040.3
240	40	25x284	opal	S15.240.040.3W
240	40	25x284	half mirror	S15.240.040.3M
240	40	25x284	frosted	S15.240.040.3F
240	60	25x221	clear	S15.240.060
240	60	25x284	clear	S15.240.060.3




Other specifications on request.



Striplight lamps

S19

38x309



Volt	Watt	Colour	Type number
240	40	clear	S19.240.040
240	40	opal	S19.240.040.W
240	40	half mirror	S19.240.040.M
240	40	frosted	S19.240.040.F
240	60	clear	S19.240.060
240	60	opal	S19.240.060.W
240	60	half mirror	S19.240.060.M
240	60	frosted	S19.240.060.F
240	75	clear	S19.240.075
240	75	opal	S19.240.075.W
240	75	half mirror	S19.240.075.M
240	75	frosted	S19.240.075.F
240	100	clear	S19.240.100
240	100	opal	S19.240.100.W
240	100	half mirror	S19.240.100.M
240	100	frosted	S19.240.100.F

Other specifications on request.

Striplight lamps

S14

Opal


Volt	Watt	Dim.	Type number
240	35	30x300	S14.240.035.MW
240	60	30x500	S14.240.060.MW

Striplight lamps

2xS14

Opal


Volt	Watt	Dim.	Type number
130	35	30x300	S14S.130.035.MW
130	60	30x500	S14S.130.060.MW
240	35	30x300	S14S.240.035.MW
240	60	30x500	S14S.240.060.MW



Other specifications on request.



Fluorescent tubes




Watt	Colour	Dimension	Type number
4	coolwhite	16x136	FT 004 CW
4	blacklight	16x136	FT 004 BL
4	blacklightblue	16x136	FT 004 BLB
4	germicidal	16x136	FT 004 GERM
6	coolwhite	16x212	FT 006 CW
6	warmwhite	16x212	FT 006 WW
6	blacklight	16x212	FT 006 BL
6	blacklight blue	16x212	FT 006 BLB
6	germicidal	16x212	FT 006 GERM
8	coolwhite	16x288	FT 008 CW
8	warmwhite	16x288	FT 008 WW
8	blacklight	16x288	FT 008 BL
8	blacklight blue	16x288	FT 008 BLB
8	germicidal	16x288	FT 008 GERM
10	coolwhite	25x330	FT 010 CW
10	daylight	25x330	FT 010 DL
13	coolwhite	16x517	FT 013 CW
13	warmwhite	16x517	FT 013 WW
13	blacklight blue	16x517	FT 013 BLB
14	coolwhite	26x360	FT 014 CW
14	daylight	26x360	FT 014 DL
15	coolwhite	26x437	FT 015 CW
15	warmwhite	26x437	FT 015 WW
15	daylight	26x437	FT 015 DL
15	blacklight	26x437	FT 015 BL
15	blacklight blue	26x437	FT 015 BLB
15	germicidal	26x439	FT 015 GERM
18	coolwhite	26x590	FT 018 CW
18	daylight	26x590	FT 018 DL
18	daylight	32x580	FT 018 DLJ
18	blacklight	26x590	FT 018 BL
18	blacklight blue	26x590	FT 018 BLB
18	blue	26x590	FT 018 B
18	green	26x590	FT 018 G
18	red	26x590	FT 018 R
18	yellow	26x590	FT 018 Y
20	coolwhite	32x580	FT 020 CW
20	rapid start	32x580	FT 020 RS
20	blacklight	38x590	FT 020 BL
23	coolwhite	26x970	FT 023 CW
23	warmwhite	26x970	FT 023 WW
25	coolwhite	26x691	FT 025 CW 28
25	coolwhite	26x742	FT 025 CW 30
25	coolwhite	26x818	FT 025 CW 33

Other specifications on request.

Fluorescent tubes

Watt	Colour	Dimension	Type number
30	coolwhite	32x894	FT 030 CW
30	coolwhite	32x630	FT 030 CWJ
30	blacklight		FT 030 BLK
30	germicidal	24x893	FT 030 GERM
36	coolwhite	26x1200	FT 036 CW
36	warmwhite	26x1200	FT 036 WW
36	daylight	26x1200	FT 036 DL
36	blacklight	26x1200	FT 036 BL
36	blacklight blue	26x1200	FT 036 BLB
36	blue	26x1200	FT 036 B
36	green	26x1200	FT 036 G
36	red	26x1200	FT 036 R
36	yellow	26x1200	FT 036 Y
40	coolwhite	38x1200	FT 040 CW
40	blacklight	38x590	FT 040 BLK
40	blacklight	38x1200	FT 040 BL
58	daylight	26x1500	FT 058 DL




Other specifications on request.

Energy saving light bulbs

E14-E27-B22d

Double tube, 220-240V 50Hz integral ballasted



Watt	Base	Colour	Lenght	Type number
5	E14	2700K	122	EBU 05 A11 NAAM
7	E14	2700K	135	EBU 07 A11 NAAM
7	E27	2700K	135	EBU 07 E11 NAAM
9	E27	2700K	140	EBU 09 E11 NAAM
9	E27	3200K	140	EBU 09 E11 NBAM
9	B22d	2700K	140	EBU 09 B11 NAAM
11	E27	2700K	155	EBU 11 E11 NAAM
11	B22d	3200K	155	EBU 11 B11 NAAM
15	E27	2700K	183	EBU 15 E11 NAAM
15	E27	3200K	183	EBU 15 E11 NBAM
15	B22d	2700K	183	EBU 15 B11 NAAM
20	E27	2700K	200	EBU 20 E11 NAAM
20	E27	3200K	200	EBU 20 E11 NBAM

2700K= Warmwhite

3200K= Coolwhite

All types are also available in:

Blister packing
6500K daylight

Energy saving light bulbs


E27-B22d

Triple tube, 220-240V 50Hz integral ballasted

Watt	Base	Colour	Lenght	Type number
15	E27	2700K	143	ETU 15 E11 NAAM
15	B22d	2700K	143	ETU 15 B11 NAAM
20	E27	2700K	152	ETU 20 E11 NAAM
20	B22d	2700K	152	ETU 20 B11 NAAM
23	E27	2700K	165	ETU 23 E11 NAAM
23	B22d	2700K	165	ETU 23 B11 NAAM

2700K= Warmwhite

All types are also available in: Blister packing
6500K daylight




Other specifications on request.

Compact fluorescent tubes

2 pin G23


220-240V 50Hz



Watt	Colour	Length	Type number
5	2700K	104	CSU 05 G11 NAAM
7	2700K	135	CSU 07 G11 NAAM
9	2700K	165	CSU 09 G11 NAAM
11	2700K	234	CSU 11 G11 NAAM

2700K= Warmwhite

Also available in 6500K daylight



Other specifications on request.



Compact fluorescent tubes

4 pin 2G7

220-240V 50Hz

Watt	Colour	Length	Type number
5	2700K	85	CSU 05 T11 NAAM
7	2700K	115	CSU 07 T11 NAAM
9	2700K	145	CSU 09 T11 NAAM
11	2700K	215	CSU 11 T11 NAAM

2700K= Warmwhite




Other specifications on request.

Compact fluorescent tubes


2 pin G24d

220-240V 50Hz



Watt	Colour	Lenght	Base	Type number
10	2700K	122	G24d-1	CDU 10 K11 NAAM
13	2700K	145	G24d-1	CDU 13 K11 NAAM
18	2700K	155	G24d-2	CDU 18 M11 NAAM
26	2700K		G24d-3	CDU 26 P11 NAAM

2700K= Warmwhite



Other specifications on request.

Compact fluorescent tubes



4 pin G24q

220-240V 50Hz

Watt	Colour	Lenght	Base	Type number
------	--------	--------	------	-------------


10	2700K	122	G24q-1	CDU 10 L11 NAAM
13	2700K	145	G24q-1	CDU 13 L11 NAAM
18	2700K	155	G24q-2	CDU 18 N11 NAAM
26	2700K		G24q-3	CDU 26 Q11 NAAM

2700K= Warmwhite



Other specifications on request.

Compact fluorescent tubes **2D lamp**



Volt	Watt	Ø	Colour	Type number	
------	------	---	--------	-------------	--

72	10	14	2700K	4pin	FC 10 2D 4P 827
72	10	14	3500K	4pin	FC 10 2D 4P 835

Compact fluorescent tubes **2D lamp**

Volt	Watt	Ø	Colour	Type number	
------	------	---	--------	-------------	--

103	16	15	2700K	2pin	FC 16 2D 2P 827
103	16	15	3500K	2pin	FC 16 2D 2P 835
103	16	15	2700K	4pin	FC 16 2D 4P 827
103	16	15	3500K	4pin	FC 16 2D 4P 835


101	21	15	2700K	4pin	FC 21 2D 4P 827
101	21	15	3500K	4pin	FC 21 2D 4P 835

Other specifications on request.

Compact fluorescent tubes

2D lamp

Volt	Watt	Ø	Colour	Type number
107	28	24	2700K	2pin FC 28 2D 2P 827
107	28	24	2700K	4pin FC 28 2D 4P 827
107	28	24	3500K	4pin FC 28 2D 4P 835
107	28	24	4000K	4pin FC 28 2D 4P 840
110	38	24	2700K	4pin FC 38 2D 4P 827
110	38	24	3500K	4pin FC 38 2D 4P 835




Other specifications on request.


Energy saving lamps

E27

Life: 8000 hours



Volt	Watt	Dimension	Type number
220-240	7	60x135	G 27.240.007 ECO
220-240	9	70x145	G 27.240.009 ECO
220-240	11	70x145	G 27.240.011 ECO



Other specifications on request.