

Bailey



Lamp Catalogue

Miniature lamps

for all your lamps



Bailey

BE&E



for all your lamps

EaelLUCE

RIVA

MEGAMAN
spaarlampen



PHILIPS

NARVA

OSRAM



SYLVANIA

Omicron

Radium



Bailey is a specialist in the area of lighting. We sell Miniature lamps and also Halogen lamps, LED lamps, Energy Saving lamps, Transport & Traffic lamps, Special lamps and General lamps to a variety of customers around the world. Please visit our site to learn more about our company and products.

tel.: +31 (0) 162 52 24 46, info@bailey.nl, www.bailey.nl

TABLE OF CONTENTS

PART M

Miniature lamps

Wire Ended	M3
T3/4	M3
T1	M4
T1 1/4	M5
T1 1/2	M6
T1 3/4	M7
Axial	M8
Wire Ended with insulated Leads	M9
T1 1/4	M9
Bi-Pin	M10
T1	M10
T1 Special	M13
T1 1/4	M14
T1 3/4	M15
Terasaki	M16
Midget Flanged	M17
T3/4	M17
T1 US	M18
T1 French	M19
T1 1/4	M20
T1 3/4	M21
Midget Grooved	M23
T1 3/4	M23
MT	M25
T1 3/4	M25
Midget Screw E5/8	M26
T1 3/4	M26
Ba5s	M28
T1 3/4	M28
Wedge Base	M29
T5	M29
T5 replacement type	M30
T10	M31
T10 Xenon	M32
T15	M33
Neo	M34

TABLE OF CONTENTS

Telephone lamps	M35
T4.5.....	M35
T4.6.....	M36
T5.5K.....	M37
T5.5.....	M39
T5.5 EUBA.....	M41
T6.5F French.....	M42
T6.8G German.....	M44
T6.0 Skandia.....	M46
ESB.....	M47
PSB.....	M48
BPO.....	M49
F9.....	M50
T9.....	M51
 Ba7s	M52
Tube.....	M52
 Ba9s	M58
Tube.....	M58
Tube Telewriter.....	M69
Ball.....	M70
 Ba10s	M74
Tube.....	M74
 E10	M75
Tube.....	M75
Tube Telewriter.....	M85
Tube Sperry.....	M86
Ball.....	M87
Krypton.....	M92
Xenon.....	M93
Torch.....	M94
 P13.5s	M96
Torch.....	M96
 Ba15d	M99
Tube.....	M99
Pigmy.....	M106
 E12	M107
Tube.....	M107
S6.....	M110
 E14	M111
Tube.....	M111
Pigmy.....	M119

TABLE OF CONTENTS

Festoon lamps	M120
S6	M120
S7	M125
S8.5	M129
S8.5 Xenon	M135
SF6	M136
 Rigid Loop	M137
Xenon	M137
 Neon lamps	M138
Midget Flanged	M138
Midget Grooved	M139
Ba7s	M140
Telephone lamps	M141
Ba9s	M142
E10	M143
Ba15d - Ba15s	M144
E12	M145
E14	M146
B22d - E27	M147
 Accessories	M148
Lamp Extractors	M148
Silicon Caps	M149
 Filaments	M150

Bailey



Coloured lamps

Caël LUCE®

RIVA

MEGAMAN®
spaarlampen



PHILIPS

NARVA

OSRAM

SYLVANIA

Omicron®

Radium



We can supply all miniature lamps in the following colours:
Blue, green, orange, red and yellow.

tel.: +31 (0) 162 52 24 46

info@bailey.nl

www.bailey.nl

for all your lamps

Bailey



Special packing

ael LUCE

RIVA

MEGAMAN
spaarlampen



PHILIPS

NARVA

OSRAM



SYLVANIA

Omicron

Radium



We can supply in neutral white or in coloured 10-pieces packing labelled with barcode, logo and typenumber.

tel.: +31 (0) 162 52 24 46

info@bailey.nl


www.bailey.nl

for all your lamps

Wire Ended

T3/4

2.5X5.0mm




Item number	Voltage	Amperage	Filament	Finish	Life (h)	mscp	US Code
WE02050601	5	0.060	C-2R	Clear	100000	0.050	6833
WE02050801	5	0.080	C-2R	Clear	15000	0.150	8666
WE02051151	5	0.115	C-2R	Clear	40000	0.150	7153
WE02120501	12	0.050	C-2V	Clear	15000	0.070	
WE02240201	24	0.020	C-2F	Clear	5000	0.035	

Wire Ended

T1

3.2X6.35mm




Item number	Voltage	Amperage	Filament	Finish	Life (h)	mscp	US Code
WE03030151	3	0.015	C-2R	Clear	5000	0.020	7205
WE03050211	5	0.021	C-2R	Clear	10000	0.030	6022
WE03050301	5	0.030	C-2R	Clear	25000	0.030	7210
WE03050601	5	0.060	C-2R	Clear	60000	0.030	680
WE03050602	5	0.060	C-2R	Clear	40000	0.050	683
WE0305060L	5	0.060	C-2R	Lens	25000		
WE03050751	5	0.075	C-2R	Clear	25000	0.090	713
WE03051151	5	0.115	C-2R	Clear	40000	0.150	715
WE03051251	5	0.125	C-2R	Clear	5000	0.220	7216
WE03060501	6	0.050	C-2V	Clear	15000		
WE03060601	6	0.060	C-2R	Clear	10000	0.120	
WE03060701	6	0.070	C-2R	Clear	10000	0.120	
WE03100271	10	0.027	C-2F	Clear	10000	0.100	7218
WE03120301	12	0.030	C-2F	Clear	5000	0.100	
WE03120401	12	0.040	C-2F	Clear	10000		7051
WE03120501	12	0.050	C-2F	Clear	10000	0.150	
WE03120601	12	0.060	C-2F	Clear	16000	0.150	7219
WE03130251	13	0.025	C-2F	Clear	5000		
WE03140401	14	0.040	C-2F	Clear	10000	0.090	
WE03140651	14	0.065	C-2F	Clear	16000	0.150	8111
WE03140801	14	0.080	C-2F	Clear	10000		
WE03180261	18	0.026	C-2F	Clear	16000	0.150	7220
WE03240201	24	0.020	CC-2F	Clear	5000	0.050	
WE03280241	28	0.024	CC-2F	Clear	16000	0.150	6838
WE03360201	36	0.020	CC-2F	Clear	5000		

Wire Ended

T1 1/4

4.5X11.7mm




Item number	Voltage	Amperage	Filament	Finish	Life (h)	mscp	US Code
WE04010301	1.3	0.030	C-2R	Clear	100	0.006	2135
WE04010701	1.5	0.070	C-2R	Clear	25000	0.016	749
WE04011001	1.5	0.100	C-2R	Clear	1000		
WE04031901	3	0.190	C-2R	Clear	350	0.250	324
WE04050601	5	0.060	C-2R	Clear	25000	0.050	583
WE04051151	5	0.115	C-2R	Clear	40000	0.150	515
WE04060301	6	0.030	C-2R	Clear	3000		
WE04060401	6	0.040	C-2V	Clear	10000	0.030	8661
WE04060601	6	0.060	C-2R	Clear	3000	0.130	2114
WE04061001	6	0.100	C-2R	Clear	6000		
WE04062001	6	0.200	C-2R	Clear	1000	0.630	634
WE04100151	10	0.015	C-2F	Clear	10000	0.003	8608
WE04120201	12	0.020	C-2F	Clear	5000		
WE04120351	12	0.035	C-2F	Clear	25000	0.050	772
WE04120401	12	0.040	C-2V	Clear	10000	0.090	
WE04120601	12	0.060	C-2F	Clear	15000	0.150	753
WE04120801	12	0.080	C-2V	Clear	1000	0.400	754
WE04121001	12	0.100	C-2V	Clear	1000	0.250	
WE04130301	13.5	0.030	C-2F	Clear	15000		
WE04140801	14	0.080	C-2F	Clear	1000	0.500	8640
WE04240351	24	0.035	C-2F	Clear	25000	0.100	
WE04240352	24	0.035	C-2F	Clear	5000	0.150	770
WE04240401	24	0.040	C-2F	Clear	5000		
WE04280251	28	0.025	C-2F	Clear	5000	0.080	
WE04280401	28	0.040	C-2F	Clear	1000	0.340	8627
WE04480251	48	0.025	CC-2F	Clear	1000	0.200	

Wire Ended

T1 1/2

4.9X13mm




Item number	Voltage	Amperage	Filament	Finish	Life (h)	mscp	US Code
WE05010601	1.35	0.060	C-2R	Clear	100	0.030	
WE05040601	4.5	0.060	C-2R	Clear	2000	0.100	
WE05060401	6	0.040	C-2V	Clear	10000	0.040	
WE05062001	6	0.200	C-2R	Clear	2000	0.630	
WE05060402	6.3	0.040	C-2V	Clear	10000		
WE05062002	6.3	0.200	C-2F	Clear	5000	0.400	
WE05120301	12	0.030	C-2V	Clear	1000	0.100	
WE05120401	12	0.040	C-2F	Clear	4000	0.090	
WE05120402	12	0.040	C-2F	Clear	10000		
WE05120501	12	0.050	C-2V	Clear	1000	0.240	
WE05120801	12	0.080	C-2V	Clear	5000	0.160	
WE05121001	12	0.100	C-2V	Clear	5000	0.270	
WE05240351	24	0.035	C-2F	Clear	8000	0.150	
WE05280401	28	0.040	C-2F	Clear	7000	0.300	
WE05280402	28	0.040	C-2F	Clear	4000	0.340	

Wire Ended


T1 3/4

5.7X13.2mm



Item number	Voltage	Amperage	Filament	Finish	Life (h)	mscp	US Code
WE06023501	2.5	0.350	C-2R	Clear	10000	0.210	2169
WE06030151	3	0.015	C-2R	Clear	10000	0.003	2158
WE06050151	5	0.015	C-2V	Clear	10000	0.015	
WE06050601	5	0.060	C-2R	Clear	25000	0.050	2200
WE06060401	6	0.040	C-2V	Clear	10000	0.030	1730
WE06061001	6	0.100	C-2V	Clear	10000	0.120	
WE06062001	6	0.200	C-2R	Clear	1000	0.340	1784
WE06060402	6.3	0.040	C-2V	Clear	10000	0.030	2180
WE06060752	6.3	0.075	C-2R	Clear	500	0.230	1739
WE06062002	6.3	0.200	C-2F	Clear	20000	0.400	2181
WE06062003	6.3	0.200	C-2R	Clear	5000	0.550	2112
WE06100151	10	0.015	C-2F	Clear	10000	0.003	1869
WE06120401	12	0.040	C-2F	Clear	10000	0.120	2174
WE06120601	12	0.060	C-2F	Clear	10000	0.160	
WE06140801	14	0.080	C-2F	Clear	40000	0.300	2182
WE06140802	14	0.080	C-2F	Clear	2500	0.500	1705
WE06141001	14	0.100	C-2F	Clear	10000	0.500	2162
WE06180401	18	0.040	C-2F	Clear	10000	0.150	2102
WE06240401	24	0.040	C-2F	Clear	5000	0.150	
WE06240501	24	0.050	C-2F	Clear	1000	0.500	2176
WE06240601	24	0.060	C-2F	Clear	5000	0.500	2041
WE06280241	28	0.024	C-2F	Clear	4000	0.150	6033
WE06280401	28	0.040	C-2F	Clear	10000	0.150	2185
WE06280402	28	0.040	C-2F	Clear	7000	0.300	2187
WE06280403	28	0.040	C-2F	Clear	4000	0.340	1764
WE06280601	28	0.060	C-2F	Clear	25000	0.340	1764LSV
WE06360201	36	0.020	C-2F	Clear	5000	0.200	
WE06480201	48	0.020	CC-2F	Clear	5000	0.200	
WE06600201	60	0.020	CC-2F	Clear	5000	0.150	

Wire Ended Axial 4X19mm




Item number	Voltage	Amperage	Filament	Finish	Life (h)	Lumen	US Code
WA04030601	3	0.060	C-8	Clear	1000	0.8	
WA04060501	6	0.050	C-8	Clear	15000	1.2	
WA04090501	9	0.050	C-8	Clear	2000	1.5	
WA04120501	12	0.050	C-8	Clear	2000	2.0	

Wire Ended with insulated Leads

T1 1/4

4X12mm




Item number	Voltage	Amperage	Filament	Finish	Life (h)	Leads (mm)	US Code
WP04040601	4.5	0.060	C-2R	Clear	10000	200	
WP04060402	6	0.040	C-2R	Clear	10000	250	
WP04060601	6	0.060	C-2R	Clear	10000	200	
WP04060603	6	0.060	C-2R	Clear	10000	300	
WP04060251	6.3	0.025	C-2R	Clear	10000	200	
WP04060401	6.3	0.040	C-2R	Clear	10000	200	
WP04060403	6.3	0.040	C-2R	Clear	10000	300	
WP04060801	6.3	0.080	C-2R	Clear	10000	200	
WP04080401	8	0.040	C-2R	Clear	10000	200	
WP04080402	8	0.040	C-2R	Clear	10000	250	
WP04080403	8	0.040	C-2R	Clear	10000	300	
WP04080601	8	0.060	C-2R	Clear	10000	200	
WP04080603	8	0.060	C-2R	Clear	10000	300	
WP04080801	8	0.080	C-2R	Clear	10000	200	
WP04080803	8	0.080	C-2R	Clear	10000	300	
WP04120401	12	0.040	C-2V	Clear	10000	200	
WP04120402	12	0.040	C-2V	Clear	10000	250	
WP04120403	12	0.040	C-2V	Clear	10000	300	
WP04120601	12	0.060	C-2V	Clear	10000	200	
WP04120603	12	0.060	C-2V	Clear	10000	300	
WP04140401	14	0.040	C-2F	Clear	10000	200	
WP04140402	14	0.040	C-2F	Clear	10000	250	
WP04140403	14	0.040	C-2F	Clear	10000	300	
WP04140803	14	0.080	C-2F	Clear	10000	300	
WP04240401	24	0.040	C-2F	Clear	10000	200	

Bi-Pin

T1

3.2X9.5mm Pin distance 1.27mm




Item number	Voltage	Amperage	Filament	Finish	Life (h)	mscp	US Code
BP13022001	2.5	0.200	C-2R	Clear	600	0.190	
BP13050601	5	0.060	C-2R	Clear	25000	0.050	7683
BP13050751	5	0.075	C-2R	Clear	60000	0.090	7714
BP13051151	5	0.115	C-2R	Clear	40000	0.150	7715
BP13060751	6	0.075	C-2R	Clear	5000		
BP13120301	12	0.030	C-2F	Clear	10000	0.100	
BP13120601	12	0.060	C-2V	Clear	16000	0.150	8097
BP13140651	14	0.065	C-2F	Clear	10000	0.150	
BP13280241	28	0.024	CC-2F	Clear	16000	0.150	7839
BP13280401	28	0.040	CC-2F	Clear	10000	0.360	

Bi-Pin

T1

3.2X9.5mm Pin distance 2.54mm




Item number	Voltage	Amperage	Filament	Finish	Life (h)	mscp	US Code
BP23050601	5	0.060	C-2R	Clear	25000	0.050	
BP23050751	5	0.075	C-2R	Clear	60000	0.090	
BP23061151	6	0.115	C-2R	Clear	40000	0.150	
BP23120501	12	0.050	C-2V	Clear	10000	0.150	
BP23120601	12	0.060	C-2F	Clear	16000	0.150	
BP23140651	14	0.065	C-2F	Clear	16000	0.150	
BP23180261	18	0.026	C-2F	Clear	16000	0.150	
BP23240201	24	0.020	CC-2F	Clear	16000	0.065	
BP23240241	24	0.024	CC-2F	Clear	16000	0.150	
BP23280241	28	0.024	CC-2F	Clear	16000	0.150	
BP23280401	28	0.040	CC-2F	Clear	7000	0.300	
BP23300201	30	0.020	CC-2F	Clear	5000	0.060	
BP23360201	36	0.020	CC-2F	Clear	10000	0.080	

Bi-Pin

T1

3.2X10mm Pin distance 3.17mm




Item number	Voltage	Amperage	Filament	Finish	Life (h)	mscp	US Code
BP33050601	5	0.060	C-2R	Clear	25000	0.050	
BP33050751	5	0.075	C-2R	Clear	25000	0.090	
BP33120401	12	0.040	C-2V	Clear	10000	0.090	
BP33120601	12	0.060	C-2V	Clear	16000	0.150	
BP33180261	18	0.026	CC-2F	Clear	16000	0.150	
BP33240201	24	0.020	CC-2F	Clear	16000	0.060	
BP33280241	28	0.024	CC-2F	Clear	16000	0.150	

Bi-Pin

T1 Special

3.2X9.5mm Pin distance 1.27mm




Item number	Voltage	Amperage	Filament	Finish	Life (h)	mscp	US Code
BP137714	5	0.075	C-2R	Clear	25000	0.090	7714 SPECIAL
BP138097	12	0.060	C-2F	Clear	10000	0.150	8097 SPECIAL
BP137839	28	0.024	C-2F	Clear	16000	0.150	7839 SPECIAL

Bi-Pin

T1 1/4

4.5X14mm Pin distance 2.54mm




Item number	Voltage	Amperage	Filament	Finish	Life (h)	mscp	US Code
BP24050601	5	0.060	C-2R	Clear	25000	0.050	7583
BP24060601	6	0.060	C-2V	Clear	25000	0.050	
BP24060602	6	0.060	C-2R	Clear	3000	0.130	7309
BP24062001	6.3	0.200	C-2R	Clear	5000	0.550	7310
BP24120401	12	0.040	C-2V	Clear	10000	0.120	4032
BP24120501	12	0.050	C-2V	Clear	10000	0.150	
BP24140801	14	0.080	C-2F	Clear	1000	0.500	7646
BP24160301	16	0.030	C-2F	Clear	10000	0.340	
BP24240351	24	0.035	C-2F	Clear	25000	0.130	
BP24280241	28	0.024	C-2F	Clear	10000	0.150	
BP24280251	28	0.025	C-2F	Clear	4000	0.080	
BP24280401	28	0.040	C-2F	Clear	4000	0.340	7632
BP24360201	36	0.020	CC-2F	Clear	5000	0.080	
BP24480251	48	0.025	CC-2F	Clear	5000	0.200	

Bi-Pin


T1 3/4

5.7X16mm Pin distance 3.17mm




Item number	Voltage	Amperage	Filament	Finish	Life (h)	mscp	US Code
BP36022001	2.5	0.200	C-2R	Clear	3000	0.250	7968
BP36023501	2.5	0.350	C-2R	Clear	10000	0.210	7868
BP36030151	3	0.015	C-6	Clear	10000	0.003	7375
BP36050601	5	0.060	C-2R	Clear	25000	0.050	7361
BP36051151	5	0.115	C-2R	Clear	40000	0.150	7362
BP36060401	6	0.040	C-2V	Clear	10000	0.040	7945
BP36062001	6	0.200	C-2R	Clear	50000	0.400	
BP36062002	6	0.200	C-2R	Clear	1000	0.340	7328
BP36060402	6.3	0.040	C-2V	Clear	10000	0.030	7380
BP36060751	6.3	0.075	C-2V	Clear	3000	0.150	7377
BP36062003	6.3	0.200	C-2R	Clear	5000	0.550	7349
BP3606200F	6.3	0.200	C-2R	Frosted	5000		
BP36100401	10	0.040	C-2F	Clear	5000	0.080	7367
BP36120401	12	0.040	C-2F	Clear	10000	0.100	7371
BP36120601	12	0.060	C-2V	Clear	10000	0.160	
BP36140801	14	0.080	C-2F	Clear	15000	0.300	7382
BP36140802	14	0.080	C-2F	Clear	1000		7330
BP36180401	18	0.040	C-2F	Clear	10000	0.150	7370
BP36240501	24	0.050	C-2F	Clear	1000	0.500	
BP36280241	28	0.024	C-2F	Clear	4000	0.150	
BP36280351	28	0.035	C-2F	Clear	30000	0.100	
BP36280401	28	0.040	C-2F	Clear	7000	0.300	7387
BP36280402	28	0.040	C-2F	Clear	4000	0.340	7327
BP36280601	28	0.060	C-2F	Clear	25000	0.340	7876
BP36480251	48	0.025	CC-2F	Clear	5000	0.200	7748
BP36600201	60	0.020	CC-2F	Clear	5000	0.150	

Bi-Pin
Terasaki
6X20mm




Item number	Voltage	Amperage	Filament	Finish	Life (h)	mscp	US Code
TERASAKI2824	28	0.024	CC-2F	Clear	16000	0.150	
TERASAKI2840	28	0.040	C-2F	Clear	7000	0.300	

Midget Flanged T3/4 2.5X9.5mm




Item number	Voltage	Amperage	Filament	Finish	Life (h)	mscp	US Code
MF02020501	2	0.050	C-2R	Clear	1000	0.030	
MF02050601	5	0.060	C-2R	Clear	25000	0.050	
MF02051151	5	0.115	C-2R	Clear	40000	0.150	
MF02060501	6	0.050	C-2R	Clear	5000	0.040	
MF02120501	12	0.050	C-2F	Clear	15000	0.070	
MF02140301	14	0.030	C-2F	Clear	15000	0.018	
MF02160301	16	0.030	C-2F	Clear	15000	0.020	
MF02240201	24	0.020	CC-2F	Clear	5000	0.035	
MF02280201	28	0.020	CC-2F	Clear	5000	0.050	

Midget Flanged T1 US 3.2X9.5mm



Item number	Voltage	Amperage	Filament	Finish	Life (h)	mscp	US Code
MF03010751	1.5	0.075	C-2R	Clear	16000	0.030	8102
MF03050211	5	0.021	C-2V	Clear	10000	0.034	8022
MF03050301	5	0.030	C-2R	Clear	16000	0.030	
MF03050601	5	0.060	C-2R	Clear	25000	0.050	685
MF03050751	5	0.075	C-2R	Clear	25000	0.090	714
MF03051151	5	0.115	C-2R	Clear	40000	0.150	718
MF03060401	6	0.040	C-2R	Clear	10000	0.040	3094
MF03060701	6	0.070	C-2R	Clear	16000	0.120	
MF03120201	12	0.020	C-2F	Clear	10000	0.020	
MF03120301	12	0.030	C-2V	Clear	15000	0.030	3024
MF03120601	12	0.060	C-2V	Clear	16000	0.150	32
MF03140651	14	0.065	C-2F	Clear	16000	0.150	8112
MF03180261	18	0.026	C-2F	Clear	16000	0.150	7241
MF03240201	24	0.020	CC-2F	Clear	20000	0.090	
MF03240241	24	0.024	CC-2F	Clear	10000		
MF03280201	28	0.020	CC-2F	Clear	10000	0.050	3092
MF03280241	28	0.024	CC-2F	Clear	16000	0.150	6839
MF03280401	28	0.040	CC-2F	Clear	10000		
MF03360201	36	0.020	CC-2F	Clear	10000	0.150	

Midget Flanged T1 French 3.2X14mm




Item number	Voltage	Amperage	Filament	Finish	Life (h)	mscp	US Code
MF14050601	5	0.060	C-2V	Clear	40000	0.050	
MF14051151	5	0.115	C-2V	Clear	20000	0.150	
MF14060701	6	0.070	C-2V	Clear	5000	0.090	
MF14062001	6	0.200	C-2V	Clear	1000	0.500	
MF14120201	12	0.020	C-2V	Clear	2000	0.040	
MF14120301	12	0.030	C-2V	Clear	10000	0.500	
MF14120401	12	0.040	C-2F	Clear	1000	0.500	
MF14120601	12	0.060	C-2V	Clear	10000	0.150	
MF14121001	12	0.100	C-2F	Clear	1000	0.300	
MF14240201	24	0.020	CC-2F	Clear	20000	0.025	
MF14280201	28	0.020	CC-2F	Clear	20000	0.060	
MF14280241	28	0.024	CC-2F	Clear	10000	0.080	
MF14280401	28	0.040	CC-2F	Clear	1000	0.340	

Midget Flanged

T1 1/4

4.2X14mm




Item number	Voltage	Amperage	Filament	Finish	Life (h)	mscp	US Code
MF0401060L	1.5	0.060	C-2R	Lens	1	0.040	
MF0401090L	1.5	0.090	C-2R	Lens	1	0.060	
MF04023001	2.5	0.300	C-2R	Clear	3000		
MF04024501	2.5	0.450	C-2R	Clear	1000	0.550	
MF04060401	6	0.040	C-2R	Clear	1000		
MF04120501	12	0.050	C-2F	Clear	25000	0.050	
MF04240401	24	0.040	C-2F	Clear	5000		
MF04280401	28	0.040	C-2F	Clear	10000	0.300	8632

Midget Flanged

T1 3/4

5.7X16mm



Item number	Voltage	Amperage	Filament	Finish	Life (h)	mscp	US Code
MF06010601	1.35	0.060	C-6	Clear	3000	0.010	331
MF06022001	2.5	0.200	C-6	Clear	3000	0.250	368
MF06023001	2.5	0.300	C-6	Clear	3000		
MF06023501	2.5	0.350	C-2R	Clear	15000	0.200	268
MF06020601	2.7	0.060	C-6	Clear	6000	0.040	338
MF06030151	3	0.015	C-6	Clear	10000	0.003	375
MF06030301	3	0.030	C-6	Clear	4000	0.020	329
MF06042501	4	0.250	C-2R	Clear	25000	0.200	
MF06050202	5	0.020	C-6	Clear	7000	0.015	
MF06050301	5	0.030	C-2R	Clear	10000	0.020	
MF06050602	5	0.060	C-2R	Clear	25000	0.050	7333
MF06051151	5	0.115	C-2R	Clear	35000	0.150	7335
MF06060401	6	0.040	C-2R	Clear	10000	0.040	345
MF06060601	6	0.060	C-2R	Clear	4000	0.130	
MF06060701	6	0.070	C-2V	Clear	15000	0.080	
MF06061001	6	0.100	C-2R	Clear	10000	0.120	
MF06062001	6	0.200	C-2R	Clear	2000	0.600	328
MF06060402	6.3	0.040	C-2R	Clear	30000	0.020	380
MF06060751	6.3	0.075	C-2R	Clear	1000	0.230	377
MF06062002	6.3	0.200	C-2R	Clear	30000	0.400	381
MF06062003	6.3	0.200	C-2R	Clear	5000	0.550	349
MF06100151	10	0.015	C-2F	Clear	50000	0.003	344
MF06100401	10	0.040	C-2F	Clear	5000	0.080	367
MF06120201	12	0.020	C-2F	Clear	20000	0.007	
MF06120401	12	0.040	C-2V	Clear	10000	0.100	394
MF06120601	12	0.060	C-2V	Clear	16000	0.150	
MF06120751	12	0.075	C-2F	Clear	10000	0.200	
MF06121001	12	0.100	C-2F	Clear	8000	0.300	
MF06140401	14	0.040	C-2F	Clear	5000	0.150	
MF06140501	14	0.050	C-2F	Clear	15000	0.080	

Midget Flanged

T1 3/4


5.7X16mm

Item number	Voltage	Amperage	Filament	Finish	Life (h)	mscp	US Code
MF06140801	14	0.080	C-2F	Clear	15000	0.300	382
MF06140802	14	0.080	C-2F	Clear	10000	0.300	
MF06140803	14	0.080	C-2F	Clear	2000	0.500	330
MF06180261	18	0.026	C-2F	Clear	6000		
MF06180401	18	0.040	C-2F	Clear	10000	0.150	370
MF06190401	19	0.040	C-2F	Clear	15000	0.100	
MF06240201	24	0.020	CC-2F	Clear	10000	0.030	
MF06240251	24	0.025	CC-2F	Clear	12000	0.070	
MF06240401	24	0.040	C-2F	Clear	7000	0.250	
MF06240501	24	0.050	C-2F	Clear	12000	0.180	
MF06240502	24	0.050	C-2F	Clear	2000	0.500	
MF06240601	24	0.060	C-2F	Clear	1000	0.200	
MF06240801	24	0.080	C-2F	Clear	8000	0.500	
MF06280241	28	0.024	C-2F	Clear	6000	0.150	
MF06280251	28	0.025	C-2F	Clear	15000	0.080	
MF06280301	28	0.030	C-2F	Clear	6000	0.200	
MF06280401	28	0.040	C-2F	Clear	30000	0.150	
MF06280402	28	0.040	C-2F	Clear	10000	0.200	385
MF06280403	28	0.040	C-2F	Clear	8000	0.300	387
MF06280404	28	0.040	C-2F	Clear	5000	0.340	327
MF06280601	28	0.060	C-2F	Clear	12000	0.340	376
MF06280801	28	0.080	C-2F	Clear	6000	0.720	
MF06320331	32	0.033	CC-2F	Clear	3000	0.340	
MF06360201	36	0.020	CC-2F	Clear	12000	0.080	
MF06360301	36	0.030	C-2F	Clear	3000	0.300	
MF06360401	36	0.040	C-2F	Clear	3000		
MF06480201	48	0.020	CC-2F	Clear	4000	0.200	
MF06480251	48	0.025	CC-2F	Clear	5000	0.200	
MF06480301	48	0.030	CC-2F	Clear	6000	0.250	
MF06480401	48	0.040	CC-2F	Clear	5000	0.340	
MF06600201	60	0.020	CC-2F	Clear	5000	0.150	
MF06600301	60	0.030	CC-2F	Clear	1000	0.600	

Midget Grooved

T1 3/4

5.7X16mm



Item number	Voltage	Amperage	Filament	Finish	Life (h)	mscp	US Code
MG06010601	1.35	0.060	C-6	Clear	3000	0.010	698
MG06023501	2.5	0.350	C-2R	Clear	10000	0.210	266
MG0602350L	2.5	0.350	C-2R	Lens	10000	0.200	253
MG06020601	2.7	0.060	C-6	Clear	6000	0.040	8704
MG06050401	5	0.040	C-2R	Clear	25000	0.025	
MG06050602	5	0.060	C-2R	Clear	25000	0.050	7347
MG06060401	6	0.040	C-2R	Clear	25000	0.030	8705
MG06060601	6	0.060	C-2R	Clear	4000	0.130	
MG06061251	6	0.125	C-2R	Clear	5000	0.350	
MG06062001	6	0.200	C-2R	Clear	2000	0.600	337
MG06060402	6.3	0.040	C-2R	Clear	30000	0.020	7351
MG06060751	6.3	0.075	C-2R	Clear	1000	0.230	8708
MG06061502	6.3	0.150	C-2R	Clear	2000	0.500	7352
MG06062002	6.3	0.200	C-2R	Clear	20000	0.400	379
MG06062003	6.3	0.200	C-2R	Clear	5000	0.550	398
MG06100151	10	0.015	C-2F	Clear	50000	0.003	709
MG06100401	10	0.040	C-2F	Clear	5000	0.080	397
MG06120201	12	0.020	C-2F	Clear	20000	0.007	
MG06120401	12	0.040	C-2F	Clear	10000	0.100	7354
MG06120601	12	0.060	C-2F	Clear	16000	0.150	
MG06120751	12	0.075	C-2F	Clear	10000	0.200	
MG06121001	12	0.100	C-2F	Clear	8000	0.300	
MG06121201	12	0.120	C-2F	Clear	10000	0.250	
MG06140201	14	0.020	C-2F	Clear	15000		
MG06140501	14	0.050	C-2F	Clear	15000	0.080	
MG06140801	14	0.080	C-2F	Clear	15000	0.200	
MG06140802	14	0.080	C-2F	Clear	10000	0.300	386
MG06140803	14	0.080	C-2F	Clear	2000	0.500	336
MG06180401	18	0.040	C-2F	Clear	10000	0.150	
MG06220401	22	0.040	C-2F	Clear	3000	0.300	457

Midget Grooved


T1 3/4

5.7X16mm

Item number	Voltage	Amperage	Filament	Finish	Life (h)	mscp	US Code
MG06240201	24	0.020	CC-2F	Clear	10000	0.030	
MG06240251	24	0.025	C-2F	Clear	12000	0.070	
MG06240351	24	0.035	C-2F	Clear	10000	0.150	
MG06240401	24	0.040	C-2F	Clear	7000	0.250	
MG06240501	24	0.050	C-2F	Clear	12000	0.180	
MG06240601	24	0.060	C-2F	Clear	6000		
MG06240801	24	0.080	C-2F	Clear	8000	0.500	
MG06280201	28	0.020	C-2F	Clear	6000		
MG06280241	28	0.024	C-2F	Clear	6000	0.150	
MG06280251	28	0.025	C-2F	Clear	16000	0.080	
MG06280301	28	0.030	C-2F	Clear	6000	0.200	
MG06280302	28	0.030	C-2F	Clear	3000	0.250	
MG06280351	28	0.035	C-2F	Clear	15000	0.100	
MG06280401	28	0.040	C-2F	Clear	30000	0.150	
MG06280402	28	0.040	C-2F	Clear	10000	0.200	7355
MG06280403	28	0.040	C-2F	Clear	8000	0.300	388
MG06280404	28	0.040	C-2F	Clear	5000	0.340	334
MG06280601	28	0.060	C-2F	Clear	12000	0.340	334LSV
MG06280651	28	0.065	C-2F	Clear	6000	0.600	7356
MG06280801	28	0.080	C-2F	Clear	6000	0.720	
MG06320331	32	0.033	C-2F	Clear	3000	0.340	
MG06360201	36	0.020	C-2F	Clear	12000	0.080	
MG06360301	36	0.030	CC-2F	Clear	3000	0.300	
MG06360401	36	0.040	C-2F	Clear	3000		
MG06480201	48	0.020	CC-2F	Clear	4000	0.200	
MG06480251	48	0.025	CC-2F	Clear	5000	0.200	
MG06480301	48	0.030	CC-2F	Clear	6000	0.150	
MG06480302	48	0.030	CC-2F	Clear	2500	0.300	
MG06480401	48	0.040	CC-2F	Clear	5000	0.340	
MG06600201	60	0.020	CC-2F	Clear	5000	0.150	6201
MG06600301	60	0.030	CC-2F	Clear	1000	0.600	
MG06700201	70	0.020	CC-2F	Clear	3000		

MT

T1 3/4




Item number	Voltage	Amperage	Filament	Finish	Lampfoot	Life (h)	ø (mm)	l (mm)
MT18061001	6	0.100	C-2F	Clear	S5.5-K	10000	5	18
MT18120501	12	0.050	C-2F	Clear	S5.5-K	10000	5	18
MT18140501	14	0.050	C-2F	Clear	S5.5-O	10000	5	16
MT18180331	18	0.033	C-2F	Clear	S5.5-K	5000	5	18
MT18180501	18	0.050	C-2F	Clear	S5.5-O	5000	5	16
MT18240251	24	0.025	C-2F	Clear	S5.5-K	10000	5	18
MT18280201	28	0.020	C-2F	Clear	S5.5-K	4000	5	18
MT18280401	28	0.040	C-2F	Clear	S5.5-O	4000	5	16

Midget Screw E5/8

T1 3/4

5.7X17mm



Item number	Voltage	Amperage	Filament	Finish	Life (h)	mscp	US Code
MS06010601	1.35	0.060	C-6	Clear	500	0.010	8669
MS06010751	1.5	0.075	C-2R	Clear	30	0.040	
MS06011101	1.5	0.110	C-2R	Clear	1000	0.020	
MS06023001	2.5	0.300	C-2R	Clear	1000	0.200	
MS06023501	2.5	0.350	C-2R	Clear	15000	0.200	7312
MS06020601	2.7	0.060	C-2R	Clear	1000		
MS06022001	2.7	0.200	C-2R	Clear	1000	0.200	
MS06030151	3	0.015	C-6	Clear	10000	0.003	7313
MS06032001	3.5	0.200	C-2R	Clear	1000		
MS06043501	4	0.350	C-2R	Clear	250		
MS06040601	4.5	0.060	C-2R	Clear	1000	0.070	
MS06050601	5	0.060	C-2R	Clear	25000	0.050	7318
MS06051151	5	0.115	C-2R	Clear	40000	0.150	7319
MS06060401	6	0.040	C-2V	Clear	5000	0.040	342
MS06060501	6	0.050	C-2R	Clear	5000		
MS06060601	6	0.060	C-2R	Clear	5000	0.080	
MS06061001	6	0.100	C-2V	Clear	10000	0.160	
MS06062001	6	0.200	C-2V	Clear	1000	0.600	1768
MS06062002	6.3	0.200	C-2F	Clear	20000	0.400	378
MS06061501	6.5	0.150	C-2R	Clear	1000	0.500	
MS06081501	8	0.150	C-2R	Clear	1000	0.500	
MS06100151	10	0.015	C-2F	Clear	10000	0.006	8691
MS06120401	12	0.040	C-2F	Clear	5000	0.100	
MS06120501	12	0.050	C-2V	Clear	2000		
MS06120601	12	0.060	C-2V	Clear	5000	0.150	
MS06120801	12	0.080	C-2V	Clear	5000	0.160	
MS06121001	12	0.100	C-2V	Clear	10000	0.320	
MS06121201	12	0.120	C-2V	Clear	1000	0.400	
MS06121271	12	0.127	C-2F	Clear	5000	0.420	280
MS06140201	14	0.020	C-2F	Clear	3000		


Midget Screw E5/8

T1 3/4

5.7X17mm

Item number	Voltage	Amperage	Filament	Finish	Life (h)	mscp	US Code
MS06140401	14	0.040	C-2F	Clear	5000	0.160	
MS06140501	14	0.050	C-2F	Clear	1000	0.240	5682
MS06140801	14	0.080	C-2F	Clear	10000	0.300	8362
MS06140802	14	0.080	C-2F	Clear	2500	0.500	373
MS06180401	18	0.040	C-2F	Clear	5000	0.150	
MS06240201	24	0.020	C-2F	Clear	8000	0.060	
MS06240351	24	0.035	C-2F	Clear	25000	0.150	
MS06240401	24	0.040	C-2F	Clear	10000	0.240	687
MS06240501	24	0.050	C-2F	Clear	1000	0.500	
MS06240601	24	0.060	C-2F	Clear	1000		
MS06240801	24	0.080	C-2F	Clear	5000	0.200	
MS06280251	28	0.025	C-2F	Clear	15000	0.080	
MS06280401	28	0.040	C-2F	Clear	7000	0.300	399
MS06280402	28	0.040	C-2F	Clear	4000	0.340	335
MS06280801	28	0.080	C-2F	Clear	6000		
MS06360201	36	0.020	C-2F	Clear	1000	0.080	
MS06480201	48	0.020	CC-2F	Clear	4000	0.200	
MS06600201	60	0.020	CC-2F	Clear	5000	0.150	

Ba5s
T1 3/4
4.8X15.9mm




Item number	Voltage	Amperage	Filament	Finish	Life (h)	mscp	US Code
MB16060401	6	0.040	C-2V	Clear	10000	0.030	
MB16062001	6	0.200	C-2R	Clear	2000	0.600	
MB16140801	14	0.080	C-2F	Clear	15000	0.300	
MB16240201	24	0.020	C-2F	Clear	4000	0.150	
MB16240301	24	0.030	C-2F	Clear	4000	0.200	
MB16280401	28	0.040	C-2F	Clear	7000	0.300	
MB16280402	28	0.040	C-2F	Clear	4000	0.340	
MB16300401	30	0.040	C-2F	Clear	4000	0.300	
MB16320331	32	0.033	C-2F	Clear	5000	0.100	
MB16360251	36	0.025	CC-2F	Clear	5000	0.080	
MB16600201	60	0.020	CC-2F	Clear	5000	0.150	

Wedge Base

T5

5X20mm W2X4.6D




Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
WB20060301	6	0.030	0.18	C-2V	Clear	5000	
WB20060801	6	0.080	0.48	C-2V	Clear	1000	
WB20061501	6	0.150	0.9	C-2R	Clear	2000	
WB20061671	6	0.167	1	C-2V	Clear	2000	
WB20062001	6	0.200	1.2	C-2V	Clear	10000	
WB20063331	6	0.333	2	C-2V	Clear	2000	
WB20060401	6.3	0.040	0.25	C-2V	Clear	10000	
WB20120301	12	0.030	0.36	C-2V	Clear	5000	
WB20120801	12	0.080	1	C-2V	Clear	10000	
WB20121001	12	0.100	1.2	C-2V	Clear	10000	
WB20121651	12	0.165	2	C-2V	Clear	1000	
WB20140801	14	0.080	1.12	C-2F	Clear	15000	73
WB20140802	14	0.080	1.12	C-2F	Clear	15000	73
WB20141001	14	0.100	1.4	C-2V	Clear	1000	
WB20240301	24	0.030	0.72	C-2F	Clear	5000	
WB20240401	24	0.040	1	C-2F	Clear	10000	
WB20240501	24	0.050	1.2	C-2F	Clear	1000	
WB2024050R	24	0.050	1.2	C-2F	Red	1000	
WB20240801	24	0.080	2	C-2F	Clear	10000	
WB20280401	28	0.040	1.12	C-2F	Clear	10000	85

Wedge Base

T5 replacement type

5X20mm W2X4.6D




Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
WR20060301	6	0.030	0.18	C-2V	Clear	10000	
WR20120831	12	0.083	1	C-2V	Clear	5000	
WR20140301	14	0.030	0.42	C-2V	Clear	10000	
WR20280301	28	0.030	0.84	C-2F	Clear	10000	
WR20480251	48	0.025	1.2	C-2F	Clear	1000	
WR20600201	60	0.020	1.2	C-2F	Clear	1000	

Wedge Base


T10

10X26mm W2.1X9.5D



Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
WB28061671	6	0.167	1	C-2V	Clear	5000	
WB28062001	6	0.200	1.2	C-2V	Clear	5000	
WB28063331	6	0.333	2	C-2V	Clear	5000	516
WB28065001	6	0.500	3	C-2V	Clear	5000	
WB28068301	6	0.830	5	C-2R	Clear	5000	
WB28061501	6.3	0.150	0.95	C-2R	Clear	10000	159
WB28062501	6.3	0.250	1.6	C-2R	Clear	10000	259
WB28063171	6.3	0.317	2	C-2V	Clear	10000	
WB28071001	7	0.100	0.7	C-2V	Clear	3000	
WB28121001	12	0.100	1.2	C-2V	Clear	5000	1112
WB28121251	12	0.125	1.5	C-2V	Clear	5000	
WB28121651	12	0.165	2	C-2V	Clear	2000	
WB28121831	12	0.183	2.2	C-2V	Clear	1000	
WB28122501	12	0.250	3	C-2V	Clear	5000	504
WB28124001	12	0.400	5	C-2V	Clear	2000	501
WB28140801	14	0.080	1.12	C-2F	Clear	15000	658
WB28141901	14	0.190	2.66	C-2F	Clear	1000	
WB28142401	14	0.240	3.36	C-2V	Clear	500	158
WB28142701	14	0.270	3.78	C-2V	Clear	1500	
WB2830002F	24-30		2	C-2V	Frosted	2000	
WB28240801	24	0.080	2	C-2F	Clear	5000	
WB28241251	24	0.125	3	C-2F	Clear	5000	
WB28241651	24	0.165	4	C-2F	Clear	5000	
WB28242081	24	0.208	5	C-2F	Clear	500	
WB28280601	28	0.060	1.68	C-2F	Clear	10000	656
WB28281001	28	0.100	2.8	C-2F	Clear	1000	400
WB28282001	28	0.200	5.6	C-2F	Clear	7000	655
WB28320631	32	0.063	2	C-2F	Clear	2000	
WB28600401	48-60		2	C-2F	Clear	2000	

Wedge Base T10 Xenon 10X26mm W2.1X9.5D



Product Information:


Unlike other wedge base lamps, Xenon wedge base lamps are designed from the ground up to fulfil the needs of the general lighting applications. Shortcomings that made the traditional wedge base lamp unsuitable for general lighting use such as lamp life, colour temperature, heat and safety concerns were greatly improved on. Thus making Xenon wedge base lamps the ideal choice for applications such as deck, step and railing light, residential lighting, under cabinet lighting and showcase lighting.

Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	Lumen
XWB28122501	12	0.250	3	C-2V	Clear	20000	22.0
XWB28122501F	12	0.250	3	C-2V	Frosted	20000	22.0
XWB28124171	12	0.417	5	C-2V	Clear	8000	33.0
XWB28124171F	12	0.417	5	C-2V	Frosted	8000	33.0
XWB28124172	12	0.417	5	C-2V	Clear	2000	50.2
XWB28124172F	12	0.417	5	C-2V	Frosted	2000	50.2
XWB28125001	12	0.500	6	C-2V	Clear	1000	85.0
XWB28125001F	12	0.500	6	C-2V	Frosted	1000	85.0
XWB28125831	12	0.583	7	C-2V	Clear	1000	82.0
XWB28125831F	12	0.583	7	C-2V	Frosted	1000	82.0
XWB28242081	24	0.208	5	C-2V	Clear	10000	37.7
XWB28242081F	24	0.208	5	C-2V	Frosted	10000	37.7
XWB28243131	24	0.313	7.5	C-2V	Clear	10000	65.3
XWB28243131F	24	0.313	7.5	C-2V	Frosted	10000	65.3
XWB28244171	24	0.417	10	C-2V	Clear	10000	90.4
XWB28244171F	24	0.417	10	C-2V	Frosted	10000	90.4
XWB28282001	28	0.200	5.6	C-2F	Clear	7000	37.7
XWB28282001F	28	0.200	5.6	C-2F	Frosted	7000	37.7

Wedge Base

T15


15X36mm W2.1X9.5D



Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
WB35120417	12	0.417	5	C-2R	Clear	1000	
WB35120583	12	0.583	7	C-2R	Clear	1000	
WB35120667	12	0.667	8	C-2R	Clear	1000	
WB35120833	12	0.833	10	C-2R	Clear	500	923
WB35121250	12	1.250	15	C-2F	Clear	1200	917
WB35121500	12	1.500	18	C-2R	Clear	1000	
WB35121667	12	1.667	20	C-2R	Clear	1000	925
WB35121000	12.8	1.000	12	C-2R	Clear	1000	912
WB35130690	13	0.690	9	C-2F	Clear	1000	906
WB35240417	24	0.417	10	C-2V	Clear	500	

Wedge Base Neo

T1 - T1 1/4 - T1 1/2




Item number	Voltage	Amperage	Filament	Finish	ø (mm)	l (mm)	Color
WN03120602	12	0.060	C-2F	Clear	7.6	9	Black
WN04120402	12	0.040	C-2F	Clear	9.6	14	Grey
WN04121002	12	0.100	C-2F	Clear	9.6	14	Grey
WN04280402	28	0.040	C-2F	Clear	9.6	14	Grey
WN05141004	14	0.100	C-2F	Clear	11.5	14.6	Grey
WN05240402	24	0.040	C-2F	Clear	11.5	14.6	Grey

Telephone lamps

T4.5

4X16mm




Item number	Voltage	Amperage	Filament	Finish	Life (h)
T4505120	5	0.120	C-2V	Clear	5000
T4506020	6	0.020	C-2V	Clear	10000
T4506040	6	0.040	C-2R	Clear	10000
T4506050	6	0.050	C-2R	Clear	5000
T4506070	6	0.070	C-2V	Clear	5000
T4506100	6	0.100	C-2V	Clear	5000
T4506200	6	0.200	C-2R	Clear	5000
T4512020	12	0.020	C-2V	Clear	10000
T4512040	12	0.040	C-2V	Clear	10000
T4512050	12	0.050	C-2V	Clear	10000
T4512100	12	0.100	C-2F	Clear	5000
T4518025	18	0.025	C-2F	Clear	5000
T4524020	24	0.020	C-2F	Clear	10000
T4524030	24	0.030	C-2F	Clear	10000
T4524040	24	0.040	C-2F	Clear	10000
T4524050	24	0.050	C-2F	Clear	10000
T4530020	30	0.020	C-2F	Clear	10000
T4530040	30	0.040	C-2F	Clear	10000
T4532033	32	0.033	C-2F	Clear	20000
T4536020	36	0.020	C-2F	Clear	10000
T4536035	36	0.035	C-2F	Clear	5000
T4548020	48	0.020	CC-2F	Clear	5000
T4548030	48	0.030	CC-2F	Clear	5000
T4560020	60	0.020	CC-2F	Clear	5000

Telephone lamps

T4.6

4X22mm




Item number	Voltage	Amperage	Filament	Finish	Life (h)
T4606020	6	0.020	C-2V	Clear	10000
T4606040	6	0.040	C-2V	Clear	10000
T4606050	6	0.050	C-2V	Clear	5000
T4606100	6	0.100	C-2V	Clear	5000
T4606200	6	0.200	C-2R	Clear	5000
T4612020	12	0.020	C-2V	Clear	10000
T4612040	12	0.040	C-2V	Clear	10000
T4612050	12	0.050	C-2V	Clear	10000
T4612100	12	0.100	C-2F	Clear	5000
T4616060	16	0.060	C-2F	Clear	5000
T4618025	18	0.025	C-2F	Clear	5000
T4624020	24	0.020	C-2F	Clear	10000
T4624030	24	0.030	C-2F	Clear	10000
T4624040	24	0.040	C-2F	Clear	10000
T4624050	24	0.050	C-2F	Clear	10000
T4628020	28	0.020	C-2F	Clear	5000
T4628040	28	0.040	C-2F	Clear	5000
T4630020	30	0.020	C-2F	Clear	10000
T4630030	30	0.030	C-2F	Clear	5000
T4630040	30	0.040	C-2F	Clear	10000
T4632033	32	0.033	C-2F	Clear	20000
T4636020	36	0.020	C-2F	Clear	5000
T4636035	36	0.035	C-2F	Clear	5000
T4648020	48	0.020	CC-2F	Clear	5000
T4648030	48	0.030	CC-2F	Clear	5000
T4660020	60	0.020	CC-2F	Clear	5000
T4670020	70	0.020	CC-2F	Clear	5000

Telephone lamps

T5.5K

5X22mm



Item number	Voltage	Amperage	Filament	Finish	Life (h)
T5606020	6	0.020	C-2V	Clear	10000
T5606040	6	0.040	C-2V	Clear	10000
T5606050	6	0.050	C-2V	Clear	5000
T5606100	6	0.100	CC-6	Clear	5000
T5606160	6	0.160	C-2V	Clear	5000
T5606200	6	0.200	C-2R	Clear	5000
T5612020	12	0.020	C-2V	Clear	10000
T5612040	12	0.040	C-2V	Clear	10000
T5612050	12	0.050	C-2F	Clear	10000
T5612100	12	0.100	C-2F	Clear	5000
T5616060	16	0.060	C-2F	Clear	5000
T5618025	18	0.025	C-2F	Clear	5000
T5624020	24	0.020	C-2F	Clear	10000
T5624030	24	0.030	C-2F	Clear	10000
T5624040	24	0.040	C-2F	Clear	10000
T5624050	24	0.050	C-2F	Clear	10000
T5624080	24	0.080	C-2F	Clear	5000
T5624100	24	0.100	C-2F	Clear	5000
T5626040	26	0.040	C-2F	Clear	10000
T5628040	28	0.040	C-2F	Clear	5000
T5628050	28	0.050	C-2F	Clear	10000
T5630020	30	0.020	C-2F	Clear	10000
T5630040	30	0.040	C-2F	Clear	10000
T5630050	30	0.050	C-2F	Clear	10000
T5632033	32	0.033	C-2F	Clear	10000
T5636020	36	0.020	C-2F	Clear	10000
T5636040	36	0.040	C-2F	Clear	10000
T5636050	36	0.050	CC-2F	Clear	5000
T5648020	48	0.020	CC-2F	Clear	5000
T5648025	48	0.025	CC-2F	Clear	5000

Telephone lamps

T5.5K


5X22mm

Item number	Voltage	Amperage	Filament	Finish	Life (h)
T5648030	48	0.030	CC-2F	Clear	5000
T5652020	52	0.020	CC-2F	Clear	5000
T5660020	60	0.020	CC-2F	Clear	5000
T5670020	70	0.020	CC-2F	Clear	5000

Telephone lamps

T5.5

5X30mm



Item number	Voltage	Amperage	Filament	Finish	Life (h)
T5506020	6	0.020	C-2V	Clear	10000
T5506040	6	0.040	C-2V	Clear	10000
T5506050	6	0.050	C-2V	Clear	5000
T5506080	6	0.080	C-2R	Clear	5000
T5506100	6	0.100	C-2R	Clear	5000
T5506200	6	0.200	C-2R	Clear	5000
T5512020	12	0.020	C-2V	Clear	10000
T5512040	12	0.040	C-2V	Clear	10000
T5512050	12	0.050	C-2V	Clear	10000
T5512080	12	0.080	C-2V	Clear	5000
T5512100	12	0.100	C-2F	Clear	5000
T5514020	14	0.020	C-2F	Clear	5000
T5516050	16	0.050	C-2F	Clear	5000
T5518025	18	0.025	C-2F	Clear	10000
T5518066	18	0.066	C-2F	Clear	5000
T5524020	24	0.020	C-2F	Clear	10000
T5524025	24	0.025	C-2F	Clear	5000
T5524030	24	0.030	C-2F	Clear	10000
T5524040	24	0.040	C-2F	Clear	10000
T5524050	24	0.050	C-2F	Clear	10000
T5524060	24	0.060	C-2F	Clear	5000
T5524080	24	0.080	C-2F	Clear	5000
T5526040	26	0.040	C-2F	Clear	5000
T5528020	28	0.020	C-2F	Clear	5000
T5528040	28	0.040	C-2F	Clear	10000
T5528050	28	0.050	C-2F	Clear	10000
T5530020	30	0.020	C-2F	Clear	10000
T5530030	30	0.030	C-2F	Clear	5000
T5530040	30	0.040	C-2F	Clear	10000
T5530050	30	0.050	C-2F	Clear	5000

Telephone lamps

T5.5


5X30mm

Item number	Voltage	Amperage	Filament	Finish	Life (h)
T5530080	30	0.080	C-2F	Clear	5000
T5532033	32	0.033	C-2F	Clear	10000
T5536020	36	0.020	C-2F	Clear	10000
T5536030	36	0.030	C-2F	Clear	5000
T5536033	36	0.033	C-2F	Clear	5000
T5536035	36	0.035	C-2F	Clear	5000
T5536040	36	0.040	C-2F	Clear	5000
T5536050	36	0.050	C-2F	Clear	5000
T5540050	40	0.050	C-2F	Clear	5000
T5548020	48	0.020	CC-2F	Clear	5000
T5548025	48	0.025	CC-2F	Clear	5000
T5548030	48	0.030	CC-2F	Clear	5000
T5548040	48	0.040	CC-2F	Clear	5000
T5548050	48	0.050	CC-2F	Clear	5000
T5552020	52	0.020	CC-2F	Clear	5000
T5560020	60	0.020	CC-2F	Clear	5000
T5560030	60	0.030	CC-2F	Clear	5000
T5560040	60	0.040	CC-2F	Clear	5000
T5570020	70	0.020	CC-2F	Clear	5000
T5570040	70	0.040	CC-2F	Clear	5000
T5580020	80	0.020	CC-2F	Clear	5000

Telephone lamps

T5.5 EUBA

5X30mm




Item number	Voltage	Amperage	Filament	Finish	Life (h)
T3006040	6	0.040	C-2V	Clear	3000
T3012050	12	0.050	C-2F	Clear	3000
T3024020	24	0.020	C-2F	Clear	3000
T3024050	24	0.050	C-2F	Clear	3000
T3048020	48	0.020	CC-2F	Clear	3000
T3048040	48	0.040	CC-2F	Clear	3000
T3060018	60	0.018	CC-2F	Clear	3000

Telephone lamps

T6.5F French

6X44mm



Item number	Voltage	Amperage	Filament	Finish	Life (h)
T6506020	6	0.020	C-2V	Clear	5000
T6506040	6	0.040	C-2V	Clear	5000
T6506080	6	0.080	C-2R	Clear	5000
T6506100	6	0.100	C-2R	Clear	5000
T6506200	6	0.200	C-2R	Clear	5000
T6512020	12	0.020	C-2V	Clear	5000
T6512040	12	0.040	C-2V	Clear	5000
T6512050	12	0.050	C-2V	Clear	5000
T6512100	12	0.100	C-2V	Clear	5000
T6512120	12	0.120	C-2V	Clear	5000
T6518025	18	0.025	C-2F	Clear	5000
T6518055	18	0.055	C-2F	Clear	5000
T6524020	24	0.020	C-2F	Clear	5000
T6524025	24	0.025	C-2F	Clear	5000
T6524040	24	0.040	C-2F	Clear	5000
T6524050	24	0.050	C-2F	Clear	5000
T6524080	24	0.080	C-2F	Clear	5000
T6524100	24	0.100	C-2F	Clear	5000
T6526040	26	0.040	C-2F	Clear	5000
T6530020	30	0.020	C-2F	Clear	5000
T6530040	30	0.040	C-2F	Clear	5000
T6536020	36	0.020	C-2F	Clear	5000
T6536040	36	0.040	C-2F	Clear	5000
T6536050	36	0.050	C-2F	Clear	5000
T6536060	36	0.060	C-2F	Clear	5000
T6548020	48	0.020	CC-2F	Clear	5000
T6548025	48	0.025	CC-2F	Clear	5000
T6548030	48	0.030	CC-2F	Clear	5000
T6548040	48	0.040	CC-2F	Clear	5000
T6548050	48	0.050	CC-2F	Clear	5000

Telephone lamps

T6.5F French


6X44mm

Item number	Voltage	Amperage	Filament	Finish	Life (h)
T6548060	48	0.060	CC-2F	Clear	5000
T6552020	52	0.020	CC-2F	Clear	5000
T6560020	60	0.020	CC-2F	Clear	5000
T6560040	60	0.040	CC-2F	Clear	5000
T6560050	60	0.050	CC-2F	Clear	5000
T6560060	60	0.060	CC-2F	Clear	5000
T6570020	70	0.020	CC-2F	Clear	5000
T6585024	85	0.024	CC-2F	Clear	5000

Telephone lamps

T6.8G German

7X44mm



Item number	Voltage	Amperage	Filament	Finish	Life (h)
T6806020	6	0.020	C-2V	Clear	10000
T6806040	6	0.040	C-2V	Clear	5000
T6806050	6	0.050	C-2V	Clear	10000
T6806080	6	0.080	C-2V	Clear	5000
T6806100	6	0.100	C-2V	Clear	10000
T6806200	6	0.200	C-2R	Clear	5000
T6812020	12	0.020	C-2V	Clear	10000
T6812030	12	0.030	C-2V	Clear	5000
T6812040	12	0.040	C-2V	Clear	5000
T6812050	12	0.050	C-2V	Clear	10000
T6812080	12	0.080	C-2V	Clear	5000
T6812100	12	0.100	C-2V	Clear	10000
T6812120	12	0.120	C-2V	Clear	5000
T6818025	18	0.025	C-2F	Clear	5000
T6818040	18	0.040	C-2F	Clear	5000
T6818100	18	0.100	C-2F	Clear	5000
T6824020	24	0.020	C-2F	Clear	10000
T6824025	24	0.025	C-2F	Clear	5000
T6824035	24	0.035	C-2F	Clear	5000
T6824040	24	0.040	C-2F	Clear	10000
T6824050	24	0.050	C-2F	Clear	10000
T6824060	24	0.060	C-2F	Clear	5000
T6824080	24	0.080	C-2F	Clear	5000
T6824100	24	0.100	C-2F	Clear	5000
T6828025	28	0.025	C-2F	Clear	5000
T6828040	28	0.040	C-2F	Clear	5000
T6828045	28	0.045	C-2F	Clear	5000
T6828050	28	0.050	C-2F	Clear	5000
T6830020	30	0.020	C-2F	Clear	5000
T6830025	30	0.025	C-2F	Clear	5000

Telephone lamps

T6.8G German


7X44mm

Item number	Voltage	Amperage	Filament	Finish	Life (h)
T6830040	30	0.040	C-2F	Clear	10000
T6830050	30	0.050	C-2F	Clear	5000
T6830080	30	0.080	C-2F	Clear	5000
T6830100	30	0.100	C-2F	Clear	5000
T6836020	36	0.020	C-2F	Clear	10000
T6836033	36	0.033	C-2F	Clear	5000
T6836040	36	0.040	C-2F	Clear	10000
T6836050	36	0.050	C-2F	Clear	5000
T6836100	36	0.100	C-2F	Clear	5000
T6848020	48	0.020	CC-2F	Clear	10000
T6848025	48	0.025	CC-2F	Clear	5000
T6848040	48	0.040	CC-2F	Clear	5000
T6848050	48	0.050	CC-2F	Clear	5000
T6850020	50	0.020	CC-2F	Clear	5000
T6850050	50	0.050	CC-2F	Clear	5000
T6860020	60	0.020	CC-2F	Clear	5000
T6860040	60	0.040	CC-2F	Clear	5000
T6860050	60	0.050	CC-2F	Clear	5000
T6860060	60	0.060	CC-2F	Clear	5000
T6870020	70	0.020	CC-2F	Clear	5000
T6870025	70	0.025	CC-2F	Clear	5000
T6870030	70	0.030	CC-2F	Clear	5000
T6870040	70	0.040	CC-2F	Clear	5000
T6880020	80	0.020	CC-2F	Clear	5000
T6880040	80	0.040	CC-2F	Clear	5000
T6890020	90	0.020	CC-2F	Clear	5000

Telephone lamps

T6.0 Skandia

5X42mm




Item number	Voltage	Amperage	Filament	Finish	Life (h)
T6006040	6	0.040	C-2V	Clear	5000
T6012020	12	0.020	C-2V	Clear	5000
T6012050	12	0.050	C-2V	Clear	5000
T6024020	24	0.020	C-2F	Clear	5000
T6024040	24	0.040	C-2F	Clear	5000
T6024050	24	0.050	C-2F	Clear	5000
T6024060	24	0.060	C-2F	Clear	5000
T6028045	28	0.045	C-2F	Clear	5000
T6028050	28	0.050	CC-2F	Clear	5000
T6036020	36	0.020	C-2F	Clear	5000
T6036035	36	0.035	C-2F	Clear	5000
T6036050	36	0.050	C-2F	Clear	5000
T6048020	48	0.020	CC-2F	Clear	5000
T6048030	48	0.030	CC-2F	Clear	5000
T6060020	60	0.020	CC-2F	Clear	5000
T6060040	60	0.040	CC-2F	Clear	5000
T6060055	60	0.055	CC-2F	Clear	5000
T6060060	60	0.060	CC-2F	Clear	5000

Telephone lamps

ESB

6.5X23mm




Item number	Voltage	Amperage	Filament	Finish	Life (h)
T2304040	4	0.040	C-6	Clear	10000
T2305040	5	0.040	C-6	Clear	8000
T2306040	6	0.040	C-2F	Clear	10000
T2310040	10	0.040	C-2V	Clear	10000
T2312040	12	0.040	C-2V	Clear	10000
T2316040	16	0.040	C-2F	Clear	7500
T2318040	18	0.040	C-2V	Clear	5000
T2324040	24	0.040	C-2F	Clear	8000
T2328040	28	0.040	C-2F	Clear	6000
T2348040	48	0.040	CC-2F	Clear	5000

Telephone lamps

PSB

6.5X28mm




Item number	Voltage	Amperage	Filament	Finish	Life (h)
T2806140	6	0.140	C-2F	Clear	20000
T2812170	12	0.170	C-2F	Clear	12000
T2824073	24	0.073	C-2F	Clear	10000
T2828040	28	0.040	C-2F	Clear	5000
T2848053	48	0.053	C-2F	Clear	5000
T2860050	60	0.050	CC-2F	Clear	7500
T2899025	120	0.025	CC-3A	Clear	10000
T2899026	155	0.025	CC-3A	Clear	10000

Telephone lamps

BPO

6X43mm




Item number	Voltage	Amperage	Filament	Finish	Life (h)
T7006041	6	0.041	C-6	Clear	7000
T7012020	12	0.020	CC-6	Clear	5000
T7017045	17	0.045	C-2F	Clear	5000
T7024055	24	0.055	C-2F	Clear	1000
T7024100	24	0.100	C-2F	Clear	5000
T7045037	45	0.037	CC-2F	Clear	5000

Telephone lamps

F9

7X28mm




Item number	Voltage	Amperage	Filament	Finish	Life (h)
F92804250	4	0.250	C-2R	Clear	3000
F92806180	6	0.180	C-2V	Clear	5000
F92812120	12	0.120	C-2V	Clear	5000
F92824040	24	0.040	C-2V	Clear	5000
F92824050	24	0.050	C-2F	Clear	5000
F92824080	24	0.080	C-2F	Clear	5000
F92828040	28	0.040	C-2F	Clear	5000
F92828050	28	0.050	C-2F	Clear	5000
F92830050	30	0.050	C-2F	Clear	5000
F92830070	30	0.070	C-2F	Clear	3000
F92836050	36	0.050	C-2F	Clear	5000
F92836070	36	0.070	C-2F	Clear	5000
F92848040	42	0.040	CC-2F	Clear	5000
F92848025	48	0.025	CC-2F	Clear	5000
F92848050	48	0.050	CC-2F	Clear	2500
F92860020	60	0.020	CC-2F	Clear	5000
F92870020	60	0.020	CC-2F	Clear	3000

Telephone lamps


T9

7X65mm



Item number	Voltage	Amperage	Filament	Finish	Life (h)
T9024040	24	0.040	C-2F	Clear	2000
T9024080	24	0.080	C-2F	Clear	2000
T9024125	24	0.125	C-2F	Clear	10000
T9028105	28	0.105	C-2F	Clear	10000
T9040075	40	0.075	C-2F	Clear	2000
T9048045	48	0.045	CC-2F	Clear	2000
T9048065	48	0.065	C-2F	Clear	10000
T9060035	60	0.035	CC-2F	Clear	2000
T9060050	60	0.050	CC-2F	Clear	2000
T9070050	70	0.050	CC-2F	Clear	2000

Ba7s Tube T7X20mm




Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)
B20002250	2.2	0.250	0.55	C-2R	Clear	2000
B20003667	3	0.667	2	C-2R	Clear	2000
B20006020	6	0.020	0.12	C-2V	Clear	2000
B20006040	6	0.040	0.24	C-2V	Clear	2000
B20006050	6	0.050	0.3	C-2V	Clear	2000
B20006080	6	0.080	0.48	C-2V	Clear	2000
B20006100	6	0.100	0.6	C-2R	Clear	2000
B20006180	6	0.180	1.1	C-2V	Clear	2000
B20006200	6	0.200	1.2	C-2R	Clear	2000
B20006200L	6	0.200	1.2	C-2V	Lens	2000
B20006333	6	0.333	2	C-2R	Clear	2000
B20007080	7	0.080	0.56	C-2V	Clear	2000
B20007100	7	0.100	0.7	C-2V	Clear	2000
B20012020	12	0.020	0.24	C-2V	Clear	2000
B20012025	12	0.025	0.3	C-2V	Clear	2000
B20012050	12	0.050	0.6	C-2V	Clear	2000
B20012100	12	0.100	1.2	C-2V	Clear	2000
B20012120	12	0.120	1.44	C-2V	Clear	2000
B20012165	12	0.165	2	C-2V	Clear	2000
B20012250	12	0.250	3	C-2V	Clear	2000
B20014080	14	0.080	1.1	C-2V	Clear	2000
B20014100	14	0.100	1.4	C-2V	Clear	2000
B20024020	24	0.020	0.48	C-2F	Clear	2000
B20024025	24	0.025	0.6	C-2F	Clear	2000
B20024040	24	0.040	1	C-2F	Clear	2000
B20024050	24	0.050	1.2	C-2F	Clear	2000
B20024060	24	0.060	1.44	C-2F	Clear	2000
B20024080	24	0.080	2	C-2F	Clear	2000
B20024100	24	0.100	2.4	C-2F	Clear	2000
B20024125	24	0.125	3	C-2F	Clear	2000

Ba7s Tube T7X20mm

Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)
B20024170	24	0.170	4	C-2F	Clear	2000
B20028020	28	0.020	0.56	C-2F	Clear	2000
B20028025	28	0.025	0.7	C-2F	Clear	2000
B20028040	28	0.040	1.12	C-2F	Clear	2000
B20028050	28	0.050	1.4	C-2F	Clear	2000
B20028060	28	0.060	1.7	C-2F	Clear	2000
B20028070	28	0.070	2	C-2F	Clear	2000
B20028100	28	0.100	2.8	C-2F	Clear	2000
B20030025	30	0.025	0.75	C-2F	Clear	2000
B20030030	30	0.030	0.9	C-2F	Clear	2000
B20030040	30	0.040	1.2	C-2F	Clear	2000
B20030050	30	0.050	1.5	C-2F	Clear	2000
B20030060	30	0.060	1.8	C-2F	Clear	2000
B20030065	30	0.065	2	C-2F	Clear	2000
B20030070	30	0.070	2.1	C-2F	Clear	2000
B20030100	30	0.100	3	C-2F	Clear	2000
B20036020	36	0.020	0.7	C-2F	Clear	2000
B20036040	36	0.040	1.44	C-2F	Clear	2000
B20036050	36	0.050	1.8	C-2F	Clear	2000
B20048020	48	0.020	1	C-2F	Clear	2000
B20048025	48	0.025	1.2	C-2F	Clear	2000
B20048030	48	0.030	1.44	C-2F	Clear	2000
B20048040	48	0.040	2	C-2F	Clear	2000
B20048050	48	0.050	2.4	C-2F	Clear	2000
B20060020	60	0.020	1.2	C-2F	Clear	2000
B20060025	60	0.025	1.5	C-2F	Clear	2000
B20060040	60	0.040	2.4	C-2F	Clear	2000
B20060050	60	0.050	3	C-2F	Clear	2000
B20070020	70	0.020	1.4	CC-2F	Clear	2000

Ba7s Tube

T6.6X20mm Inside Soldered




Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)
B20006100S	6	0.100	0.6	C-2V	Clear	2000
B20012050S	12	0.050	0.6	C-2V	Clear	2000
B20012100S	12	0.100	1.2	C-2V	Clear	2000
B20024025S	24	0.025	0.6	C-2F	Clear	2000
B20024050S	24	0.050	1.2	C-2F	Clear	2000
B20024080S	24	0.080	2	C-2F	Clear	2000
B20028070S	28	0.070	2	C-2F	Clear	2000
B20030040S	30	0.040	1.2	C-2F	Clear	2000
B20030050S	30	0.050	1.5	C-2F	Clear	2000
B20030065S	30	0.065	2	C-2F	Clear	2000
B20036040S	36	0.040	1.44	C-2F	Clear	2000
B20036050S	36	0.050	1.8	C-2F	Clear	2000
B20060020S	60	0.020	1.2	C-2F	Clear	2000

Ba7s

Tube

T7X23mm



Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)
B22006020	6	0.020	0.12	C-2V	Clear	2000
B22006040	6	0.040	0.24	C-2V	Clear	2000
B22006050	6	0.050	0.3	C-2V	Clear	2000
B22006080	6	0.080	0.48	C-2V	Clear	2000
B22006100	6	0.100	0.6	C-2V	Clear	2000
B22006180	6	0.180	1.1	C-2V	Clear	2000
B22006200	6	0.200	1.2	C-2R	Clear	2000
B22007100	7	0.100	0.7	C-2V	Clear	2000
B22012050	12	0.050	0.6	C-2V	Clear	2000
B22012100	12	0.100	1.2	C-2V	Clear	2000
B22012120	12	0.120	1.44	C-2V	Clear	2000
B22012170	12	0.170	2	C-2V	Clear	2000
B22014080	14	0.080	1.1	C-2V	Clear	2000
B22014100	14	0.100	1.4	C-2V	Clear	2000
B22016100	16	0.100	1.6	C-2V	Clear	2000
B22018100	18	0.100	1.8	C-2V	Clear	2000
B22018150	18	0.150	2.7	C-2F	Clear	2000
B22024020	24	0.020	0.48	C-2F	Clear	2000
B22024025	24	0.025	0.6	C-2F	Clear	2000
B22024040	24	0.040	1	C-2F	Clear	2000
B22024050	24	0.050	1.2	C-2F	Clear	2000
B22024060	24	0.060	1.5	C-2F	Clear	2000
B22024070	24	0.070	1.7	C-2F	Clear	2000
B22024080	24	0.080	2	C-2F	Clear	2000
B22024100	24	0.100	2.4	C-2F	Clear	2000
B22024125	24	0.125	3	C-2F	Clear	2000
B22028020	28	0.020	0.56	C-2F	Clear	2000
B22028025	28	0.025	0.7	C-2F	Clear	2000
B22028040	28	0.040	1.1	C-2F	Clear	2000
B22028060	28	0.060	1.7	C-2F	Clear	2000


Ba7s Tube T7X23mm

Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)
B22028070	28	0.070	2	C-2F	Clear	2000
B22030020	30	0.020	0.6	C-2F	Clear	2000
B22030025	30	0.025	0.75	C-2F	Clear	2000
B22030030	30	0.030	0.9	C-2F	Clear	2000
B22030040	30	0.040	1.2	C-2F	Clear	2000
B22030050	30	0.050	1.5	C-2F	Clear	2000
B22030065	30	0.065	2	C-2F	Clear	2000
B22030070	30	0.070	2.1	C-2F	Clear	2000
B22030100	30	0.100	3	C-2F	Clear	2000
B22036020	36	0.020	0.7	C-2F	Clear	2000
B22036025	36	0.025	0.9	C-2F	Clear	2000
B22036030	36	0.030	1.1	C-2F	Clear	2000
B22036035	36	0.035	1.3	C-2F	Clear	2000
B22036040	36	0.040	1.44	C-2F	Clear	2000
B22036050	36	0.050	1.8	C-2F	Clear	2000
B22048020	48	0.020	1	C-2F	Clear	2000
B22048025	48	0.025	1.2	C-2F	Clear	2000
B22048030	48	0.030	1.44	C-2F	Clear	2000
B22048040	48	0.040	2	C-2F	Clear	2000
B22048050	48	0.050	2.4	C-2F	Clear	2000
B22052025	52	0.025	1.3	C-2F	Clear	2000
B22060020	60	0.020	1.2	C-2F	Clear	2000
B22060025	60	0.025	1.5	C-2F	Clear	2000
B22060040	60	0.040	2.4	C-2F	Clear	2000
B22060050	60	0.050	3	C-2F	Clear	2000
B22070020	70	0.020	1.4	C-2F	Clear	2000
B22080020	80	0.020	1.6	CC-2F	Clear	2000

Ba7s


Tube

T6.6X23mm Inside Soldered



Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)
B22024025S	24	0.025	0.6	C-2F	Clear	2000
B22024050S	24	0.050	1.2	C-2F	Clear	2000
B22024080S	24	0.080	2	C-2F	Clear	2000
B22030050S	30	0.050	1.5	C-2F	Clear	2000
B22048020S	48	0.020	1	C-2F	Clear	2000
B22060020S	60	0.020	1.2	C-2F	Clear	2000

Ba9s **Tube** **T9X23mm**



Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
B23002200	2	0.200	0.4	C-2R	Clear	2000	
B23002600	2.4	0.600	1.44	C-2R	Clear	2000	
B23002500	2.5	0.500	1.25	C-2R	Clear	2000	
B23004250	4	0.250	1	C-2R	Clear	2000	
B23004313	4.8	0.313	1.5	C-2R	Clear	2000	
B23006020	6	0.020	0.12	C-2R	Clear	2000	
B23006030	6	0.030	0.18	C-2R	Clear	2000	
B23006040	6	0.040	0.24	C-2R	Clear	2000	
B23006050	6	0.050	0.3	C-2V	Clear	2000	
B23006080	6	0.080	0.48	C-2V	Clear	2000	
B23006100	6	0.100	0.6	C-2V	Clear	2000	
B23006180	6	0.180	1.08	C-2V	Clear	2000	
B23006200	6	0.200	1.2	C-2V	Clear	2000	
B23008250	6-8	0.250	1.75	C-2R	Clear	2000	
B23006333	6	0.333	2	C-2R	Clear	2000	
B23006350	6	0.350	2.1	C-2R	Clear	2000	
B23006500	6	0.500	3	C-2R	Clear	2000	
B23006666	6	0.666	4	C-2R	Clear	2000	
B23006999	6	1.000	6	C-2R	Clear	2000	
B23006150	6.3	0.150	0.95	C-2V	Clear	2000	
B23006160	6.3	0.160	1	C-2V	Clear	2000	
B23006190	6.3	0.190	1.2	C-2R	Clear	2000	
B23006250	6.3	0.250	1.6	C-2R	Clear	2000	
B23006300	6.3	0.300	1.89	C-2R	Clear	2000	
B23015001	12-15		1.2	C-2F	Clear	2000	
B23015002	12-15		2	C-2V	Clear	2000	
B23012020	12	0.020	0.24	C-2V	Clear	2000	
B23012030	12	0.030	0.36	C-2V	Clear	2000	
B23012050	12	0.050	0.6	C-2V	Clear	2000	
B23012100	12	0.100	1.2	C-2V	Clear	2000	

Ba9s Tube T9X23mm

Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
B23012120	12	0.120	1.44	C-2V	Clear	2000	
B23012165	12	0.165	2	C-2V	Clear	2000	
B23012180	12	0.180	2.2	C-2V	Clear	2000	
B23012250	12	0.250	3	C-2V	Clear	2000	
B23012333	12	0.333	4	C-2F	Clear	2000	
B23012417	12	0.417	5	C-2V	Clear	2000	
B23015140	15	0.140	2.1	C-2F	Clear	2000	
B23018100	18	0.100	1.8	C-2V	Clear	2000	
B23030002	24-30		2	C-2F	Clear	2000	
B23024025	24	0.025	0.6	C-2F	Clear	2000	
B23024040	24	0.040	1	C-2F	Clear	2000	
B23024050	24	0.050	1.2	C-2F	Clear	2000	
B230240505RC	24	0.050	1.2	CC-2F	Clear	20000	
B23024060	24	0.060	1.44	C-2F	Clear	2000	
B23024080	24	0.080	2	C-2F	Clear	2000	
B23024100	24	0.100	2.4	C-2F	Clear	2000	
B23024125	24	0.125	3	C-2F	Clear	2000	
B23024165	24	0.165	4	C-2F	Clear	2000	
B23026038	26	0.038	1	C-2F	Clear	2000	
B23026115	26	0.115	3	C-2F	Clear	2000	
B23028040	28	0.040	1.1	C-2F	Clear	2000	
B23028060	28	0.060	1.7	C-2F	Clear	2000	
B23028070	28	0.070	2	C-2F	Clear	2000	
B23028080	28	0.080	2.2	C-2F	Clear	2000	
B23030020	30	0.020	0.6	C-2F	Clear	2000	
B23030033	30	0.033	1	C-2F	Clear	2000	
B23030040	30	0.040	1.2	C-2F	Clear	2000	
B23030050	30	0.050	1.5	C-2F	Clear	2000	
B23030065	30	0.065	2	C-2F	Clear	2000	
B23030070	30	0.070	2.1	C-2F	Clear	2000	
B23030080	30	0.080	2.4	C-2F	Clear	2000	
B23030100	30	0.100	3	C-2F	Clear	2000	
B23032100	32	0.100	3.2	C-2F	Clear	2000	
B23045002	36-45		2	C-2F	Clear	2000	
B23045003	36-45		3	C-2F	Clear	2000	
B23036020	36	0.020	0.72	C-2F	Clear	2000	
B23036030	36	0.030	1.1	C-2F	Clear	2000	
B23036040	36	0.040	1.44	C-2F	Clear	2000	
B23036050	36	0.050	1.8	C-2F	Clear	2000	
B23036080	36	0.080	2.88	C-2F	Clear	2000	


Ba9s Tube T9X23mm

Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
B23036085	36	0.085	3	C-2F	Clear	2000	
B23036055	36	0.550	2	C-2F	Clear	2000	
B23040075	40	0.075	3	C-2F	Clear	2000	
B23042045	42	0.045	1.89	C-2F	Clear	2000	
B23042050	42	0.050	2.1	C-2F	Clear	2000	
B23042070	42	0.070	3	C-2F	Clear	2000	
B23060002	48-60		2	C-2F	Clear	2000	
B23060003	48-60		3	C-2F	Clear	2000	
B23048020	48	0.020	1	C-2F	Clear	2000	
B23048025	48	0.025	1.2	C-2F	Clear	2000	
B23048040	48	0.040	2	C-2F	Clear	2000	
B23048050	48	0.050	2.4	C-2F	Clear	2000	
B23048060	48	0.060	3	C-2F	Clear	2000	
B23070002	60-70		2	C-2F	Clear	2000	
B23060020	60	0.020	1.2	C-2F	Clear	2000	
B23060033	60	0.033	2	C-2F	Clear	2000	
B23060040	60	0.040	2.4	C-2F	Clear	2000	
B23060050	60	0.050	3	C-2F	Clear	2000	
B23070030	70	0.030	2.1	C-2F	Clear	2000	
B23070040	70	0.040	2.8	C-2F	Clear	2000	
B23080040	70-80	0.040		C-3A	Clear	2000	
B23080020	80	0.020	1.6	C-3A	Clear	2000	
B23080030	80	0.030	2.4	C-3A	Clear	2000	
B23085030	85	0.030	2.6	C-3A	Clear	2000	
B23100040	100	0.040	4	C-3A	Clear	2000	
B23110022	110	0.022	2.45	CC-5A	Clear	2000	
B23130015	130	0.015	2	C-5A	Clear	2000	
B23130016	130	0.015	2	CC-3A	Clear	2000	
B23130020	130	0.020	2.6	C-5A	Clear	2000	
B23130021	130	0.020	2.6	CC-6A	Clear	5000	
B23220009	220	0.009	2	CC-7A	Clear	2000	
B23220014	220	0.014	3	CC-7A	Clear	2000	
B23240010	240	0.010	2.4	CC-7A	Clear	2000	
B23240013	240	0.013	3	CC-7A	Clear	2000	

Ba9s


Tube

T8.5X23mm Rolled in Base



Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
BR23006333	6	0.333	2	C-2F	Clear	2000	
BR23012165	12	0.165	2	C-2V	Clear	2000	
BR23024080	24	0.080	2	C-2F	Clear	2000	
BR230240802	24	0.080	2	C-2F	Clear	5000	
BR230280802	28	0.080	2.24	C-2F	Clear	5000	
BR23030040	30	0.040	1.2	C-2F	Clear	2000	
BR23030065	30	0.065	2	C-2F	Clear	2000	
BR23030070	30	0.070	2.1	C-2F	Clear	2000	
BR23036055	36	0.055	2	C-2F	Clear	2000	
BR23048040	48	0.040	2	C-2F	Clear	2000	
BR23060020	60	0.020	1.2	C-2F	Clear	2000	

Ba9s Tube T10X28mm



Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
B28001050	1.5	0.050	0.08	C-2R	Clear	2000	
B28001150	1.5	0.150	0.23	C-2R	Clear	2000	
B28002060	2	0.060	0.06	C-2V	Clear	2000	49
B28002600	2	0.600	1.2	C-2R	Clear	2000	
B28002150	2.4	0.150	0.36	C-2R	Clear	2000	
B28002200	2.5	0.200	0.5	C-2R	Clear	2000	
B28002300	2.5	0.300	0.75	C-2R	Clear	2000	
B28002500	2.5	0.500	1.25	C-2R	Clear	2000	43
B28002998	2.5	1.000	2.5	C-2R	Clear	2000	
B28003650	3	0.650	1.95	C-2R	Clear	2000	
B28003200	3.5	0.200	0.7	C-2R	Clear	2000	
B28003150	3.6	0.150	0.54	C-2R	Clear	2000	
B28003250	3.6	0.250	0.9	C-2R	Clear	2000	
B28003201	3.8	0.200	0.76	C-2R	Clear	2000	
B28004040	4	0.040	0.16	C-2R	Clear	2000	
B28004100	4	0.100	0.4	C-2R	Clear	2000	
B28004250	4	0.250	1	C-2R	Clear	2000	
B28004300	4	0.300	1.2	C-2R	Clear	2000	
B28004500	4	0.500	2	C-2R	Clear	2000	
B28005050	5	0.050	0.25	C-2R	Clear	2000	
B28005070	5	0.070	0.35	C-2V	Clear	2000	
B28005090	5	0.090	0.45	C-2R	Clear	2000	1850
B28005150	5	0.150	0.75	C-2R	Clear	2000	
B28005300	5	0.300	1.5	C-2R	Clear	2000	
B28005900	5	0.900	4.5	C-2R	Clear	2000	
B28006020	6	0.020	0.12	C-2V	Clear	2000	
B28006030	6	0.030	0.18	C-2V	Clear	2000	
B28006050	6	0.050	0.3	C-2R	Clear	2000	
B28006075	6	0.075	0.45	C-2V	Clear	2000	
B28006090	6	0.090	0.54	C-2V	Clear	2000	

Ba9s Tube T10X28mm

Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
B28006100	6	0.100	0.6	C-2V	Clear	2000	
B28006180	6	0.180	1.1	C-2R	Clear	2000	
B28006200	6	0.200	1.2	C-2R	Clear	2000	
B28006251	6	0.250	1.5	C-2R	Clear	2000	
B28008250	6-8	0.250		C-2R	Clear	2000	
B28006300	6	0.300	1.8	C-2R	Clear	2000	
B28006333	6	0.333	2	C-2R	Clear	2000	
B28006350	6	0.350	2.1	C-2R	Clear	2000	
B28006500	6	0.500	3	C-2R	Clear	2000	
B28006700	6	0.700	4.2	C-2R	Clear	2000	
B28006830	6	0.830	5	C-2R	Clear	2000	
B28006999	6	1.000	6	C-2R	Clear	2000	
B28006150	6.3	0.150	0.95	C-2V	Clear	2000	47
B28006250	6.3	0.250	1.6	C-2R	Clear	2000	44
B28006302	6.3	0.300	1.89	C-2R	Clear	2000	
B28006303	6.3	0.300	1.89	Bimetal	Clear	2000	
B28006320	6.3	0.320	2.02	C-2R	Clear	2000	
B28006151	6.5	0.150	0.98	C-2V	Clear	2000	
B28006301	6.5	0.300	1.95	C-2R	Clear	2000	
B28007100	7	0.100	0.7	C-2V	Clear	2000	
B28007300	7	0.300	2.1	C-2R	Clear	2000	
B28007570	7	0.570	4	C-2R	Clear	2000	
B28008100	8	0.100	0.8	C-2V	Clear	2000	
B28008300	8	0.300	2.4	C-2V	Clear	2000	
B28010050	10	0.050	0.5	C-2V	Clear	2000	
B28010135	10	0.135	1.35	C-2V	Clear	2000	
B28010200	10	0.200	2	C-2V	Clear	2000	
B28015002	12-15		2	C-2V	Clear	2000	
B28015004	12-15		4	C-2V	Clear	2000	
B28012030	12	0.030	0.36	C-2V	Clear	2000	
B28012050	12	0.050	0.6	C-2V	Clear	2000	
B28012080	12	0.080	1	C-2V	Clear	2000	
B28012100	12	0.100	1.2	C-2V	Clear	2000	
B28012120	12	0.120	1.44	C-2V	Clear	2000	
B28012150	12	0.150	1.8	C-2V	Clear	2000	
B28012165	12	0.165	2	C-2V	Clear	2000	
B28012183	12	0.183	2.2	C-2V	Clear	2000	
B28012200	12	0.200	2.4	C-2V	Clear	2000	
B28012250	12	0.250	3	C-2V	Clear	2000	
B280122502	12	0.250	3	C-2V	Clear	5000	

Ba9s Tube T10X28mm

Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
B28012330	12	0.330	4	C-2V	Clear	2000	
B28012417	12	0.417	5	C-2V	Clear	2000	
B28014080	14	0.080	1.1	C-2V	Clear	2000	
B28014100	14	0.100	1.4	C-2V	Clear	2000	1813
B28014200	14	0.200	2.8	C-2R	Clear	2000	1815
B28014240	14	0.240	3.4	C-2R	Clear	2000	1891
B28015050	15	0.050	0.75	C-2F	Clear	2000	
B28015100	15	0.100	1.5	C-2F	Clear	2000	
B28015200	15	0.200	3	C-2F	Clear	2000	
B28016150	16	0.150	2.4	C-2V	Clear	2000	
B28018050	18	0.050	0.9	C-2V	Clear	2000	
B28018100	18	0.100	1.8	C-2V	Clear	2000	
B28018170	18	0.170	3	C-2V	Clear	2000	1826
B28030002	24-30		2	C-2F	Clear	2000	
B28030004	24-30		4	C-2F	Clear	2000	
B28024025	24	0.025	0.6	C-2F	Clear	2000	
B28024040	24	0.040	1	C-2F	Clear	2000	
B28024050	24	0.050	1.2	C-2F	Clear	2000	
B28024060	24	0.060	1.44	C-2F	Clear	2000	
B28024080	24	0.080	2	C-2F	Clear	2000	
B280240802	24	0.080	2	C-2F	Clear	5000	
B28024100	24	0.100	2.4	C-2F	Clear	2000	
B28024125	24	0.125	3	C-2F	Clear	2000	
B28024165	24	0.165	4	C-2F	Clear	2000	
B28024208	24	0.208	5	C-2F	Clear	2000	
B28027075	27	0.075	2	C-2F	Clear	2000	
B28028022	28	0.022	0.62	C-2F	Clear	2000	
B28028025	28	0.025	0.7	C-2F	Clear	2000	
B28028040	28	0.040	1.1	C-2F	Clear	5000	
B28028050	28	0.050	1.4	C-2F	Clear	2000	
B28028060	28	0.060	1.7	C-2F	Clear	2000	
B28028070	28	0.070	2	C-2F	Clear	2000	1829
B28028080	28	0.080	2.2	C-2F	Clear	2000	
B28028100	28	0.100	2.8	C-2F	Clear	2000	1820
B28028107	28	0.107	3	C-2F	Clear	2000	
B28028125	28	0.125	3.5	C-2F	Clear	500	
B28028170	28	0.170	5	C-2F	Clear	2000	1864
B28028200	28	0.200	5.6	C-2F	Clear	2000	1873
B28032002	30-32		2	C-2F	Clear	2000	
B28030020	30	0.020	0.6	C-2F	Clear	2000	

Ba9s Tube T10X28mm

Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
B28030025	30	0.025	0.75	C-2F	Clear	2000	
B28030030	30	0.030	0.9	C-2F	Clear	2000	
B28030033	30	0.033	1	C-2F	Clear	2000	
B28030040	30	0.040	1.2	C-2F	Clear	2000	
B28030050	30	0.050	1.5	C-2F	Clear	2000	
B28030065	30	0.065	2	C-2F	Clear	2000	
B28030080	30	0.080	2.4	C-2F	Clear	2000	
B28030100	30	0.100	3	C-2F	Clear	2000	
B28030167	30	0.167	5	C-2F	Clear	2000	
B28032170	32	0.170	5.4	C-2F	Clear	2000	
B28045002	36-45		2	C-2F	Clear	2000	
B28045004	36-45		4	C-2F	Clear	2000	
B28036020	36	0.020	0.72	C-2F	Clear	2000	
B28036030	36	0.030	1.1	C-2F	Clear	2000	
B28036040	36	0.040	1.44	C-2F	Clear	2000	
B28036050	36	0.050	1.8	C-2F	Clear	2000	
B28036055	36	0.055	2	C-2F	Clear	2000	
B28036085	36	0.085	3	C-2F	Clear	2000	
B28036100	36	0.100	3.6	C-2F	Clear	2000	
B28036110	36	0.110	4	C-2F	Clear	2000	
B28042025	42	0.025	1	C-2F	Clear	2000	
B28042028	42	0.028	1.2	C-2F	Clear	2000	
B28042045	42	0.045	1.9	C-2F	Clear	2000	
B28042050	42	0.050	2.1	C-2F	Clear	2000	
B28042070	42	0.070	3	C-2F	Clear	2000	
B28060002	48-60		2	C-2F	Clear	2000	
B28060004	48-60		4	C-2F	Clear	2000	
B28048020	48	0.020	1	C-2F	Clear	2000	
B28048025	48	0.025	1.2	C-2F	Clear	2000	
B28048040	48	0.040	2	C-2F	Clear	2000	
B28048050	48	0.050	2.4	C-2F	Clear	2000	
B28048060	48	0.060	3	C-2F	Clear	2000	
B28048080	48	0.080	4	C-2F	Clear	2000	
B28048105	48	0.105	5	C-2F	Clear	2000	
B28050050	50	0.050	2.5	C-2F	Clear	2000	
B28050080	50	0.080	4	C-2F	Clear	2000	
B28050100	50	0.100	5	C-2F	Clear	2000	
B28052060	52	0.060	3	C-2F	Clear	2000	
B28055050	55	0.050	2.75	C-2F	Clear	2000	1835
B28060020	60	0.020	1.2	C-2F	Clear	2000	


Ba9s Tube T10X28mm

Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
B28060030	60	0.030	1.8	C-2F	Clear	2000	
B28060033	60	0.033	2	C-2F	Clear	2000	
B28060040	60	0.040	2.4	C-2F	Clear	2000	
B28060050	60	0.050	3	C-2F	Clear	2000	
B28060060	60	0.060	3.6	C-2F	Clear	2000	
B28060085	60	0.085	5	C-2F	Clear	2000	
B28065085	65	0.085	5.5	C-2F	Clear	2000	
B28070020	70	0.020	1.4	C-2F	Clear	2000	
B28070040	70	0.040	2.8	C-2F	Clear	2000	
B28080003	70-80	0.040		C-2F	Clear	2000	
B28080025	80	0.025	2	C-3A	Clear	2000	
B28080040	80	0.040	3.2	C-2F	Clear	2000	
B28085024	85	0.024	2	C-3A	Clear	2000	
B28085035	85	0.035	3	C-3A	Clear	2000	
B28085050	85	0.050	4.25	C-3A	Clear	2000	
B28110022	110	0.022	2.5	C-5A	Clear	2000	
B28130015	130	0.015	2	C-5A	Clear	2000	
B28130016	130	0.015	2	CC-3A	Clear	2000	
B28130018	130	0.018	2.4	C-5A	Clear	2000	
B28130020	130	0.020	2.6	C-5A	Clear	2000	
B28130021	130	0.020	2.6	CC-6A	Clear	5000	
B28130022	130	0.020	2.6	2XCC-2F	Clear	25000	
B28130030	130	0.030	3.9	C-5A	Clear	2000	
B28130038	130	0.038	5	C-5A	Clear	20000	
B28150020	150	0.020	3	C-5A	Clear	2000	
B28160020	160	0.020	3.2	C-5A	Clear	2000	
B28220009	220	0.009	2	CC-7A	Clear	2000	
B28220014	220	0.014	3	C-7A	Clear	2000	
B282200142	220	0.014	3	CC-7A	Clear	5000	
B28220018	220	0.018	4	C-7A	Clear	2000	
B28220023	220	0.023	5	C-7A	Clear	2000	
B28230013	230	0.013	3	C-7A	Clear	2000	
B28240010	240	0.010	2.4	CC-7A	Clear	2000	
B28240013	240	0.013	3	CC-7A	Clear	2000	
B28240017	240	0.017	4	CC-7A	Clear	2000	

Ba9s


Tube

T8.5X28mm Rolled in Base



Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
BR28006333	6	0.333	2	C-2V	Clear	2000	
BR28012165	12	0.165	2	C-2F	Clear	2000	
BR28024050	24	0.050	1.2	C-2F	Clear	2000	
BR28024080	24	0.080	2	C-2F	Clear	2000	
BR280240802	24	0.080	2	C-2F	Clear	5000	
BR28028040	28	0.040	1.1	C-2F	Clear	2000	
BR28030065	30	0.065	2	C-2F	Clear	2000	
BR28036055	36	0.055	2	C-2F	Clear	2000	

Ba9s Tube T10X39mm




Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
B39024125	24	0.125	3	C-2F	Clear	2000	
B39030100	30	0.100	3	C-2F	Clear	2000	
B39048063	48	0.063	3	C-2F	Clear	2000	
B39053130	53	0.130	7	C-2F	Clear	3000	
B39060050	60	0.050	3	C-2F	Clear	2000	
B39090003	80-90		3	CC-3A	Clear	2000	
B39130020	130	0.020	2.6	C-5A	Clear	2000	
B39160022	160	0.022	4	C-5A	Clear	2000	
B39230017	230	0.017	4	CC-7A	Clear	2000	

Ba9s

Tube Telewriter

T6.8X35mm




Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
BT35024100	24	0.100	2.4	CC-2F	Clear	1000	
BT35050055	50	0.055	2.75	CC-2F	Clear	1000	

Ba9s

Ball

G11X24mm



Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
B24002301	2	0.300	0.6	C-2R	Clear	2000	
B24002999	2.4	1.250	3	C-2R	Clear	2000	
B24002200	2.5	0.200	0.5	C-2R	Clear	2000	
B24002300	2.5	0.300	0.75	C-2R	Clear	2000	
B24002500	2.5	0.500	1.25	C-2R	Clear	2000	
B24003200	3.5	0.200	0.7	C-2R	Clear	2000	
B24004301	4	0.300	1.2	C-2R	Clear	2000	
B24004300	4.8	0.300	1.45	C-2R	Clear	2000	
B24006050	6	0.050	0.3	C-2V	Clear	2000	
B24006100	6	0.100	0.6	C-2R	Clear	2000	
B24006180	6	0.180	1.1	C-2V	Clear	2000	
B24006300	6	0.300	1.8	C-2R	Clear	2000	640
B24006350	6	0.350	2.1	C-2R	Clear	2000	
B24006500	6	0.500	3	C-2R	Clear	2000	641
B24006830	6	0.830	5	C-2R	Clear	2000	
B24006999	6	1.000	6	C-2R	Clear	2000	
B24006160	6.3	0.160	1	C-2V	Clear	2000	
B24006150	6.5	0.150	0.9	C-2R	Clear	2000	
B24006301	6.5	0.300	1.95	C-2R	Clear	2000	
B24007100	7	0.100	0.7	C-2V	Clear	2000	
B24007300	7	0.300	2.1	C-2R	Clear	2000	
B24010050	8-10	0.050		C-2V	Clear	2000	
B24012050	12	0.050	0.6	C-2V	Clear	2000	
B24012100	12	0.100	1.2	C-2V	Clear	2000	
B24012165	12	0.165	2	C-2V	Clear	2000	
B24012185	12	0.185	2.2	C-2V	Clear	2000	643
B24012200	12	0.200	2.4	C-2R	Clear	2000	
B24012250	12	0.250	3	C-2R	Clear	2000	
B24012333	12	0.333	4	C-2R	Clear	2000	
B24014060	14	0.060	0.84	C-2V	Clear	2000	


Ba9s Ball G11X24mm

Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
B24014120	14.4	0.120	1.7	C-2V	Clear	2000	
B24018100	18	0.100	1.8	C-2V	Clear	2000	
B24024050	24	0.050	1.2	C-2F	Clear	2000	
B24024080	24	0.080	2	C-2F	Clear	2000	
B24024100	24	0.100	2.4	C-2F	Clear	2000	
B24024120	24	0.120	2.8	C-2F	Clear	2000	
B24024125	24	0.125	3	C-2F	Clear	2000	
B24024208	24	0.208	5	C-2F	Clear	2000	
B24028050	28	0.050	1.4	C-2F	Clear	2000	
B24028070	28	0.070	2	C-2F	Clear	2000	
B24030040	30	0.040	1.2	C-2F	Clear	2000	
B24030050	30	0.050	1.5	C-2F	Clear	2000	
B24030065	30	0.065	2	C-2F	Clear	2000	
B24030100	30	0.100	3	C-2F	Clear	2000	
B24035050	35	0.050	1.75	C-2F	Clear	2000	
B24048050	48	0.050	2.4	C-2F	Clear	2000	
B24060030	60	0.030	1.8	C-2F	Clear	2000	

Ba9s

Ball

G15X29mm



Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
B29002500	2.4	0.500	1.2	C-2R	Clear	2000	
B29002999	2.4	1.250	3	C-2R	Clear	2000	
B29002501	2.5	0.500	1.25	C-2R	Clear	2000	
B29002502	2.5	0.500	1.25	C-2R	Clear	10000	
B29003600	3.6	0.600	2.2	C-2R	Clear	200	
B29006400	6	0.040	0.24	C-2R	Clear	2000	
B29006500	6	0.050	3	C-2R	Clear	2000	
B29006180	6	0.180	1.1	C-2V	Clear	2000	
B29006200	6	0.200	1.2	C-2V	Clear	2000	
B29006300	6	0.300	1.8	C-2V	Clear	2000	
B29006350	6	0.350	2.1	C-2R	Clear	2000	
B29006501	6	0.500	3	C-2R	Clear	500	
B29006667	6	0.667	4	C-2R	Clear	2000	
B29006830	6	0.830	5	C-2R	Clear	2000	
B29006999	6	1.000	6	C-2R	Clear	2000	
B29006320	6.3	0.320	2	C-2R	Clear	2000	
B29007300BL	7	0.300	2.1	Blinker	Clear	2000	
B29007410	7	0.410	3	C-2R	Clear	2000	
B29010400	10	0.400	4	C-2R	Clear	2000	
B29012125	12	0.125	1.5	C-2R	Clear	2000	
B29012250	12	0.250	3	C-2V	Clear	2000	
B29012333	12	0.333	4	C-2R	Clear	2000	
B29012417	12	0.417	5	C-2R	Clear	2000	
B29012500	12	0.500	6	C-2R	Clear	2000	
B29012625	12	0.625	7.5	C-2R	Clear	2000	
B29012833	12	0.833	10	C-2V	Clear	2000	
B29014120	14	0.120	1.7	C-2V	Clear	2000	
B29014240	14	0.240	3.4	C-2R	Clear	2000	
B29016187	16	0.187	3	C-2V	Clear	2000	
B29017175	17	0.175	3	C-2V	Clear	2000	

Ba9s

Ball


G15X29mm

Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
B29020250	20	0.250	5	C-2V	Clear	2000	
B29024050	24	0.050	1.2	C-2F	Clear	2000	
B29024080	24	0.080	2	C-2F	Clear	2000	
B29024125	24	0.125	3	C-2F	Clear	2000	
B29024165	24	0.165	4	C-2F	Clear	2000	
B29024208	24	0.208	5	C-2F	Clear	2000	
B29024250	24	0.250	6	C-2R	Clear	2000	
B29028170	28	0.170	5	C-2F	Clear	2000	
B29030040	30	0.040	1.2	C-2F	Clear	2000	
B29030065	30	0.065	1	C-2F	Clear	2000	
B29030080	30	0.080	2.4	C-2F	Clear	2000	
B29030100	30	0.100	3	C-2F	Clear	2000	
B29030165	30	0.165	5	C-2F	Clear	2000	
B29048060	48	0.060	3	C-2F	Clear	2000	
B29048105	48	0.105	5	C-2F	Clear	2000	
B29060085	60	0.085	5	C-2F	Clear	2000	
B29130020	130	0.020	2.6	CC-2F	Clear	2000	

Ba10s

Tube

T10X28mm




Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
BS28006300	6	0.300	1.8	C-2R	Clear	2500	
BS28012165	12	0.165	2	C-2F	Clear	2500	
BS28012250	12	0.250	3	C-2V	Clear	1500	
BS28024125	24	0.125	3	C-2F	Clear	2500	
BS28030067	30	0.067	2	C-2F	Clear	5000	
BS28030100	30	0.100	3	C-2F	Clear	5000	
BS28048062	48	0.062	3	CC-2F	Clear	2500	
BS28065046	65	0.046	3	CC-2F	Clear	2500	
BS28065085	65	0.085	5.5	CC-2F	Clear	1000	
BS28080040	70-80	0.040	3	CC-2F	Clear	1000	
BS28130020	130	0.020	2.6	CC-2F	Clear	1000	

E10

Tube

T9X23mm



Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
E23001220	1.2	0.220	0.26	C-2R	Clear	2000	
E23002400	2.2	0.400	0.9	C-2R	Clear	2000	
E23002200	2.5	0.200	0.5	C-2R	Clear	2000	
E23002300	2.5	0.300	0.75	C-2R	Clear	2000	
E23003301	3.3	0.300	1	C-2R	Clear	2000	
E23003304	3.7	0.300	1.1	C-2R	Clear	2000	
E23004250	4	0.250	1	C-2R	Clear	2000	
E23004300	4	0.300	1.2	C-2R	Clear	2000	
E23006050	6	0.050	0.3	C-2V	Clear	2000	
E23006100	6	0.100	0.6	C-2V	Clear	2000	
E23006180	6	0.180	1.1	C-2V	Clear	2000	
E23006200	6	0.200	1.2	C-2V	Clear	2000	
E23006333	6	0.333	2	C-2R	Clear	2000	
E23006350	6	0.350	2.1	C-2R	Clear	2000	
E23006500	6	0.500	3	C-2R	Clear	2000	
E23006150	6.3	0.150	1.1	C-2V	Clear	2000	
E23006320	6.3	0.320	2	C-2R	Clear	2000	
E23015002	12-15		2	C-2V	Clear	2000	
E23012020	12	0.020	0.25	C-2V	Clear	2000	
E23012050	12	0.050	0.6	C-2V	Clear	2000	
E23012100	12	0.100	1.2	C-2V	Clear	2000	
E23012120	12	0.120	1.45	C-2V	Clear	2000	
E23012165	12	0.165	2	C-2V	Clear	2000	
E23012250	12	0.250	3	C-2R	Clear	2000	
E23015050	15	0.050	0.75	C-2V	Clear	2000	
E23015140	15	0.140	2.1	C-2V	Clear	2000	
E23018100	18	0.100	1.8	C-2V	Clear	2000	
E23024025	24	0.025	0.6	C-2F	Clear	2000	
E23024040	24	0.040	1	C-2F	Clear	2000	
E23024050	24	0.050	1.2	C-2F	Clear	2000	


E10

Tube

T9X23mm

Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
E23024060	24	0.060	1.5	C-2F	Clear	2000	
E23024080	24	0.080	2	C-2F	Clear	2000	
E23024125	24	0.125	3	C-2F	Clear	2000	
E23028040	28	0.040	1.1	C-2F	Clear	2000	
E23028080	28	0.080	2.2	C-2F	Clear	2000	
E23030033	30	0.033	1	C-2F	Clear	2000	
E23030040	30	0.040	1.2	C-2F	Clear	2000	
E23030050	30	0.050	1.5	C-2F	Clear	2000	
E23030065	30	0.065	2	C-2F	Clear	2000	
E23030080	30	0.080	2.4	C-2F	Clear	2000	
E23030100	30	0.100	3	C-2F	Clear	2000	
E23036050	36	0.050	1.8	C-2F	Clear	2000	
E23036055	36	0.055	2	C-2F	Clear	2000	
E23036083	36	0.083	3	C-2F	Clear	2000	
E23042048	42	0.048	2	C-2F	Clear	2000	
E23048020	48	0.020	1	C-2F	Clear	2000	
E23048025	48	0.025	1.2	C-2F	Clear	2000	
E23048040	48	0.040	2	C-2F	Clear	2000	
E23048060	48	0.060	3	C-2F	Clear	2000	
E23060020	60	0.020	1.2	C-2F	Clear	2000	
E23060035	60	0.035	2.1	C-2F	Clear	2000	
E23060040	60	0.040	2.4	C-2F	Clear	2000	
E23060050	60	0.050	3	C-2F	Clear	2000	
E23070029	70	0.029	2	C-2F	Clear	2000	
E23080020	80	0.020	1.6	C-2F	Clear	2000	
E23080040	80	0.040	3	C-2F	Clear	2000	
E23130020	130	0.020	2.6	C-5A	Clear	2000	
E23220014	220	0.014	3	CC-7A	Clear	2000	
E23240017	240	0.017	4	CC-7A	Clear	2000	

E10 Tube T10X28mm



Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
E28001500	1.5	0.500	0.75	C-2R	Clear	2000	
E28002100	2.5	0.100	0.25	C-2R	Clear	2000	
E28002200	2.5	0.200	0.5	C-2R	Clear	2000	
E28002300	2.5	0.300	0.75	C-2R	Clear	2000	
E28002500	2.5	0.500	1.25	C-2R	Clear	2000	
E28002999	2.5	1.000	2.5	C-2R	Clear	2000	
E28003300	3	0.300	0.9	C-2R	Clear	2000	
E28003200	3.5	0.200	0.7	C-2R	Clear	2000	
E28003700	3.5	0.700	2.4	C-2R	Clear	2000	
E28003070	3.8	0.070	0.3	C-2R	Clear	2000	
E28004040	4	0.040	0.16	C-2V	Clear	2000	
E28004100	4	0.100	0.4	C-2R	Clear	2000	
E28004250	4	0.250	1	C-2R	Clear	2000	
E28004300	4	0.300	1.2	C-2R	Clear	2000	
E28004400	4	0.400	1.6	C-2R	Clear	2000	
E28004500	4	0.500	2	C-2R	Clear	2000	
E28004600	4	0.600	2.4	C-2R	Clear	2000	
E28004750	4	0.750	3	C-2R	Clear	2000	
E28004301	4.5	0.300	1.35	C-2R	Clear	2000	
E28005090	5	0.090	0.45	C-2R	Clear	2000	
E28005150	5	0.150	0.75	C-2R	Clear	2000	
E28006050	6	0.050	0.3	C-2V	Clear	2000	
E28006060	6	0.060	0.36	C-2V	Clear	2000	411
E28006075	6	0.075	0.45	C-2R	Clear	2000	
E28006100	6	0.100	0.6	C-2R	Clear	2000	
E28006180	6	0.180	1.1	C-2V	Clear	2000	
E28006200	6	0.200	1.2	C-2V	Clear	2000	
E28006301	6	0.300	1.8	C-2R	Clear	2000	
E28006333	6	0.333	2	C-2R	Clear	2000	
E28006350	6	0.350	2.1	C-2R	Clear	2000	

E10

Tube

T10X28mm

Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
E28006500	6	0.500	3	C-2R	Clear	2000	
E28006700	6	0.700	4.2	C-2R	Clear	2000	
E28006830	6	0.830	5	C-2R	Clear	2000	
E28006999	6	1.000	6	C-2R	Clear	2000	
E28006101	6.3	0.100	0.63	C-2V	Clear	2000	
E28006150	6.3	0.150	1.1	C-2V	Clear	2000	40
E28006250	6.3	0.250	1.6	C-2R	Clear	2000	46
E28006302	6.3	0.300	1.89	C-2R	Clear	2000	
E28006320	6.3	0.320	2	C-2R	Clear	2000	
E28006102	6.5	0.100	0.65	C-2V	Clear	2000	
E28006152	6.5	0.150	1	C-2V	Clear	2000	
E28006300	6.5	0.300	2	C-2R	Clear	2000	
E28007100	7	0.100	0.7	C-2V	Clear	2000	
E28007300	7	0.300	2.1	C-2R	Clear	2000	
E28007320	7	0.320	2.2	C-2R	Clear	2000	
E28008100	8	0.100	0.8	C-2V	Clear	2000	
E28008150	8	0.150	1.2	C-2V	Clear	2000	
E28008300	8	0.300	2.4	C-2V	Clear	2000	
E28008375	8	0.375	3	C-2V	Clear	2000	
E28010050	10	0.050	0.5	C-2V	Clear	2000	
E28010200	10	0.200	2	C-2V	Clear	2000	
E28015002	12-15		2	C-2V	Clear	2000	
E28012020	12	0.020	0.25	C-2V	Clear	2000	
E28012050	12	0.050	0.6	C-2V	Clear	2000	
E28012100	12	0.100	1.2	C-2V	Clear	2000	
E28012120	12	0.120	1.4	C-2V	Clear	2000	
E28012125	12	0.125	1.5	C-2V	Clear	2000	
E28012165	12	0.165	2	C-2V	Clear	2000	
E28012183	12	0.183	2.2	C-2V	Clear	2000	1309
E28012200	12	0.200	2.4	C-2V	Clear	2000	
E28012250	12	0.250	3	C-2V	Clear	2000	
E28012415	12	0.415	5	C-2V	Clear	2000	
E28014080	14	0.080	1.1	C-2V	Clear	2000	
E28014100	14	0.100	1.4	C-2V	Clear	2000	
E28014200	14	0.200	2.8	C-2V	Clear	2000	1487
E28015050	15	0.050	0.75	C-2F	Clear	2000	
E28015133	15	0.133	2	C-2V	Clear	2000	
E28015200	15	0.200	3	C-2V	Clear	2000	
E28016050	16	0.050	0.8	C-2V	Clear	2000	
E28016100	16	0.100	1.6	C-2V	Clear	2000	

E10

Tube

T10X28mm

Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
E28018020	18	0.020	0.36	C-2V	Clear	2000	
E28018100	18	0.100	1.8	C-2V	Clear	2000	
E28018110	18	0.110	2	C-2V	Clear	2000	
E28018170	18	0.170	3	C-2V	Clear	2000	
E28019040	19	0.040	0.75	C-2V	Clear	2000	
E28019090	19	0.090	1.7		Clear	2000	
E28030002	24-30		2	C-2F	Clear	2000	
E28024025	24	0.025	0.6	C-2F	Clear	2000	
E28024040	24	0.040	1	C-2F	Clear	2000	
E28024050	24	0.050	1.2	C-2F	Clear	2000	
E28024060	24	0.060	1.5	C-2F	Clear	2000	
E28024080	24	0.080	2	C-2F	Clear	2000	
E28024100	24	0.100	2.4	C-2F	Clear	2000	
E28024125	24	0.125	3	C-2F	Clear	2000	
E28024165	24	0.165	4	C-2F	Clear	2000	
E28024210	24	0.210	5	C-2F	Clear	2000	
E28028040	28	0.040	1.1	C-2F	Clear	2000	
E28028050	28	0.050	1.4	C-2F	Clear	2000	
E28028070	28	0.070	2	C-2F	Clear	2000	
E28028100	28	0.100	2.8	C-2F	Clear	2000	
E28028170	28	0.170	4.8	C-2F	Clear	2000	
E28030040	30	0.040	1.2	C-2F	Clear	2000	
E28030050	30	0.050	1.5	C-2F	Clear	2000	
E28030065	30	0.065	2	C-2F	Clear	2000	
E28030080	30	0.080	2.4	C-2F	Clear	2000	
E28030100	30	0.100	3	C-2F	Clear	2000	
E28030165	30	0.165	5	C-2F	Clear	2000	
E28045002	36-45		2	C-2F	Clear	2000	
E28045004	36-45		4	C-2F	Clear	2000	
E28036033	36	0.033	1.2	C-2F	Clear	2000	
E28036050	36	0.050	1.8	C-2F	Clear	2000	
E28036055	36	0.055	2	C-2F	Clear	2000	
E28036085	36	0.085	3	C-2F	Clear	2000	1177
E28048002	42-48		2	C-2F	Clear	2000	
E28042045	42	0.045	2	C-2F	Clear	2000	
E28042070	42	0.070	3	C-2F	Clear	2000	
E28042120	42	0.120	5	C-2F	Clear	2000	
E28060002	48-60		2	C-2F	Clear	2000	
E28060004	48-60		4	C-2F	Clear	2000	
E28060005	48-60		5	C-2F	Clear	2000	


E10

Tube

T10X28mm

Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
E28048020	48	0.020	1	C-2F	Clear	2000	
E28048040	48	0.040	2	C-2F	Clear	2000	
E28048050	48	0.050	2.4	C-2F	Clear	2000	
E28048060	48	0.060	3	C-2F	Clear	2000	
E28048080	48	0.080	4	C-2F	Clear	2000	
E28048100	48	0.100	4.8	C-2F	Clear	2000	1823
E28048105	48	0.105	5	C-2F	Clear	2000	
E28050050	50	0.050	2.5	C-2F	Clear	2000	
E28052060	52	0.060	3	C-2F	Clear	2000	
E28060020	60	0.020	1.2	C-2F	Clear	2000	
E28060030	60	0.030	1.8	C-2F	Clear	2000	
E28060033	60	0.033	2	C-2F	Clear	2000	
E28060040	60	0.040	2.4	C-2F	Clear	2000	
E28060050	60	0.050	3	C-2F	Clear	2000	
E28060060	60	0.060	3.6	C-2F	Clear	2000	
E28060070	60	0.070	4	C-2F	Clear	2000	
E28060085	60	0.085	5	C-2F	Clear	2000	
E28070020	70	0.020	1.4	C-2F	Clear	2000	
E28070040	70	0.040	2.8	C-2F	Clear	2000	
E28080040	70-80	0.040		C-2F	Clear	2000	
E28080025	80	0.025	2	C-2F	Clear	2000	
E28080035	80	0.035	3	C-3A	Clear	2000	
E28085035	85	0.035	3	C-3A	Clear	2000	
E28110027	110	0.027	3	C-5A	Clear	2000	
E28130015	130	0.015	2	C-5A	Clear	2000	
E28130020	130	0.020	2.6	C-5A	Clear	2000	
E28130021	130	0.020	2.6	CC-6A	Clear	5000	
E28130038	130	0.038	5	C-5A	Clear	2000	
E28160020	160	0.020	3.2	C-5A	Clear	2000	
E28220009	220	0.009	2	CC-7A	Clear	2000	
E28220014	220	0.014	3	C-7A	Clear	2000	
E28220018	220	0.018	4	CC-6A	Clear	2000	
E28220023	220	0.023	5	C-7A	Clear	2000	
E28230013	230	0.013	3	C-7A	Clear	1500	
E28230022	230	0.022	5	CC-7A	Clear	2000	
E28240010	240	0.010	2.4	CC-7A	Clear	2000	
E28240012	240	0.012	3	CC-7A	Clear	2000	

E10 Tube T10X38mm




Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
E38030060	30	0.060	1.8	C-2F	Clear	2000	
E38030100	30	0.100	3	C-2F	Clear	2000	
E38048060	48	0.060	2.8	C-2F	Clear	2000	
E38060030	60	0.030	1.8	C-2F	Clear	2000	
E38060050	60	0.050	3	C-2F	Clear	2000	
E38060085	60	0.085	5	C-2F	Clear	2000	
E38130030	130	0.030	4	C-5A	Clear	2000	
E38160025	160	0.025	4	C-5A	Clear	2000	
E38230018	230	0.018	4	C-7A	Clear	2000	

E10

Tube

T10X50mm




Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
E50024125	24	0.125	3	C-2F	Clear	2000	
E50030100	30	0.100	3	C-2F	Clear	2000	
E50060050	60	0.050	3	C-2F	Clear	2000	
E50130030	130	0.030	4	C-5A	Clear	2000	
E50160025	160	0.025	4	C-5A	Clear	2000	
E50230018	230	0.018	4	CC-7A	Clear	1000	

E10
Tube
T16X38mm



Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
TE038012005	12	0.415	5	C-2R	Clear	2000	
TE038024005	24	0.210	5	C-2F	Clear	2000	
TE038048005	48	0.105	5	C-2F	Clear	2000	
TE038160005	160	0.030	5	C-5A	Clear	2000	
TE038255005	255	0.020	5	C-7A	Clear	2000	
TE038260010	220-260		6-10	C-7A	Clear	2000	

E10 Tube T16X43mm




Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
TE043024005	24	0.210	5	C-2F	Clear	2000	
TE043027005	27	0.185	5	C-2V	Clear	2000	
TE043130010	130	0.077	10	C-5A	Clear	2000	
TE043250007	250	0.028	7	C-7A	Clear	2000	
TE043260010	220-260	0.038	6-10	C-7A	Clear	2000	

E10

Tube Telewriter

T6.8X35mm




Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
ET35024100	24	0.100	2.4	CC-2F	Clear	2000	
ET35050055	50	0.055	3	CC-2F	Clear	2000	
ET35060060	60	0.060	3.6	CC-2F	Clear	2000	

E10

Tube Sperry

T16X43mm




Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
VS10045008	45	0.178	8	C-2F	Clear	1000	
VS10045008R	45	0.178	8	C-2F	Red	1000	
VS10070008	70	0.114	8	C-2F	Clear	1000	
VS10070008R	70	0.114	8	C-2F	Red	1000	

E10

Ball

G11X24mm



Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
E24001250	1.25	0.250	0.3	C-2R	Clear	2000	
E24001150	1.3	0.150	0.19	C-2R	Clear	2000	
E24001090	1.5	0.090	0.13	C-2R	Clear	2000	
E24001151	1.5	0.150	0.23	C-2R	Clear	2000	
E24001200	1.5	0.200	0.3	C-2R	Clear	2000	
E24001300	1.5	0.300	0.45	C-2R	Clear	2000	
E24002301	2	0.300	0.6	C-2R	Clear	2000	
E24002200	2.2	0.200	0.44	C-2R	Clear	2000	
E24002060	2.5	0.060	0.15	C-2R	Clear	2000	
E24002100	2.5	0.100	0.25	C-2R	Clear	2000	
E24002201	2.5	0.200	0.5	C-2R	Clear	2000	
E24002300	2.5	0.300	0.75	C-2R	Clear	2000	
E24002500	2.5	0.500	1.25	C-2R	Clear	2000	
E24003150	3.5	0.150	0.52	C-2R	Clear	2000	
E24003200	3.5	0.200	0.7	C-2R	Clear	2000	
E24003300	3.5	0.300	1.15	C-2R	Clear	2000	
E24003070	3.8	0.070	0.27	C-2R	Clear	2000	
E24003301	3.8	0.300	1.14	C-2R	Clear	2000	
E24004040	4	0.040	0.16	C-2V	Clear	2000	
E24004300	4	0.300	1.2	C-2R	Clear	2000	
E24004500	4	0.500	2	C-2R	Clear	2000	
E24005300	4.8	0.300	1.44	C-2R	Clear	2000	
E24005500	4.8	0.500	2.4	C-2R	Clear	2000	
E24006040	6	0.040	0.24	C-2V	Clear	2000	
E24006050	6	0.050	0.3	C-2R	Clear	2000	
E24006100	6	0.100	0.6	C-2V	Clear	2000	
E24006151	6	0.150	0.9	C-2V	Clear	2000	
E24006180	6	0.180	1.1	C-2V	Clear	2000	
E24006333	6	0.333	2	C-2R	Clear	2000	
E24006350	6	0.350	2.1	C-2R	Clear	2000	

E10

Ball


G11X24mm

Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
E24006500	6	0.500	3	C-2R	Clear	2000	
E24006600	6	0.600	3.6	C-2R	Clear	2000	
E24006830	6	0.830	5	C-2R	Clear	2000	
E24006300	6.2	0.300	1.86	C-2R	Clear	2000	
E24006484	6.2	0.484	3	C-2R	Clear	2000	
E24006060	6.3	0.060	0.38	C-2V	Clear	2000	
E24006150	6.3	0.150	0.95	C-2V	Clear	2000	
E24006250	6.3	0.250	1.5	C-2R	Clear	2000	
E24006301	6.5	0.300	1.95	C-2R	Clear	2000	
E24007100	7	0.100	0.7	C-2V	Clear	2000	
E24007300	7	0.300	2.1	C-2R	Clear	2000	
E24010050	8-10	0.050		C-2V	Clear	2000	
E24012040	12	0.040	0.48	C-2V	Clear	2000	
E24012050	12	0.050	0.6	C-2V	Clear	2000	
E24012100	12	0.100	1.2	C-2V	Clear	2000	
E24012185	12	0.185	2.2	C-2V	Clear	2000	987
E24012200	12	0.200	2.4	C-2V	Clear	2000	
E24012250	12	0.250	3	C-2V	Clear	2000	
E24012400	12	0.400	4.8	C-2V	Clear	2000	
E24014060	14	0.060	0.84	C-2V	Clear	2000	
E24018100	18	0.100	1.8	C-2V	Clear	2000	
E24019040	19	0.040	0.76	C-2V	Clear	2000	
E24019100	19	0.100	1.9	C-2V	Clear	2000	
E24024050	24	0.050	1.2	C-2F	Clear	2000	
E24024080	24	0.080	2	C-2F	Clear	2000	
E24024100	24	0.100	2.4	C-2F	Clear	2000	
E24024125	24	0.125	3	C-2F	Clear	2000	
E24024210	24	0.210	5	C-2F	Clear	2000	
E24028050	28	0.050	1.4	C-2F	Clear	2000	
E24030065	30	0.065	2	C-2F	Clear	2000	
E24030100	30	0.100	3	C-2F	Clear	2000	
E24036050	36	0.050	1.75	C-2F	Clear	2000	
E24048030	48	0.030	1.44	C-2F	Clear	2000	
E24048050	48	0.050	2.4	C-2F	Clear	2000	
E24060040	60	0.040	2.4	C-2F	Clear	2000	

E10

Ball

G15X29mm



Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
E29002625	2.4	0.625	1.5	C-2R	Clear	2000	
E29002998	2.4	1.000	2.4	C-2R	Clear	2000	
E29002997	2.4	1.250	3	C-2R	Clear	2000	
E29002350	2.5	0.350	0.88	C-2R	Clear	2000	
E29002500	2.5	0.500	1.25	C-2R	Clear	2000	
E29002999	2.5	1.250	3	C-2R	Clear	2000	
E29002270	2.6	0.270	0.7	C-2R	Clear	2000	
E29003200	3.5	0.200	0.7	C-2R	Clear	2000	
E29004600	4	0.600	2.4	C-2R	Clear	2000	
E29004700	4	0.700	2.8	C-2R	Clear	2000	
E29005500	4.8	0.500	2.4	C-2R	Clear	2000	
E29004300	4.9	0.300	1.5	C-2R	Clear	2000	
E29005050	5	0.050	0.25	C-2R	Clear	2000	
E29005100	5	0.100	0.5	C-2R	Clear	2000	
E29005150	5	0.150	0.75	C-2R	Clear	2000	
E29006050	6	0.050	0.3	C-2R	Clear	2000	
E29006350	6	0.350	2.1	C-2R	Clear	2000	
E29006400	6	0.400	2.4	C-2R	Clear	2000	
E29006450	6	0.450	2.7	C-2R	Clear	2000	
E29006500	6	0.500	3	C-2R	Clear	2000	
E29006500BL	6	0.500	3		Clear	2000	
E29006830	6	0.830	5	C-2R	Clear	2000	
E29006999	6	1.000	6	C-2R	Clear	2000	
E29006250	6.3	0.250	1.6	C-2R	Clear	2000	
E29006320	6.3	0.320	2	C-2R	Clear	2000	
E29007240	7	0.240	1.44	C-2R	Clear	2000	
E29007300	7	0.300	2.1	C-2R	Clear	2000	
E29008450	8	0.450	3.6	C-2R	Clear	2000	
E29012100	12	0.100	1.2	C-2V	Clear	2000	
E29012170	12	0.170	2	C-2V	Clear	2000	

E10

Ball


G15X29mm

Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
E29012200	12	0.200	2.4	C-2V	Clear	2000	
E29012250	12	0.250	3	C-2V	Clear	2000	
E29012330	12	0.330	4	C-2R	Clear	2000	
E29012410	12	0.410	5	C-2V	Clear	2000	
E29012500	12	0.500	6	C-2V	Clear	2000	
E29012500GR	12	0.500	6	C-2V	Granulated	2000	
E29014500	14	0.500	7	C-2V	Clear	2000	
E29016188	16	0.188	3	C-2V	Clear	2000	
E29019040	19	0.040	0.75	C-2V	Clear	2000	
E29024050	24	0.050	1.2	C-2F	Clear	2000	
E29024080	24	0.080	2	C-2F	Clear	2000	
E29024125	24	0.125	3	C-2F	Clear	2000	
E29024150	24	0.150	3.6	C-2F	Clear	2000	
E29024210	24	0.210	5	C-2F	Clear	2000	
E29028150	28	0.150	4.2	C-2F	Clear	2000	
E29030100	30	0.100	3	C-2F	Clear	2000	
E29030165	30	0.165	5	C-2F	Clear	2000	
E29035050	35	0.050	1.75	C-2F	Clear	2000	
E29036140	36	0.140	5	C-2F	Clear	2000	
E29042050	42	0.050	2.1	C-2F	Clear	2000	
E29048060	48	0.060	3	C-2F	Clear	2000	
E29048105	48	0.105	5	C-2F	Clear	2000	
E29060083	60	0.083	5	C-2F	Clear	2000	
E29130020	130	0.020	2.6	CC-3A	Clear	2000	

E10

Ball

G18X32mm




Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	US Code
KE0320020500	2.4	0.500	1.2	C-2R	Clear	1000	
KE0320020625	2.4	0.625	1.5	C-2R	Clear	1000	
KE0320020833	2.4	0.833	2	C-2R	Clear	500	
KE0320020900	2.4	0.900	2.16	C-2R	Clear	500	
KE0320021000	2.4	1.000	2.44	C-2R	Clear	250	
KE0320021250	2.4	1.250	3	C-2R	Clear	250	
KE0320021666	2.4	1.666	4	C-2R	Clear	250	
KE0320022083	2.4	2.080	5	C-2R	Clear	500	
KE0320030448	3.75	0.448	1.68	C-2R	Clear	500	
KE0320030533	3.75	0.533	2	C-2R	Clear	500	
KE0320030666	3.75	0.666	2.5	C-2R	Clear	500	
KE0320030898	3.75	0.898	3.37	C-2R	Clear	500	
KE0320031338	3.75	1.338	5.02	C-2R	Clear	250	
KE0320040520	4.8	0.520	2.5	C-2R	Clear	1000	
KE0320041041	4.8	1.041	5	C-2R	Clear	300	
KE032006005	6	0.833	5	C-2R	Clear	500	
KE032012005	12	0.417	5	C-2V	Clear	1000	
KE032024010	24	0.417	10	C-2F	Clear	1000	
KE032028012	28	0.429	12	C-2F	Clear	1000	
KE032060010	60	0.167	10	CC-2F	Clear	2000	
KE032120010	120	0.083	10	CC-3	Clear	1000	
KE032130005	130	0.038	5	C-5A	Clear	2000	
KE032130008	130	0.062	8	CC-3	Clear	1000	

E10

Krypton

Lamps for security blocs




Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	Ø (mm)	I (mm)
EK0250750	2.5	0.750	1.88	C-2R	Clear	15	11	27
EK0480750	4.8	0.750	3.6	C-2R	Clear	15	11	27
EK2902313	2.4	0.313	0.75	C-2R	Clear	15	15	29
EK2902240	2.4	1.000	2.4	C-2R	Clear	30	15	29
EK2903360	3.6	1.000	3.6	C-2R	Clear	100	15	29
EK2904320	4	0.800	3.2	C-2R	Clear	400	15	29
EK2904400	4	1.000	4	C-2R	Clear	400	15	29
EK2906500	6	0.500	3	C-2R	Clear	15	15	29
EK3003090	3.6	0.250	0.9	C-2R	Clear	500	17	30
EK3003360	3.6	1.000	3.6	C-2R	Clear	100	17	30
EK3003560	3.75	1.500	5.6	C-2R	Clear	500	17	30
EK3006270	6	0.450	2.7	C-2R	Clear	50	17	30

E10

Xenon

Lamps for security blocs




Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	ø (mm)	l (mm)
EX3024240	2.4	1.000	2.4	C-2R	Clear	100	17	30
EX3024300	2.4	1.250	3	C-2R	Clear	100	17	30
EX3036090	3.6	0.250	0.9	C-2R	Clear	500	17	30
EX3036162	3.6	0.450	1.62	C-2R	Clear	100	17	30
EX3036216	3.6	0.600	2.16	C-2R	Clear	100	17	30
EX3036360	3.6	1.000	3.6	C-2R	Clear	100	17	30
EX3037340	3.75	0.900	3.4	C-2R	Clear	500	17	30
EX3037560	3.75	1.500	5.6	C-2R	Clear	500	17	30
EX3040182	4	0.550	2.2	C-2R	Clear	500	17	30
EX3040320	4	0.800	3.2	C-2R	Clear	500	17	30
EX3048288	4.8	0.600	2.88	C-2R	Clear	500	17	30
EX3060270	6	0.450	2.7	C-2R	Clear	100	17	30
EX3060300	6	0.500	3	C-2R	Clear	500	17	30
EX3060540	6	0.900	5.4	C-2R	Clear	500	17	30
EX3060600	6	1.000	6	C-2R	Clear	500	17	30

E10

Torch

Lensend




Item number	Voltage	Amperage	Filament	Finish	Life (h)	US Code
EL0120220	1.2	0.220	C-2R	Clear	50	
EL0220180	2.2	0.180	C-2R	Clear	50	
EL0220250	2.2	0.250	C-2R	Clear	50	
EL0220300	2.2	0.300	C-2R	Clear	50	
EL0225250	2.25	0.250	C-2R	Clear	50	222
EL0233270	2.33	0.270	C-2R	Clear	10	
EL0250200	2.5	0.200	C-2R	Clear	50	
EL0250300	2.5	0.300	C-2R	Clear	50	
EL0330300	3.3	0.300	C-2R	Clear	50	
EL0350200	3.5	0.200	C-2R	Clear	50	
EL0370300	3.7	0.300	C-2R	Clear	50	
EL0380300	3.8	0.300	C-2R	Clear	50	

E10

Torch

NF Brillant




Item number	Voltage	Amperage	Filament	Finish	Life (h)	US Code
EB0220250	2.2	0.250	C-2R	Clear	50	
EB0220300	2.2	0.300	C-2R	Clear	50	
EB0220400	2.2	0.400	C-2R	Clear	50	
EB0240300	2.4	0.300	C-2R	Clear	50	
EB0240400	2.4	0.400	C-2R	Clear	50	
EB0240500	2.4	0.500	C-2R	Clear	50	
EB0250250	2.5	0.250	C-2R	Clear	50	
EB0250300	2.5	0.300	C-2R	Clear	50	
EB0330300	3.3	0.300	C-2R	Clear	50	
EB0370300	3.7	0.300	C-2R	Clear	50	
EB0480300	4.8	0.300	C-2R	Clear	50	

P13.5s

Torch

Olive



Item number	Voltage	Amperage	Filament	Finish	Life (h)	US Code
PR0125250	1.25	0.250	C-2R	Clear	15	
PR0190650	1.9	0.650	C-2R	Clear	10	PR8
PR0233270	2.33	0.270	C-2R	Clear	10	PR4
PR0235350	2.35	0.350	C-2R	Clear	35	PR5
PR0238500	2.38	0.500	C-2R	Clear	15	PR2
PR0247300	2.47	0.300	C-2R	Clear	30	PR6
PR0250200	2.5	0.200	C-2R	Clear	10	
PR0270150	2.7	0.150	C-2R	Clear	45	PR9
PR0360500	3.6	0.500	C-2R	Clear	15	PR3
PR0370300	3.7	0.300	C-2R	Clear	30	PR7
PR0375860	3.75	0.860	C-2R	Clear	50	PR30
PR0475500	4.75	0.500	C-2R	Clear	15	PR13
PR0480300	4.8	0.300	C-2R	Clear	15	
PR0480500	4.8	0.500	C-2R	Clear	30	PR15
PR0490300	4.9	0.300	C-2R	Clear	30	PR17
PR0595500	5.95	0.500	C-2R	Clear	15	PR12
PR0720500	7.2	0.500	C-2R	Clear	3	PR18
PR0863500	8.63	0.500	C-2R	Clear	15	PR20
PR1250250	12.5	0.250	C-2R	Clear	50	PR16

P13.5s

Torch

NF Brillant




Item number	Voltage	Amperage	Filament	Finish	Life (h)	US Code
PB0220250	2.2	0.250	C-2R	Clear	50	
PB0220300	2.2	0.300	C-2R	Clear	50	
PB0220400	2.2	0.400	C-2R	Clear	50	
PB0240300	2.4	0.300	C-2R	Clear	50	
PB0240400	2.4	0.400	C-2R	Clear	50	
PB0250300	2.5	0.300	C-2R	Clear	30	
PB0370300	3.7	0.300	C-2R	Clear	50	

P13.5s


Torch

Krypton




Item number	Voltage	Amperage	Filament	Finish	Life (h)	US Code
PK0220470	2.2	0.470	C-2R	Clear	15	KPR104
PK0240500	2.4	0.500	C-2R	Clear	10	
PK0240700	2.4	0.700	C-2R	Clear	13	KPR102
PK0360750	3.6	0.750	C-2R	Clear	50	KPR103
PK0360800	3.6	0.800	C-2R	Clear	15	
PK0361000	3.6	1.000	C-2R	Clear	15	
PK0401000	4	1.000	C-2R	Clear	25	KPR5984
PK0475500	4.75	0.500	C-2R	Clear	30	KPR1941
PK0480750	4.8	0.750	C-2R	Clear	15	KPR113
PK0540540	5.4	0.540	C-2R	Clear	50	
PK0600500	6	0.500	C-2R	Clear	15	
PK0600750	6	0.750	C-2R	Clear	20	KPR112
PK0720750	7.2	0.750	C-2R	Clear	20	
PK0960500	9.6	0.500	C-2R	Clear	25	
PK1200700	12	0.700	C-2R	Clear	50	
PK1440700	14.4	0.700	C-2R	Clear	15	

Ba15d Tube T14X30mm



Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)
B30006001	6	0.180	1.1	C-2V	Clear	2000
B30006003	6	0.500	3	C-2V	Clear	2000
B30006005	6	0.833	5	C-2V	Clear	2000
B30012001	12	0.120	1.44	C-2V	Clear	2000
B30012002	12	0.165	2	C-2V	Clear	2000
B30012003	12	0.250	3	C-2V	Clear	2000
B30012005	12	0.417	5	C-2V	Clear	2000
B300240012	24	0.050	1.2	C-2F	Clear	2000
B30024002	24	0.080	2	C-2F	Clear	2000
B30024003	24	0.125	3	C-2F	Clear	2000
B30024005	24	0.208	5	C-2F	Clear	2000
B30030002	30	0.065	2	C-2F	Clear	2000
B30030003	30	0.100	3	C-2F	Clear	2000
B30030005	30	0.167	5	C-2F	Clear	2000
B300360018	36	0.050	1.8	C-2F	Clear	2000
B30036002	36	0.055	2	C-2F	Clear	2000
B30036005	36	0.140	5	C-2F	Clear	2000
B30048002	48	0.040	2	C-2F	Clear	2000
B30048003	48	0.060	3	C-2F	Clear	2000
B30048005	48	0.105	5	C-2F	Clear	2000
B30060001	60	0.020	1.2	C-2F	Clear	2000
B30060003	60	0.050	3	C-2F	Clear	2000
B30060005	60	0.083	5	C-2F	Clear	2000
B30130002	130	0.020	2.6	C-3F	Clear	2000
B30130003	130	0.023	3	CC-3A	Clear	2000
B30130005	130	0.038	5	C-3F	Clear	2000
B30220003	220	0.014	3	C-7A	Clear	2000
B30220005	220	0.023	5	C-7A	Clear	2000
B30260005	260	0.019	5	C-7A	Clear	2000
B30260007	220-260		5-7	C-7A	Clear	2000

Ba15d Tube T16X35mm




Item number	Voltage	Wattage	Filament	Finish	Life (h)
B35006001	6	1.2	C-2R	Clear	2000
B35006002	6	2	C-2R	Clear	2000
B35006005	6	5	C-2V	Clear	2000
B35012001	12	1.5	C-2V	Clear	2000
B35012002	12	2	C-2R	Clear	2000
B35012003	12	3	C-2R	Clear	2000
B35012005	12	5	C-2V	Clear	2000
B35012010	12	10	C-2R	Clear	2000
B35024002	24	2	C-2F	Clear	2000
B35024003	24	3	C-2F	Clear	2000
B35024004	24	4	C-2V	Clear	2000
B35024005	24	5	C-2V	Clear	2000
B35024010	24	10	C-2F	Clear	2000
B350240104	24	10	C-2V	Clear	5000
B35030002	30	2	C-2F	Clear	2000
B35030003	30	3	C-2F	Clear	2000
B35030004	24-30	4	C-2F	Clear	2000
B35030005	30	5	C-2F	Clear	2000
B350300054	30	5	C-2V	Clear	5000
B35030007	24-30	5-7	C-2F	Clear	2000
B35030010	30	10	C-2F	Clear	2000
B35036003	36	3	C-2F	Clear	2000
B35036005	36	5	C-2F	Clear	2000
B35040003	40	3	C-3A	Clear	2000
B35042005	42	5	C-3A	Clear	2000
B35048003	48	3	C-3A	Clear	2000
B35048005	48	5	C-3A	Clear	2000
B35060002	60	2	C-3A	Clear	2000
B35060003	60	3	C-3A	Clear	2000
B35060005	60	5	C-3A	Clear	2000

Ba15d Tube T16X35mm

Item number	Voltage	Wattage	Filament	Finish	Life (h)
B35085004	85	4	C-3A	Clear	2000
B35110003	110	3	C-5A	Clear	2000
B35110005	110	5	C-5A	Clear	2000
B35130005	130	5	C-5A	Clear	2000
B35140007	140	7	C-5A	Clear	2000
B35160005	160	5	C-5A	Clear	2000
B35220003	220	3	C-7A	Clear	2000
B35220005	220	5	C-7A	Clear	2000
B35255005	255	5	C-7A	Clear	2000
B35260005	220-260	3-5	C-7A	Clear	2000
B35260007	220-260	5-7	C-7A	Clear	2000
B35260010	220-260	6-10	C-7A	Clear	2000
B35300005	300	5	CC-7A	Clear	1000
B35300010	300	10	C-7A	Clear	1000

Ba15d Tube T16X45mm




Item number	Voltage	Wattage	Filament	Finish	Life (h)
B45006003	6	3	C-2R	Clear	2000
B45006004	6	4	C-2R	Clear	2000
B45006005	6	5	C-2R	Clear	2000
B45012004	12	4	C-2R	Clear	2000
B45012005	12	5	C-2V	Clear	2000
B45012010	12	10	C-2V	Clear	2000
B45012015	12	15	C-2V	Clear	2000
B450120152	12	15	C-2V	Clear	5000
B45024003	24	3	C-2V	Clear	2000
B45024004	24	4	C-2V	Clear	2000
B45024005	24	5	C-2V	Clear	2000
B45024006	24	6.5	C-2V	Clear	2000
B45024010	24	10	C-2V	Clear	2000
B45024015	24	15	C-2V	Clear	2000
B45030005	30	5	C-2V	Clear	2000
B45030007	30	5-7	C-2F	Clear	2000
B45030010	24-30	6-10	C-2V	Clear	2000
B45036005	36	5	C-2F	Clear	2000
B45042005	42	5	C-2F	Clear	2000
B45048005	48	5	C-3A	Clear	2000
B45048010	48	10	C-3A	Clear	2000
B45060004	60	4	C-3A	Clear	2000
B45060005	60	5	C-3A	Clear	2000
B45060010	60	10	C-3A	Clear	2000
B45080006	80	6	C-3A	Clear	2000
B45110010	110	10	C-5A	Clear	2000
B45130005	130	5	C-5A	Clear	2000
B45140007	110-140	5-7	C-5A	Clear	2000
B45140010	110-140	6-10	C-5A	Clear	2000
B45150007	150	7	C-7A	Clear	2000

Ba15d **Tube** **T16X45mm**

Item number	Voltage	Wattage	Filament	Finish	Life (h)
B45220010	220	10	C-7A	Clear	2000
B45240015	240	15	C-7A	Clear	2000
B45250015	250	15	C-7A	Clear	2000
B45260007	220-260	5-7	C-7A	Clear	2000
B45260010	220-260	6-10	C-7A	Clear	2000
B45260015	220-260	10-15	C-7A	Clear	2000
B45380010	380	10	C-7A	Clear	2000

Ba15d Tube T16X54mm




Item number	Voltage	Wattage	Filament	Finish	Life (h)
B54006003	6	3	C-2R	Clear	2000
B54006005	6	5	C-2R	Clear	2000
B54006010	6	10	C-2R	Clear	2000
B54006015	6	15	C-2R	Clear	2000
B54012004	12	4	C-2R	Clear	2000
B54012005	12	5	C-2R	Clear	2000
B54012010	12	10	C-2R	Clear	2000
B54012015	12	15	C-2V	Clear	2000
B54024002	24	2	C-2V	Clear	2000
B54024003	24	3	C-2V	Clear	2000
B54024004	24	4	C-2V	Clear	2000
B54024005	24	5	C-2V	Clear	2000
B54024007	24	7	C-2V	Clear	2000
B54024010	24	10	C-2V	Clear	2000
B54024015	24	15	C-2V	Clear	2000
B54024025	24	25	C-2V	Clear	2000
B54027005	24-30	3-5	C-2V	Clear	2000
B54027010	24-30	6-10	C-2V	Clear	2000
B54027015	24-30	10-15	C-2V	Clear	2000
B54030003	30	3	C-2V	Clear	2000
B54030005	30	5	C-2V	Clear	2000
B54030007	30	5-7	C-2V	Clear	2000
B54030010	30	10	C-2V	Clear	2000
B54030015	30	15	C-2F	Clear	2000
B54036005	36	5	C-2F	Clear	2000
B54040010	36-45	6-10	C-2F	Clear	2000
B54042003	42	3	C-2V	Clear	2000
B54042005	42	5	C-2F	Clear	2000
B54042010	42	10	C-2V	Clear	2000
B54042015	42	15	C-2F	Clear	2000

Ba15d Tube T16X54mm


Item number	Voltage	Wattage	Filament	Finish	Life (h)
B54048003	48	3	C-3A	Clear	2000
B54048005	48	5	C-3A	Clear	2000
B54048007	48	7	C-3A	Clear	2000
B54048010	48	10	C-3A	Clear	2000
B54048015	48	15	C-3A	Clear	2000
B54050010	48-60	6-10	C-3A	Clear	2000
B54060004	60	4	C-3A	Clear	2000
B54060005	60	5	C-3A	Clear	2000
B54060007	60	7	C-3A	Clear	2000
B54060010	60	10	C-3A	Clear	2000
B54080005	70-80	5	C-3A	Clear	2000
B54080007	80	7	C-3A	Clear	2000
B54095010	65-95	6-10	C-3A	Clear	2000
B54110005	110	5	C-5A	Clear	2000
B54130005	130	5	C-5A	Clear	2000
B54130010	130	10	C-5A	Clear	2000
B54140005	110-140	3-5	C-5A	Clear	2000
B54140007	110-140	5-7	C-5A	Clear	2000
B54140010	110-140	6-10	C-5A	Clear	2000
B54150005	150	5	C-5A	Clear	2000
B54160010	160	10	C-5A	Clear	2000
B54220005	220	5	C-7A	Clear	2000
B54220015	220	15	C-7A	Clear	2000
B54230015	230	15	C-7A	Clear	2000
B54240015	240	15	C-7A	Clear	2000
B54250015	250	15	C-7A	Clear	2000
B54260005	220-260	3-5	C-7A	Clear	2000
B54260006	220-260	4-6	C-7A	Clear	2000
B54260007	220-260	5-7	C-7A	Clear	2000
B54260010	220-260	6-10	C-7A	Clear	2000
B54260015	220-260	10-15	C-7A	Clear	2000
B54380010	380	10	CC-7A	Clear	2000

Ba15d Pigmy P22X48mm



Item number	Voltage	Wattage	Filament	Finish	Life (h)
B48006010	6	10	C-2R	Clear	1000
B48006015	6	15	C-2R	Clear	1000
B48012005	12	5	C-2R	Clear	1000
B48012010	12	10	C-2R	Clear	1000
B48012015	12	15	C-2R	Clear	1000
B48012025	12	25	C-2R	Clear	1000
B48024005	24	5	C-2V	Clear	1000
B48024007	24	7	C-2V	Clear	1000
B48024010	24	10	C-2V	Clear	1000
B48024015	24	15	C-2V	Clear	1000
B48024025	24	25	C-2V	Clear	1000
B48030010	30	10	C-2V	Clear	1000
B48042005	42	5	C-2V	Clear	1000
B48050010	50	10	C-3A	Clear	1000
B48075015	75	15	C-3A	Clear	1000
B48130005	130	5	C-5A	Clear	1000
B48130010	130	10	C-5A	Clear	1000
B48130015	130	15	C-5A	Clear	1000
B48240025	240	25	C-7A	Clear	1000
B48260007	220-260	5-7	C-7A	Clear	1000
B48260010	220-260	6-10	C-7A	Clear	1000
B48260015	220-260	10-15	C-7A	Clear	1000

E12 Tube T13X34mm




Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)
E34006001	6	0.333	1	C-2V	Clear	2000
E34012002	12	0.165	2	C-2V	Clear	2000
E34012003	12	0.250	3	C-2V	Clear	2000
E34012005	12	0.417	5	C-2V	Clear	2000
E34012010	12	0.833	10	C-2V	Clear	2000
E34018002	18	0.110	2	C-2V	Clear	2000
E34024002	24	0.080	2	C-2V	Clear	2000
E34024003	24	0.125	3	C-2V	Clear	2000
E34024005	24	0.208	5	C-2V	Clear	2000
E34028002	28	0.070	2	C-2V	Clear	2000
E34030005	30	0.017	5	C-2V	Clear	2000
E34030002	30	0.065	2	C-2F	Clear	2000
E34030003	30	0.100	3	C-2F	Clear	2000
E34042005	42	0.120	5	C-2F	Clear	2000
E34048002	48	0.040	2	C-2F	Clear	2000
E34048003	48	0.060	3	C-2F	Clear	2000
E34060002	60	0.033	2	C-2F	Clear	2000
E34060005	60	0.050	5	C-2F	Clear	2000
E34110003	110	0.027	3	CC-3	Clear	2000
E34110005	110	0.045	5	CC-3A	Clear	2000
E34130006	130	0.046	6	C-5A	Clear	2000
E34220005	220	0.023	5	CC-3A	Clear	2000

E12


Tube

T16X45mm




Item number	Voltage	Wattage	Filament	Finish	Life (h)
E44006003	6	3	C-2R	Clear	2000
E44012003	12	3	C-2V	Clear	2000
E44024002	24	2	C-2V	Clear	2000
E44024003	24	3	C-2V	Clear	2000
E44024005	24	5	C-2V	Clear	2000
E44030005	30	5	C-2V	Clear	2000
E44048005	48	5	C-3A	Clear	2000
E44060005	60	5	C-3A	Clear	2000
E44130005	130	5	C-5A	Clear	2000
E44130006	130	6	C-5A	Clear	2000
E44140010	110-140	6-10	C-5A	Clear	2000
E44220010	220	10	C-7A	Clear	2000
E44260007	220-260	5-7	C-7A	Clear	2000
E44260010	220-260	6-10	C-7A	Clear	2000

E12
Tube
T16X54mm




Item number	Voltage	Wattage	Filament	Finish	Life (h)
E53030010	24-30	6-10	C-2V	Clear	2000
E53095010	65-95	6-10	C-3A	Clear	2000
E53140010	110-140	6-10	C-5A	Clear	2000
E53230015	230	15	C-7A	Clear	2000
E53260007	220-260	5-7	C-7A	Clear	2000
E53260010	220-260	6-10	C-7A	Clear	2000
E53260015	220-260	10-15	C-7A	Clear	2000

E12
S6
19X48mm



Item number	Voltage	Wattage	Filament	Finish	Life (h)	Shape
E47006006	6	6	C-2R	Clear	1500	6S6
E47012006	12	6	C-2V	Clear	1500	6S6
E47024005	24	5	C-2V	Clear	1500	5S6
E47024006	24	6	C-2V	Clear	1500	6S6
E47030006	30	6	C-2V	Clear	1500	6S6
E47032006	32	6	C-2V	Clear	1500	6S6
E47048006	48	6	C-5A	Clear	1500	6S6
E47060006	60	6	C-5A	Clear	1500	6S6
E47075006	75	6	C-5A	Clear	1500	6S6
E47110015	110	15	C-3A	Clear	1500	15S6
E47120006	120	6	C-5A	Clear	1500	6S6
E47130003	130	3	C-5A	Clear	1500	3S6
E47130004	130	4	C-5A	Clear	1500	4S6
E47250007	250	7	C-5A	Clear	1500	7S6
E47250010	250	10	C-5A	Clear	1500	10S6
E47250015	250	15	C-5A	Clear	1500	15S6

E14 Tube T13X30mm



Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)
E30004250	4	0.250	1	C-2R	Clear	2000
E30004750	4	0.750	3	C-2V	Clear	2000
E30006180	6	0.180	1.1	C-2V	Clear	2000
E30006333	6	0.333	2	C-2R	Clear	2000
E30006500	6	0.500	3	C-2R	Clear	2000
E30006850	6	0.850	5	C-2R	Clear	2000
E30012100	12	0.100	1.2	C-2V	Clear	2000
E30012120	12	0.120	1.45	C-2V	Clear	2000
E30012165	12	0.165	2	C-2V	Clear	2000
E30012250	12	0.250	3	C-2V	Clear	2000
E30012410	12	0.410	5	C-2V	Clear	2000
E30024040	24	0.040	1	C-2F	Clear	2000
E30024050	24	0.050	1.2	C-2F	Clear	2000
E30024080	24	0.080	2	C-2F	Clear	2000
E30024125	24	0.125	3	C-2F	Clear	2000
E30024210	24	0.210	5	C-2F	Clear	2000
E30030002	24-30		2	C-2F	Clear	2000
E30030050	30	0.050	1.5	C-2F	Clear	2000
E30030065	30	0.065	2	C-2F	Clear	2000
E30030080	30	0.080	2.4	C-2F	Clear	2000
E30030100	30	0.100	3	C-2F	Clear	2000
E30030167	30	0.167	5	C-2F	Clear	2000
E30036050	36	0.050	1.8	C-2F	Clear	2000
E30036055	36	0.055	2	C-2F	Clear	2000
E30036080	36	0.080	3	C-2F	Clear	2000
E30036140	36	0.140	5	C-2F	Clear	2000
E30042050	42	0.050	2.1	C-2F	Clear	2000
E30042070	42	0.070	3	C-2F	Clear	2000
E30042120	42	0.120	5	C-2F	Clear	2000
E30045002	36-45		2	C-2F	Clear	2000

E14

Tube


T13X30mm

Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)
E30048040	48	0.040	2	C-2F	Clear	2000
E30048060	48	0.060	3	C-2F	Clear	2000
E30048105	48	0.105	5	C-2F	Clear	2000
E30060002	48-60		2	C-2F	Clear	2000
E30060020	60	0.020	1.2	C-2F	Clear	2000
E30060033	60	0.033	2	C-2F	Clear	2000
E30060040	60	0.040	2.4	C-2F	Clear	2000
E30060050	60	0.050	3	C-2F	Clear	2000
E30060085	60	0.085	5	C-2F	Clear	2000
E30070002	60-70		2	C-2F	Clear	2000
E30080035	80	0.035	3	C-3A	Clear	2000
E30080063	80	0.063	5	C-3A	Clear	2000
E30110045	110	0.045	5	C-5A	Clear	2000
E30130020	130	0.020	2.6	CC-3A	Clear	2000
E30130040	130	0.040	5	C-5A	Clear	2000
E30220014	230	0.014	3	C-7A	Clear	2000
E30220023	220	0.023	5	C-7A	Clear	2000
E30230013	230	0.013	3	C-7A	Clear	2000
E30260019	260	0.019	5	C-7A	Clear	2000
E30260027	220-260	0.027	5-7	C-7A	Clear	2000

E14

Tube

T16X35mm



Item number	Voltage	Wattage	Filament	Finish	Life (h)
E35006001	6	1	C-2R	Clear	2000
E35006002	6	2	C-2R	Clear	2000
E35006005	6	5	C-2R	Clear	2000
E35008003	8	3	C-2R	Clear	2000
E35012002	12	2	C-2V	Clear	2000
E35012003	12	3	C-2R	Clear	2000
E35012005	12	5	C-2V	Clear	2000
E35024002	24	2	C-2V	Clear	2000
E35024003	24	3	C-2V	Clear	2000
E35024004	24	4	C-2V	Clear	2000
E35024005	24	5	C-2V	Clear	2000
E35030003	30	3	C-2V	Clear	2000
E35030005	30	5	C-2V	Clear	2000
E35036003	36	3	C-2F	Clear	2000
E35036005	36	5	C-2F	Clear	2000
E35042005	42	5	C-2F	Clear	2000
E35048003	48	3	C-3A	Clear	2000
E35048005	48	5	C-3A	Clear	2000
E35060001	60	1	C-3A	Clear	2000
E35060002	60	2	C-3A	Clear	2000
E35060003	60	3	C-3A	Clear	2000
E35060005	60	5	C-3A	Clear	2000
E35080005	80	5	C-3A	Clear	2000
E35110005	110	5	C-5A	Clear	2000
E35130002	130	2.6	C-5A	Clear	2000
E35130005	130	5	C-5A	Clear	2000
E35130015	130	15	C-5A	Clear	2000
E35140007	110-140	5-7	C-5A	Clear	2000
E35150005	150	5	C-5A	Clear	2000
E35160005	160	5	C-5A	Clear	2000

E14

Tube


T16X35mm

Item number	Voltage	Wattage	Filament	Finish	Life (h)
E35230003	230	3	C-7A	Clear	2000
E35260003	220-260	3	C-7A	Clear	2000
E35260005	220-260	3-5	C-7A	Clear	2000
E35260007	220-260	5-7	C-7A	Clear	2000
E35260010	220-260	6-10	C-7A	Clear	2000

E14

Tube

T16X45mm




Item number	Voltage	Wattage	Filament	Finish	Life (h)
E45006005	6	5	C-2R	Clear	2000
E45012005	12	5	C-2R	Clear	2000
E45012010	12	10	C-2V	Clear	2000
E45014005	14	5	C-2V	Clear	2000
E45024003	24	3	C-2V	Clear	2000
E45024005	24	5	C-2V	Clear	2000
E45024010	24	10	C-2V	Clear	2000
E45024015	24	15	C-2V	Clear	2000
E45030005	30	5	C-2V	Clear	2000
E45030007	30	5-7	C-2V	Clear	2000
E45030010	24-30	6-10	C-2V	Clear	2000
E45036005	36	5	C-2V	Clear	2000
E45042005	42	5	C-2F	Clear	2000
E45048005	48	5	C-3A	Clear	2000
E45060005	60	5	C-3A	Clear	2000
E45060007	60	7	C-3A	Clear	2000
E45060010	60	10	C-3A	Clear	2000
E45130005	130	5	C-5A	Clear	2000
E45140007	110-140	5-7	C-5A	Clear	2000
E45140010	110-140	6-10	C-5A	Clear	2000
E45160005	160	5	C-5A	Clear	2000
E45220010	220	10	C-7A	Clear	2000
E45260005	220-260	3-5	C-7A	Clear	2000
E45260007	220-260	5-7	C-7A	Clear	2000
E45260010	220-260	6-10	C-7A	Clear	2000
E45260015	220-260	10-15	C-7A	Clear	2000
E45380010	380	10	C-7A	Clear	2000

E14

Tube

T16X54mm



Item number	Voltage	Wattage	Filament	Finish	Life (h)
E54004005	4	5	C-2R	Clear	2000
E54006001	6	1	C-2R	Clear	2000
E54006003	6	3	C-2R	Clear	2000
E54006004	6	4	C-2R	Clear	2000
E54006005	6	5	C-2R	Clear	2000
E54006010	6	10	C-2R	Clear	2000
E54006015	6	15	C-2R	Clear	2000
E54008003	8	3	C-2R	Clear	2000
E54012002	12	2	C-2V	Clear	2000
E54012003	12	3	C-2R	Clear	2000
E54012004	12	4	C-2R	Clear	2000
E54012005	12	5	C-2R	Clear	2000
E54012007	12	7	C-2R	Clear	2000
E54012010	12	10	C-2R	Clear	2000
E54012015	12	15	C-2V	Clear	2000
E54014005	14	5	C-2V	Clear	2000
E54024002	24	2	C-2V	Clear	2000
E54024003	24	3	C-2V	Clear	2000
E54024004	24	4	C-2V	Clear	2000
E54024005	24	5	C-2V	Clear	2000
E54024007	24	7	C-2V	Clear	2000
E54024010	24	10	C-2V	Clear	2000
E54024015	24	15	C-2V	Clear	2000
E54024025	24	25	C-2V	Clear	1000
E54030002	30	2	C-2V	Clear	2000
E54030003	30	3	C-3A	Clear	2000
E54030004	30	4	C-2V	Clear	2000
E54030005	30	5	C-2V	Clear	2000
E54030007	30	7	C-2V	Clear	2000
E54030009	24-30	3-5	C-2V	Clear	2000

E14

Tube

T16X54mm

Item number	Voltage	Wattage	Filament	Finish	Life (h)
E54030010	24-30	6-10	C-2V	Clear	2000
E54030011	30	10	C-2V	Clear	2000
E54030015	30	15	C-3A	Clear	2000
E54030016	24-30	10-15	C-2V	Clear	2000
E54032005	32-42	5-7	C-2F	Clear	2000
E54036005	36	5	C-2F	Clear	2000
E54042003	42	3	C-3A	Clear	2000
E54042005	42	5	C-3A	Clear	2000
E54042007	42	7	C-3A	Clear	2000
E54042010	42	10	C-2F	Clear	2000
E54042015	42	15	C-3A	Clear	2000
E54045005	45-60	5-7	C-3A	Clear	2000
E54045010	36-45	6-10	C-2F	Clear	2000
E54048003	48	3	C-3A	Clear	2000
E54048005	48	5	C-3A	Clear	2000
E54048010	48	10	C-3A	Clear	2000
E54048010F	48	10	C-3A	Frosted	2000
E54048015	48	15	C-3A	Clear	2000
E54060003	60	3	C-3A	Clear	2000
E540600035	60	3.5	C-3A	Clear	2000
E54060004	60	4	C-3A	Clear	2000
E54060005	60	5	C-3A	Clear	2000
E54060007	60	7	C-3A	Clear	2000
E54060010	60	10	C-3A	Clear	3000
E54060011	48-60	6-10	C-3A	Clear	2000
E54060015	60	15	C-3A	Clear	2000
E54065005	65	5	C-3A	Clear	2000
E54065007	65	7	C-3A	Clear	2000
E54065010	65	10	C-3A	Clear	2000
E54065015	65	15	C-3A	Clear	2000
E54070004	60-70	4	C-3A	Clear	2000
E54070005	70	5	C-3A	Clear	2000
E54072015	72	15	C-3A	Clear	2000
E54080005	80	5	C-3A	Clear	2000
E54080007	80	7	C-3A	Clear	2000
E54080010	70-80	10	C-3A	Clear	2000
E54080015	80	15	C-3A	Clear	2000
E54095010	65-95	6-10	C-3A	Clear	2000
E54110010	110	10	C-5A	Clear	2000
E54110015	110	15	C-5A	Clear	2000

E14

Tube


T16X54mm

Item number	Voltage	Wattage	Filament	Finish	Life (h)
E54130005	130	5	C-5A	Clear	2000
E54130015	130	15	C-5A	Clear	2000
E54140007	110-140	5-7	C-5A	Clear	2000
E54140010	110-140	6-10	C-5A	Clear	2000
E54150005	150	5	C-5A	Clear	2000
E54160007	160	7	C-5A	Clear	2000
E54220005	220	5	C-7A	Clear	2000
E54220010	220	10	C-7A	Clear	2000
E54220015	220	15	C-7A	Clear	2000
E54240015	240	15	C-7A	Clear	2000
E54260003	220-260	3	C-7A	Clear	2000
E54260005	220-260	3-5	C-7A	Clear	2000
E54260006	220-260	4-6	C-7A	Clear	2000
E54260007	220-260	5-7	C-7A	Clear	2000
E54260010	220-260	6-10	C-7A	Clear	2000
E542600105	220-260	6-10	CC-7A	Clear	20000
E54260015	220-260	10-15	C-7A	Clear	2000
E54380010	380	10	CC-7A	Clear	2000

E14

Pigmy

P22X48mm




Item number	Voltage	Wattage	Filament	Finish	Life (h)
E48012005	12	5	C-2R	Clear	1000
E48012010	12	10	C-2R	Clear	1000
E48012015	12	15	C-2R	Clear	1000
E48012025	12	25	C-2V	Clear	1000
E48024003	24	3	C-2V	Clear	1000
E48024005	24	5	C-2V	Clear	1000
E48024010	24	10	C-2V	Clear	1000
E48024015	24	15	C-2V	Clear	1000
E48024025	24	25	C-2V	Clear	1000
E48024040	24	40	C-2V	Clear	1000
E48030005	30	5	C-3A	Clear	1000
E48042005	42	5	C-3A	Clear	1000
E48048015	42-48	15	C-3A	Clear	1000
E48060007	60	7	C-3A	Clear	1000
E48060010	60	10	C-3A	Clear	1000
E48060015	60	15	C-3A	Clear	1000
E48065015	65	15	C-3A	Clear	1000
E48080007	80	7	C-3A	Clear	1000
E48130005	130	5	C-5A	Clear	1000
E48130010	130	10	C-5A	Clear	1000
E48130015	130	15	C-5A	Clear	1000
E48220010*	220	10	C-7A	Clear	1000
E48235015*	235	15	C-7A	Clear	1000
E48235025*	235	25	C-7A	Clear	1000
E48260007	220-260	5-7	C-7A	Clear	1000
E48260010	220-260	6-10	C-7A	Clear	1000
E48260015	220-260	10-15	C-7A	Clear	1000

* 300° Celsius

Festoon lamps

S6

6X24mm




Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)
S62406050	6	0.050	0.3	C-6	Clear	2000
S62406100	6	0.100	0.6	C-6	Clear	2000
S62406165	6	0.165	1	C-6	Clear	2000
S62406500	6	0.500	3	C-6	Clear	2000
S62408220	8	0.220	1.8	C-6	Clear	2000
S62412050	12	0.050	0.6	C-6	Clear	2000
S62412100	12	0.100	1.2	C-6	Clear	2000
S62412165	12	0.165	2	C-6	Clear	2000
S62412250	12	0.250	3	C-6	Clear	2000
S62424050	24	0.050	1.2	C-6	Clear	2000
S62424125	24	0.125	3	C-6	Clear	2000
S62426040	26	0.040	1	C-6	Clear	2000
S62428070	28	0.070	2	C-6	Clear	2000
S62428107	28	0.107	3	C-6	Clear	2000

Festoon lamps

S6

6X28mm




Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)
S62806200	6	0.200	1.2	C-8	Clear	2000
S62806500	6	0.500	3	C-6	Clear	2000
S62812100	12	0.100	1.2	C-6	Clear	2000
S62812250	12	0.250	3	C-6	Clear	2000
S62824050	24	0.050	1.2	C-6	Clear	2000
S62824125	24	0.125	3	C-6	Clear	2000
S62826110	26	0.110	3	C-6	Clear	2000
S62848050	48	0.050	2.4	C-6	Clear	2000
S62850050	50	0.050	2.5	C-6	Clear	1000
S62860050	60	0.050	3	C-6	Clear	2000

Festoon lamps

S6

6X31mm



Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)
S63106040	6	0.040	0.24	C-6	Clear	2000
S63106050	6	0.050	0.3	C-6	Clear	2000
S63106500	6	0.500	3	C-6	Clear	2000
S63106150	6.3	0.150	1	C-6	Clear	2000
S63106250	6.3	0.250	1.6	C-6	Clear	2000
S63106300	6.3	0.300	1.89	C-6	Clear	2000
S63108150	8	0.150	1.2	C-6	Clear	2000
S63108250	8	0.250	2	C-6	Clear	2000
S63108300	8	0.300	2.4	C-6	Clear	2000
S63112100	12	0.100	1.2	C-6	Clear	2000
S63112150	12	0.150	1.8	C-6	Clear	2000
S63112165	12	0.165	2	C-6	Clear	2000
S63112250	12	0.250	3	C-6	Clear	2000
S63112300	12	0.300	3.6	C-6	Clear	2000
S63113300	12.6	0.300	3.8	C-6	Clear	2000
S63118100	18	0.100	1.8	C-6	Clear	2000
S63118167	18	0.167	3	C-6	Clear	2000
S63124050	24	0.050	1.2	C-6	Clear	2000
S63124062	24	0.062	1.5	C-6	Clear	2000
S63124080	24	0.080	2	C-6	Clear	2000
S63124125	24	0.125	3	C-6	Clear	2000
S63126040	26	0.040	1	C-6	Clear	2000
S63128070	28	0.070	2	C-6	Clear	2000
S63130050	30	0.050	1.5	C-6	Clear	2000
S63130100	30	0.100	3	C-6	Clear	2000
S63148062	48	0.062	3	C-6	Clear	2000
S63165046	65	0.046	3	C-6	Clear	2000

Festoon lamps

S6

6X36mm




Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)
S63604001	4.8	0.300	1.44	C-6	Clear	2000
S63606003	6	0.500	3	C-6	Clear	2000
S63612001	12	0.100	1.2	C-6	Clear	2000
S63612003	12	0.250	3	C-6	Clear	2000
S63615001	15	0.080	1.2	C-6	Clear	2000
S636180012	18	0.067	1.2	C-6	Clear	2000
S63618003	18	0.167	3	C-8	Clear	2000
S63624001	24	0.050	1.2	C-6	Clear	2000
S63624002	24	0.080	2	C-6	Clear	2000
S63624003	24	0.125	3	C-6	Clear	2000
S63626001	26	0.040	1	C-6	Clear	2000
S63628002	28	0.070	2	C-6	Clear	2000
S63628003	28	0.107	3	C-6	Clear	2000
S63630003	30	0.100	3	C-6	Clear	2000
S63636003	36	0.083	3	C-6	Clear	2000
S63648003	48	0.060	3	CC-6	Clear	2000
S63660003	60	0.050	3	C-6	Clear	2000

Festoon lamps

S6

6X39mm




Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)
S63906003	6	0.500	3	C-6	Clear	2000
S63912001	12	0.100	1.2	C-6	Clear	2000
S63912003	12	0.250	3	C-6	Clear	2000
S639150012	15	0.080	1.2	C-6	Clear	2000
S63917002	17	0.118	2	C-6	Clear	2000
S63918003	18	0.167	3	C-6	Clear	2000
S63924001	24	0.050	1.2	C-6	Clear	2000
S63924002	24	0.080	2	C-6	Clear	2000
S63924003	24	0.125	3	C-6	Clear	2000
S63928002	28	0.070	2	C-6	Clear	2000
S63928003	28	0.107	3	C-6	Clear	2000
S63930003	30	0.100	3	C-6	Clear	2000
S63932003	32	0.094	3	C-6	Clear	2000
S63936003	36	0.083	3	C-6	Clear	2000
S63948003	48	0.060	3	C-6	Clear	2000
S63960003	60	0.050	3	C-6	Clear	2000

Festoon lamps

S7

8X28mm




Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)
S72812003	12	0.250	3	C-6	Clear	2000
S72812005	12	0.417	5	C-6	Clear	2000
S72824002	24	0.080	2	C-6	Clear	2000
S72824003	24	0.125	3	C-6	Clear	2000
S72824005	24	0.210	5	C-6	Clear	2000
S72830002	30	0.065	2	C-6	Clear	2000
S72832003	32	0.094	3	C-6	Clear	2000

Festoon lamps

S7

8X31mm




Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)
S73106003	6	0.500	3	C-6	Clear	2000
S73106005	6	0.830	5	C-6	Clear	2000
S73107100	7	0.100	0.7	C-6	Clear	2000
S73112001	12	0.083	1	C-6	Clear	2000
S73112002	12	0.165	2	C-6	Clear	2000
S73112003	12	0.250	3	C-6	Clear	2000
S73112005	12	0.417	5	C-6	Clear	2000
S73115001	15	0.080	1.2	C-6	Clear	2000
S73115003	15	0.200	3	C-6	Clear	2000
S73118003	18	0.167	3	C-6	Clear	2000
S731240012	24	0.050	1.2	C-6	Clear	2000
S731240015	24	0.063	1.5	C-6	Clear	2000
S73124002	24	0.080	2	C-6	Clear	2000
S73124003	24	0.125	3	C-6	Clear	2000
S73124005	24	0.210	5	C-6	Clear	2000
S73128005	28	0.180	5	C-6	Clear	2000
S73130003	30	0.100	3	C-6	Clear	2000
S73130005	30	0.167	5	C-6	Clear	2000
S73132003	32	0.095	3	C-6	Clear	2000
S73136003	36	0.083	3	C-6	Clear	2000
S73148003	48	0.065	3	C-6	Clear	2000
S73148005	48	0.105	5	C-6	Clear	2000
S73160001	60	0.020	1.2	C-6	Clear	2000
S73160003	60	0.050	3	C-6	Clear	2000
S73160005	60	0.083	5	C-6	Clear	2000

Festoon lamps

S7

8X36mm




Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)
S73606003	6	0.500	3	C-6	Clear	2000
S73606005	6	0.833	5	C-6	Clear	2000
S73612003	12	0.250	3	C-6	Clear	2000
S73612005	12	0.417	5	C-6	Clear	2000
S73624002	24	0.080	2	C-6	Clear	2000
S73624003	24	0.125	3	C-6	Clear	2000
S73624005	24	0.210	5	C-6	Clear	2000
S73628003	28	0.107	3	C-6	Clear	2000
S73630003	30	0.100	3	C-6	Clear	2000
S73630005	30	0.167	5	C-6	Clear	2000
S73648003	48	0.060	3	C-6	Clear	2000
S73648005	48	0.104	5	C-6	Clear	2000
S73660003	60	0.050	3	C-6	Clear	2000

Festoon lamps

S7

8X39mm




Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)
S73906003	6	0.500	3	C-6	Clear	2000
S73906005	6	0.833	5	C-6	Clear	2000
S739120012	12	0.100	1.2	C-6	Clear	2000
S73912003	12	0.250	3	C-6	Clear	2000
S73912005	12	0.417	5	C-6	Clear	2000
S73916003	16	0.188	3	C-6	Clear	2000
S739240012	24	0.050	1.2	C-6	Clear	2000
S73924003	24	0.125	3	C-6	Clear	2000
S73924005	24	0.210	5	C-6	Clear	2000
S73930003	30	0.100	3	C-6	Clear	2000
S73930005	30	0.167	5	C-6	Clear	2000
S73948005	48	0.105	5	C-6	Clear	2000

Festoon lamps

S8.5

11X30mm




Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)
S83006005	6	0.833	5	C-6	Clear	2000
S83006010	6	1.667	10	C-6	Clear	2000
S83012005	12	0.417	5	C-6	Clear	2000
S83012010	12	0.833	10	C-6	Clear	2000
S83024005	24	0.208	5	C-6	Clear	2000
S83024010	24	0.417	10	C-6	Clear	2000

Festoon lamps

S8.5

11X36mm




Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)
S83606005	6	0.833	5	C-6	Clear	2000
S83606010	6	1.667	10	C-6	Clear	2000
S83612003	12	0.250	3	C-6	Clear	2000
S83612005	12	0.417	5	C-6	Clear	2000
S83612010	12	0.833	10	C-6	Clear	2000
S83624003	24	0.125	3	C-6	Clear	2000
S83624005	24	0.208	5	C-6	Clear	2000
S83624010	24	0.417	10	C-6	Clear	2000

Festoon lamps

S8.5

11X39mm




Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)
S83906000	6	0.050	0.3	C-6	Clear	2000
S83906003	6	0.500	3	C-6	Clear	2000
S83906005	6	0.833	5	C-6	Clear	2000
S83912000	12	0.050	0.6	C-6	Clear	2000
S83912001	12	0.100	1.2	C-6	Clear	2000
S83912003	12	0.250	3	C-6	Clear	2000
S83912005	12	0.417	5	C-6	Clear	2000
S83912010	12	0.833	10	C-6	Clear	2000
S83918005	18	0.278	5	C-6	Clear	2000
S83924001	24	0.050	1.2	C-6	Clear	2000
S83924002	24	0.080	2	C-6	Clear	2000
S83924003	24	0.125	3	C-6	Clear	2000
S83924003G	24	0.125	3	C-6	Green	2000
S83924003R	24	0.125	3	C-6	Red	2000
S83924005	24	0.208	5	C-6	Clear	2000
S83924005G	24	0.208	5	C-6	Green	2000
S83924005R	24	0.208	5	C-6	Red	2000
S83924010	24	0.417	10	C-6	Clear	2000
S83930002	30	0.065	2	C-6	Clear	2000
S83930003	30	0.100	3	C-6	Clear	2000
S83930005	30	0.167	5	C-6	Clear	2000
S83936003	36	0.083	3	C-6	Clear	2000
S83936005	36	0.140	5	C-6	Clear	2000
S83948003	48	0.063	3	C-6	Clear	2000
S83948005	48	0.105	5	C-6	Clear	2000
S83960003	60	0.050	3	C-6	Clear	2000
S83960005	60	0.083	5	C-6	Clear	2000

Festoon lamps

S8.5

11X42mm




Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)
S84212005	12	0.417	5	C-6	Clear	2000
S84224005	24	0.208	5	C-6	Clear	2000
S84224010	24	0.417	10	C-6	Clear	2000
S84242005	42	0.120	5	C-6	Clear	2000
S84248005	48	0.104	5	C-6	Clear	2000

Festoon lamps

S8.5

11X44mm




Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)
S84406003	6	0.500	3	C-6	Clear	2000
S84406005	6	0.833	5	C-6	Clear	2000
S84406010	6	1.667	10	C-6	Clear	2000
S84412003	12	0.125	3	C-6	Clear	2000
S84412005	12	0.417	5	C-6	Clear	2000
S84412010	12	0.833	10	C-6	Clear	2000
S84412010F	12	0.833	10	C-6	Frosted	2000
S84412015	12	1.250	15	C-6	Clear	2000
S84415005	15	0.333	5	C-6	Clear	2000
S84418005	18	0.278	5	C-6	Clear	2000
S84424001	24	0.050	1.2	C-6	Clear	2000
S84424002	24	0.080	2	C-6	Clear	2000
S84424003	24	0.125	3	C-6	Clear	2000
S84424003A	24	0.125	3	C-6	Orange	2000
S84424003G	24	0.125	3	C-6	Green	2000
S84424003R	24	0.125	3	C-6	Red	2000
S84424004	24	0.167	4	C-6	Clear	2000
S84424005	24	0.208	5	C-8	Clear	2000
S84424005G	24	0.208	5	C-8	Green	2000
S84424005R	24	0.208	5	C-6	Red	2000
S84424010	24	0.417	10	C-6	Clear	2000
S84424020	24	0.830	20	C-6	Clear	2000
S84430003	30	0.100	3	C-6	Clear	2000
S84430005	30	0.167	5	C-6	Clear	2000
S84430010	30	0.333	10	C-6	Clear	2000
S84442005	42	0.120	5	C-6	Clear	2000
S84448003	48	0.063	3	C-6	Clear	2000
S84448005	48	0.104	5	CC-6	Clear	2000
S84460003	60	0.050	3	C-6	Clear	2000
S84460005	60	0.083	5	C-6	Clear	2000

Festoon lamps

S8.5

15X44mm




Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)
S84506005	6	0.833	5	C-6	Clear	2000
S84506010	6	1.667	10	C-6	Clear	2000
S84506015	6	2.500	15	C-6	Clear	2000
S84506018	6	3.000	18	C-6	Clear	100
S84512003	12	0.250	3	C-6	Clear	2000
S84512005	12	0.417	5	C-6	Clear	2000
S84512010	12	0.833	10	C-6	Clear	2000
S84512015	12	1.250	15	C-6	Clear	2000
S84512018	12	1.500	18	C-6	Clear	2000
S84512021	12	1.750	21	C-6	Clear	2000
S84524003	24	0.125	3	C-6	Clear	2000
S84524005	24	0.208	5	C-6	Clear	2000
S84524010	24	0.417	10	C-6	Clear	2000
S84524015	24	0.625	15	C-6	Clear	2000
S84524018	24	0.750	18	C-6	Clear	2000
S84528010	28	0.357	10	C-6	Clear	2000
S84530005	30	0.167	5	C-6	Clear	2000
S84530010	30	0.333	10	C-6	Clear	2000
S84536005	36	0.140	5	C-6	Clear	2000
S84548005	48	0.104	5	C-6	Clear	2000
S84548010	48	0.208	10	C-6	Clear	2000
S84560003	60	0.050	3	C-6	Clear	2000
S84560005	60	0.083	5	C-6	Clear	2000
S84560010	60	0.167	10	C-6	Clear	2000
S84580005	80	0.063	5	C-6	Clear	2000
S84580010	80	0.125	10	C-6	Clear	2000

Festoon lamps

S8.5 Xenon

10X44mm



Product Benefits:


- Long life
- No UV emission
- Less heat
- Dimmable

Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)
SX84412003	12	0.250	3	C-8	Clear	10000
SX84412003F	12	0.250	3	C-8	Frosted	10000
SX84412005	12	0.417	5	C-8	Clear	10000
SX84412005F	12	0.417	5	C-8	Frosted	10000
SX84412006	12	0.500	6	C-8	Clear	10000
SX84412006F	12	0.500	6	C-8	Frosted	10000
SX84412010	12	0.833	10	CC-8	Clear	5000
SX84412010F	12	0.833	10	C-8	Frosted	10000
SX844220072	22	0.327	7.2	C-6	Clear	10000
SX84424003	24	0.125	3	CC-8	Clear	6000
SX84424003F	24	0.125	3	CC-8	Frosted	6000
SX84424005	24	0.208	5	CC-8	Clear	10000
SX84424005F	24	0.208	5	CC-8	Frosted	10000
SX84424006	24	0.250	6	C-8	Clear	10000
SX84424006F	24	0.250	6	CC-8	Frosted	5000
SX84424010	24	0.417	10	CC-8	Clear	7500
SX84424010F	24	0.417	10	CC-8	Frosted	7500

Festoon lamps


SF6

Flat end



Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)	ø (mm)	l (mm)
SF2612100	12	0.100	1.2	C-6	Clear	3000	6.3	26
SF3106100	6	0.100	0.6	C-6	Clear	3000	6	31
SF3106150	6	0.150	0.9	C-6	Clear	3000	6	31
SF3106101	6.3	0.100	0.63	C-6	Clear	3000	6	31
SF3106151	6.3	0.150	0.95	C-8	Clear	3000	6	31
SF3106250	6.3	0.250	1.58	C-6	Clear	3000	6	31
SF3106300	6.3	0.300	1.89	C-6	Clear	3000	6	31
SF3108100	8	0.100	0.8	C-6	Clear	3000	6	31
SF3108150	8	0.150	1.2	C-6	Clear	3000	6	31
SF3108250	8	0.250	2	C-6	Clear	3000	6	31
SF3108300	8	0.300	2.4	C-6	Clear	3000	6	31
SF3112100	12	0.100	1.2	C-6	Clear	3000	6	31
SF3112150	12	0.150	1.8	C-6	Clear	3000	6	31
SF3112300	12	0.300	3.6	C-6	Clear	3000	6	31
SF3112151	12.6	0.150	1.89	C-6	Clear	3000	6	31
SF3112251	12.6	0.250	3.15	C-6	Clear	3000	6	31
SF3624125	24	0.125	3	C-6	Clear	3000	6	36

Rigid Loop Xenon 10X44mm



Product Benefits:


- Long life
- Even light spread
- Stronger light than conventional incandescent
- No UV emission
- Less heat
- Dimmable

Item number	Voltage	Amperage	Wattage	Filament	Finish	Life (h)
SXRL4412005	12	0.417	5	C-8	Clear	20000
SXRL4412005F	12	0.417	5	C-8	Frosted	20000
SXRL44120085	12	0.708	8.5	C-8	Clear	20000
SXRL44120085F	12	0.708	8.5	C-8	Frosted	20000
SXRL4412010	12	0.833	10	C-8	Clear	20000
SXRL4412010F	12	0.833	10	C-8	Frosted	20000
SXRL4424005	24	0.208	5	CC-8	Clear	20000
SXRL4424005F	24	0.208	5	CC-8	Frosted	20000
SXRL44240085	24	0.354	8.5	CC-8	Clear	10000
SXRL44240085F	24	0.354	8.5	CC-8	Frosted	10000
SXRL4424010	24	0.417	10	CC-8	Clear	20000
SXRL4424010F	24	0.417	10	CC-8	Frosted	20000
SXRL44260051F	26	0.192	5	CC-8	Frosted	3000
SXRL44260085	26	0.327	8.5	CC-8	Clear	20000
SXRL44260085F	26	0.327	8.5	CC-8	Frosted	20000

Neon lamps

Midget Flanged

T1 - T1 3/4




Item number	Voltage	Lampfoot	Material	Finish	ø (mm)	l (mm)
NF10065GC	65-95	MF US	Glass	Clear	3.2	11.9
NF16065GC	65	MF	Glass	Clear	5.7	16
NF16110GC	110	MF	Glass	Clear	5.7	16
NF16110GG	110	MF	Glass	Green	5.7	16
NF16220GC	220	MF	Glass	Clear	5.7	16
NF16220GG	220	MF	Glass	Green	5.7	16

Neon lamps

Midget Grooved

T1 3/4




Item number	Voltage	Lampfoot	Material	Finish	ø (mm)	l (mm)
NG16065GC	65	MG	Glass	Clear	5.7	16
NG16110GC	110	MG	Glass	Clear	5.7	16
NG16110GG	110	MG	Glass	Green	5.7	16
NG16220GC	220	MG	Glass	Clear	5.7	16
NG16220GG	220	MG	Glass	Green	5.7	16

Neon lamps

Ba7s

T7X20mm - T7X23mm




Item number	Voltage	Lampfoot	Material	Finish	ø (mm)	l (mm)
NB20110GC	110	Ba7s	Glass	Clear	7	20
NB20220GC	220	Ba7s	Glass	Clear	7	20
NB22085GC	85	Ba7s	Glass	Clear	7	23
NB22110GC	110	Ba7s	Glass	Clear	7	23
NB22220GC	220	Ba7s	Glass	Clear	7	23

Neon lamps

Telephone lamps

T4.5 - T4.6 - T5.5K - T5.5 - T6.5F - T6.8G




Item number	Voltage	Lampfoot	Material	Finish	ø (mm)	l (mm)
NT16110GC	110	T4.5	Glass	Clear	4	16
NT16220GC	220	T4.5	Glass	Clear	4	16
NT21065GC	65	T4.6	Glass	Clear	4	22
NT21220GC	220	T4.6	Glass	Clear	4	22
NT22065GC	65	T5.5K	Glass	Clear	5	22
NT22110GC	110	T5.5K	Glass	Clear	5	22
NT22220GC	220	T5.5K	Glass	Clear	5	22
NT30065GC	65	T5.5	Glass	Clear	5	30
NT30110GC	110	T5.5	Glass	Clear	5	30
NT30220GC	220	T5.5	Glass	Clear	5	30
NT30220GG	220	T5.5	Glass	Green	5	30
NT43220GC	220	T6.5F	Glass	Clear	6	44
NT44110GC	110	T6.8G	Glass	Clear	7	44
NT44110GG	110	T6.8G	Glass	Green	7	44
NT44220GC	220	T6.8G	Glass	Clear	7	44
NT44220GG	220	T6.8G	Glass	Green	7	44

Neon lamps

Ba9s

T9X25mm - T10X28mm




Item number	Voltage	Lampfoot	Material	Finish	ø (mm)	l (mm)
NB23110GC	110-130	Ba9s	Glass	Clear	9	25
NB23110GG	110-130	Ba9s	Glass	Green	9	25
NB23110PC	110-130	Ba9s	PVC	Clear	9	25
NB23110PG	110-130	Ba9s	PVC	Green	9	25
NB23220GC	220-240	Ba9s	Glass	Clear	9	25
NB23220GG	220-240	Ba9s	Glass	Green	9	25
NB23220PC	220-240	Ba9s	PVC	Clear	9	25
NB23220PG	220-240	Ba9s	PVC	Green	9	25
NB23380GC	380-400	Ba9s	Glass	Clear	9	25
NB23380GG	380-400	Ba9s	Glass	Green	9	25
NB23380PC	380-400	Ba9s	PVC	Clear	9	25
NB23380PG	380-400	Ba9s	PVC	Green	9	25
NB28110GC	110-130	Ba9s	Glass	Clear	10	28
NB28110GG	110-130	Ba9s	Glass	Green	10	28
NB28110PC	110-130	Ba9s	PVC	Clear	10	28
NB28110PG	110-130	Ba9s	PVC	Green	10	28
NB28220GC	220-240	Ba9s	Glass	Clear	10	28
NB28220GG	220-240	Ba9s	Glass	Green	10	28
NB28220PC	220-240	Ba9s	PVC	Clear	10	28
NB28220PG	220-240	Ba9s	PVC	Green	10	28
NB28380GC	380-400	Ba9s	Glass	Clear	10	28
NB28380GG	380-400	Ba9s	Glass	Green	10	28
NB28380PC	380-400	Ba9s	PVC	Clear	10	28
NB28380PG	380-400	Ba9s	PVC	Green	10	28

Neon lamps

E10

T9X25mm - T10X28mm




Item number	Voltage	Lampfoot	Material	Finish	ø (mm)	l (mm)
NE23110GC	110-130	E10	Glass	Clear	9	25
NE23110GG	110-130	E10	Glass	Green	9	25
NE23110PC	110-130	E10	PVC	Clear	9	25
NE23220GC	220-240	E10	Glass	Clear	9	25
NE23220GG	220-240	E10	Glass	Green	9	25
NE23220PC	220-240	E10	PVC	Clear	9	25
NE23220PG	220-240	E10	PVC	Green	9	25
NE23380GC	380-400	E10	Glass	Clear	9	25
NE23380PC	380-400	E10	PVC	Clear	9	25
NE28110GC	110-130	E10	Glass	Clear	10	28
NE28110GG	110-130	E10	Glass	Green	10	28
NE28110PC	110-130	E10	PVC	Clear	10	28
NE28110PG	110-130	E10	PVC	Green	10	28
NE28220GC	220-240	E10	Glass	Clear	10	28
NE28220GG	220-240	E10	Glass	Green	10	28
NE28220PC	220-240	E10	PVC	Clear	10	28
NE28220PG	220-240	E10	PVC	Green	10	28
NE28380GC	380-400	E10	Glass	Clear	10	28
NE28380GG	380-400	E10	Glass	Green	10	28
NE28380PC	380-400	E10	PVC	Clear	10	28
NE28380PG	380-400	E10	PVC	Green	10	28

Neon lamps

Ba15d - Ba15s

T14X30mm - T16X35mm - T16X54mm




Item number	Voltage	Lampfoot	Material	Finish	ø (mm)	l (mm)
NB30065PC	65	Ba15d	PVC	Clear	14	30
NB30110GC	110-130	Ba15d	Glass	Clear	14	30
NB30110GG	110-130	Ba15d	Glass	Green	14	30
NB30110PC	110-130	Ba15d	PVC	Clear	14	30
NB30110PG	110-130	Ba15d	PVC	Green	14	30
NB30220GC	220-240	Ba15d	Glass	Clear	14	30
NB30220GG	220-240	Ba15d	Glass	Green	14	30
NB30220PC	220-240	Ba15d	PVC	Clear	14	30
NB30220PG	220-240	Ba15d	PVC	Green	14	30
NB30380GC	380-400	Ba15d	Glass	Clear	14	30
NB30380PC	380-400	Ba15d	PVC	Clear	14	30
NB30380PG	380-400	Ba15d	PVC	Green	14	30
NB35110GC	110-130	Ba15d	Glass	Clear	16	35
NB35220GC	220-240	Ba15d	Glass	Clear	16	35
NB35380GC	380-400	Ba15d	Glass	Clear	16	35
NB54110GC	110-130	Ba15d	Glass	Clear	16	54
NB54110PC	110-130	Ba15d	PVC	Clear	16	54
NB54220GC	220-240	Ba15d	Glass	Clear	16	54
NB54220PC	220-240	Ba15d	PVC	Clear	16	54
NB54380GC	380-400	Ba15d	Glass	Clear	16	54
NB54380PC	380-400	Ba15d	PVC	Clear	16	54
NS54220GC	220-240	Ba15s	Glass	Clear	16	54

Neon lamps

E12

T15X38mm




Item number	Voltage	Lampfoot	Material	Finish	ø (mm)	l (mm)
NE38110GC	110-130	E12	Glass	Clear	15	38
NE38220GC	220-240	E12	Glass	Clear	15	38

Neon lamps

E14

T14X30mm - T16X35mm - T16X54mm




Item number	Voltage	Lampfoot	Material	Finish	ø (mm)	l (mm)
NE30110GC	110-130	E14	Glass	Clear	14	30
NE30110GG	110-130	E14	Glass	Green	14	30
NE30110PC	110-130	E14	PVC	Clear	14	30
NE30110PG	110-130	E14	PVC	Green	14	30
NE30220GC	220-240	E14	Glass	Clear	14	30
NE30220GG	220-240	E14	Glass	Green	14	30
NE30220PC	220-240	E14	PVC	Clear	14	30
NE30220PG	220-240	E14	PVC	Green	14	30
NE30380GC	380-400	E14	Glass	Clear	14	30
NE30380GG	380-400	E14	Glass	Green	14	30
NE30380PC	380-400	E14	PVC	Clear	14	30
NE30380PG	380-400	E14	PVC	Green	14	30
NE35110GC	110-130	E14	Glass	Clear	16	35
NE35220GC	220-240	E14	Glass	Clear	16	35
NE35380GC	380-400	E14	Glass	Clear	16	35
NE54110GC	110-130	E14	Glass	Clear	16	54
NE54110PC	110-130	E14	PVC	Clear	16	54
NE54110PG	110-130	E14	PVC	Green	16	54
NE54220GC	220-240	E14	Glass	Clear	16	54
NE54220PC	220-240	E14	PVC	Clear	16	54
NE54220PG	220-240	E14	PVC	Green	16	54
NE54380GC	380-400	E14	Glass	Clear	16	54
NE54380PC	380-400	E14	PVC	Clear	16	54

Neon lamps

B22d - E27

T27X60mm



Item number	Voltage	Lampfoot	Material	Finish	ø (mm)	l (mm)
NB60110GC	110-130	B22d	Glass	Clear	27	60
NB60220GC	220-240	B22d	Glass	Clear	27	60
NE60220GC	220-240	E27	Glass	Clear	27	60

Accessories

Lamp Extractors



T2 3/4 BAILEY

T3 1/4 BAILEY

T4 BAILEY

T5 BAILEY

T1 BAILEY

T1 1/4 BAILEY

T1 1/2 BAILEY


T1 3/4 BAILEY

T2 BAILEY

Item number	ø (mm)	l (mm)	Application
LAMPEXSET			Set of all 9 lampextractors
LAMPEXT1	3.17	59	T1 WE - Bi-Pin - MF
LAMPEXT114	4.12	59	T1 1/4 WE - Bi-Pin - MF - T4.5 - T4.6 - T5.5 EUBA
LAMPEXT112	5.1	59	T1 1/2 MT - Wedge T5 - T5.5K - T5.5 - T6.0 Skandia
LAMPEXT134	5.7	59	T1 3/4 Bi-Pin - MG - MF - MS - Ba5s - T6.5F - ESB - PSB - BPO
LAMPEXT2	6.6	59	T2 Ba7s - T6.8G - F9 - T9
LAMPEXT234	8.5	59	T2 3/4 Ba9s - E10
LAMPEXT314	10	59	T3 1/4 Ba9s - E10 - E12 - Wedge T10
LAMPEXT4	13	59	T4 Ba15d - E12 - E14
LAMPEXT5	15	59	T5 Wedge T15 - Ba15d - E12 - E14


Accessories

Silicon Caps



Item number	ø (mm)	l (mm)	Color	Shape	
ZSILICT1A	3.6	6.7	Orange	T1	
ZSILICT1B	3.6	6.7	Blue	T1	
ZSILICT1G	3.6	6.7	Green	T1	
ZSILICT1R	3.6	6.7	Red	T1	
ZSILICT1Y	3.6	6.7	Yellow	T1	
ZSILICT114A	4.8	7.4	Orange	T1 1/4	
ZSILICT114B	4.8	7.4	Blue	T1 1/4	
ZSILICT114G	4.8	7.4	Green	T1 1/4	
ZSILICT114R	4.8	7.4	Red	T1 1/4	
ZSILICT114Y	4.8	7.4	Yellow	T1 1/4	
ZSILICT134A	6	12	Orange	T1 3/4	
ZSILICT134B	6	12	Blue	T1 3/4	
ZSILICT134G	6	12	Green	T1 3/4	
ZSILICT134R	6	12	Red	T1 3/4	
ZSILICT134Y	6	12	Yellow	T1 3/4	
ZSILICT314A	10.5	13	Orange	T3 1/4	
ZSILICT314B	10.5	13	Blue	T3 1/4	
ZSILICT314G	10.5	13	Green	T3 1/4	
ZSILICT314R	10.5	13	Red	T3 1/4	
ZSILICT314Y	10.5	13	Yellow	T3 1/4	

Filaments
Total

 C-2R	 C-2V	 C-2F/CC-2F	 C-3A/CC-3A	 CC-4A
 C-5A	 C-6A/CC-6A	 C-7A/CC-7A	 C-6	

INDEX BAILEY NUMBER

Article number	Page	Article number	Page	Article number	Page
B		B20060050	M 53	B23006030	M 58
B20002250	M 52	B20070020	M 53	B23006040	M 58
B20003667	M 52	B22006020	M 55	B23006050	M 58
B20006020	M 52	B22006040	M 55	B23006080	M 58
B20006040	M 52	B22006050	M 55	B23006100	M 58
B20006050	M 52	B22006080	M 55	B23006150	M 58
B20006080	M 52	B22006100	M 55	B23006160	M 58
B20006100	M 52	B22006180	M 55	B23006180	M 58
B20006100S	M 54	B22006200	M 55	B23006190	M 58
B20006180	M 52	B22007100	M 55	B23006200	M 58
B20006200	M 52	B22012050	M 55	B23006250	M 58
B20006200L	M 52	B22012100	M 55	B23006300	M 58
B20006333	M 52	B22012120	M 55	B23006333	M 58
B20007080	M 52	B22012170	M 55	B23006350	M 58
B20007100	M 52	B22014080	M 55	B23006500	M 58
B20012020	M 52	B22014100	M 55	B23006666	M 58
B20012025	M 52	B22016100	M 55	B23006999	M 58
B20012050	M 52	B22018100	M 55	B23008250	M 58
B20012050S	M 54	B22018150	M 55	B23012020	M 58
B20012100	M 52	B22024020	M 55	B23012030	M 58
B20012100S	M 54	B22024025	M 55	B23012050	M 58
B20012120	M 52	B22024025S	M 57	B23012100	M 58
B20012165	M 52	B22024040	M 55	B23012120	M 59
B20012250	M 52	B22024050	M 55	B23012165	M 59
B20014080	M 52	B22024050S	M 57	B23012180	M 59
B20014100	M 52	B22024060	M 55	B23012250	M 59
B20024020	M 52	B22024070	M 55	B23012333	M 59
B20024025	M 52	B22024080	M 55	B23012417	M 59
B20024025S	M 54	B22024080S	M 57	B23015001	M 58
B20024040	M 52	B22024100	M 55	B23015002	M 58
B20024050	M 52	B22024125	M 55	B23015140	M 59
B20024050S	M 54	B22028020	M 55	B23018100	M 59
B20024060	M 52	B22028025	M 55	B23024025	M 59
B20024080	M 52	B22028040	M 55	B23024040	M 59
B20024080S	M 54	B22028060	M 55	B23024050	M 59
B20024100	M 52	B22028070	M 56	B230240505RC	M 59
B20024125	M 52	B22030020	M 56	B23024060	M 59
B20024170	M 53	B22030025	M 56	B23024080	M 59
B20028020	M 53	B22030030	M 56	B23024100	M 59
B20028025	M 53	B22030040	M 56	B23024125	M 59
B20028040	M 53	B22030050	M 56	B23024165	M 59
B20028050	M 53	B22030050S	M 57	B23026038	M 59
B20028060	M 53	B22030065	M 56	B23026115	M 59
B20028070	M 53	B22030070	M 56	B23028040	M 59
B20028070S	M 54	B22030100	M 56	B23028060	M 59
B20028100	M 53	B22036020	M 56	B23028070	M 59
B20030025	M 53	B22036025	M 56	B23028080	M 59
B20030030	M 53	B22036030	M 56	B23030002	M 59
B20030040	M 53	B22036035	M 56	B23030020	M 59
B20030040S	M 54	B22036040	M 56	B23030033	M 59
B20030050	M 53	B22036050	M 56	B23030040	M 59
B20030050S	M 54	B22048020	M 56	B23030050	M 59
B20030060	M 53	B22048020S	M 57	B23030065	M 59
B20030065	M 53	B22048025	M 56	B23030070	M 59
B20030065S	M 54	B22048030	M 56	B23030080	M 59
B20030070	M 53	B22048040	M 56	B23030100	M 59
B20030100	M 53	B22048050	M 56	B23032100	M 59
B20036020	M 53	B22052025	M 56	B23036020	M 59
B20036040	M 53	B22060020	M 56	B23036030	M 59
B20036040S	M 54	B22060020S	M 57	B23036040	M 59
B20036050	M 53	B22060025	M 56	B23036050	M 59
B20036050S	M 54	B22060040	M 56	B23036055	M 60
B20048020	M 53	B22060050	M 56	B23036080	M 59
B20048025	M 53	B22070020	M 56	B23036085	M 60
B20048030	M 53	B22080020	M 56	B23040075	M 60
B20048040	M 53	B23002200	M 58	B23042045	M 60
B20048050	M 53	B23002500	M 58	B23042050	M 60
B20060020	M 53	B23002600	M 58	B23042070	M 60
B20060020S	M 54	B23004250	M 58	B23045002	M 59
B20060025	M 53	B23004313	M 58	B23045003	M 59
B20060040	M 53	B23006020	M 58	B23048020	M 60

INDEX BAILEY NUMBER

Article number	Page	Article number	Page	Article number	Page
B23048025	M 60	B24035050	M 71	B28012330	M 64
B23048040	M 60	B24048050	M 71	B28012417	M 64
B23048050	M 60	B24060030	M 71	B28014080	M 64
B23048060	M 60	B28001050	M 62	B28014100	M 64
B23060002	M 60	B28001150	M 62	B28014200	M 64
B23060003	M 60	B28002060	M 62	B28014240	M 64
B23060020	M 60	B28002150	M 62	B28015002	M 63
B23060033	M 60	B28002200	M 62	B28015004	M 63
B23060040	M 60	B28002300	M 62	B28015050	M 64
B23060050	M 60	B28002500	M 62	B28015100	M 64
B23070002	M 60	B28002600	M 62	B28015200	M 64
B23070030	M 60	B28002998	M 62	B28016150	M 64
B23070040	M 60	B28003150	M 62	B28018050	M 64
B23080020	M 60	B28003200	M 62	B28018100	M 64
B23080030	M 60	B28003201	M 62	B28018170	M 64
B23080040	M 60	B28003250	M 62	B28024025	M 64
B23085030	M 60	B28003650	M 62	B28024040	M 64
B23100040	M 60	B28004040	M 62	B28024050	M 64
B23110022	M 60	B28004100	M 62	B28024060	M 64
B23130015	M 60	B28004250	M 62	B28024080	M 64
B23130016	M 60	B28004300	M 62	B280240802	M 64
B23130020	M 60	B28004500	M 62	B28024100	M 64
B23130021	M 60	B28005050	M 62	B28024125	M 64
B23220009	M 60	B28005070	M 62	B28024165	M 64
B23220014	M 60	B28005090	M 62	B28024208	M 64
B23240010	M 60	B28005150	M 62	B28027075	M 64
B23240013	M 60	B28005300	M 62	B28028022	M 64
B24002200	M 70	B28005900	M 62	B28028025	M 64
B24002300	M 70	B28006020	M 62	B28028040	M 64
B24002301	M 70	B28006030	M 62	B28028050	M 64
B24002500	M 70	B28006050	M 62	B28028060	M 64
B24002999	M 70	B28006075	M 62	B28028070	M 64
B24003200	M 70	B28006090	M 62	B28028080	M 64
B24004300	M 70	B28006100	M 63	B28028100	M 64
B24004301	M 70	B28006150	M 63	B28028107	M 64
B24006050	M 70	B28006151	M 63	B28028125	M 64
B24006100	M 70	B28006180	M 63	B28028170	M 64
B24006150	M 70	B28006200	M 63	B28028200	M 64
B24006160	M 70	B28006250	M 63	B28030002	M 64
B24006180	M 70	B28006251	M 63	B28030004	M 64
B24006300	M 70	B28006300	M 63	B28030020	M 64
B24006301	M 70	B28006301	M 63	B28030025	M 65
B24006350	M 70	B28006302	M 63	B28030030	M 65
B24006500	M 70	B28006303	M 63	B28030033	M 65
B24006830	M 70	B28006320	M 63	B28030040	M 65
B24006999	M 70	B28006333	M 63	B28030050	M 65
B24007100	M 70	B28006350	M 63	B28030065	M 65
B24007300	M 70	B28006500	M 63	B28030080	M 65
B24010050	M 70	B28006700	M 63	B28030100	M 65
B24012050	M 70	B28006830	M 63	B28030167	M 65
B24012100	M 70	B28006999	M 63	B28032002	M 64
B24012165	M 70	B28007100	M 63	B28032170	M 65
B24012185	M 70	B28007300	M 63	B28036020	M 65
B24012200	M 70	B28007570	M 63	B28036030	M 65
B24012250	M 70	B28008100	M 63	B28036040	M 65
B24012333	M 70	B28008250	M 63	B28036050	M 65
B24014060	M 70	B28008300	M 63	B28036055	M 65
B24014120	M 71	B28010050	M 63	B28036085	M 65
B24018100	M 71	B28010135	M 63	B28036100	M 65
B24024050	M 71	B28010200	M 63	B28036110	M 65
B24024080	M 71	B28012030	M 63	B28042025	M 65
B24024100	M 71	B28012050	M 63	B28042028	M 65
B24024120	M 71	B28012080	M 63	B28042045	M 65
B24024125	M 71	B28012100	M 63	B28042050	M 65
B24024208	M 71	B28012120	M 63	B28042070	M 65
B24028050	M 71	B28012150	M 63	B28045002	M 65
B24028070	M 71	B28012165	M 63	B28045004	M 65
B24030040	M 71	B28012183	M 63	B28048020	M 65
B24030050	M 71	B28012200	M 63	B28048025	M 65
B24030065	M 71	B28012250	M 63	B28048040	M 65
B24030100	M 71	B280122502	M 63	B28048050	M 65

INDEX BAILEY NUMBER

Article number	Page	Article number	Page	Article number	Page
B28048060.....	M 65	B29012833.....	M 72	B35030007.....	M 100
B28048080.....	M 65	B29014120.....	M 72	B35030010.....	M 100
B28048105.....	M 65	B29014240.....	M 72	B35036003.....	M 100
B28050050.....	M 65	B29016187.....	M 72	B35036005.....	M 100
B28050080.....	M 65	B29017175.....	M 72	B35040003.....	M 100
B28050100.....	M 65	B29020250.....	M 73	B35042005.....	M 100
B28052060.....	M 65	B29024050.....	M 73	B35048003.....	M 100
B28055050.....	M 65	B29024080.....	M 73	B35048005.....	M 100
B28060002.....	M 65	B29024125.....	M 73	B35060002.....	M 100
B28060004.....	M 65	B29024165.....	M 73	B35060003.....	M 100
B28060020.....	M 65	B29024208.....	M 73	B35060005.....	M 100
B28060030.....	M 66	B29024250.....	M 73	B35085004.....	M 101
B28060033.....	M 66	B29028170.....	M 73	B35110003.....	M 101
B28060040.....	M 66	B29030040.....	M 73	B35110005.....	M 101
B28060050.....	M 66	B29030065.....	M 73	B35130005.....	M 101
B28060060.....	M 66	B29030080.....	M 73	B35140007.....	M 101
B28060085.....	M 66	B29030100.....	M 73	B35160005.....	M 101
B28065085.....	M 66	B29030165.....	M 73	B35220003.....	M 101
B28070020.....	M 66	B29048060.....	M 73	B35220005.....	M 101
B28070040.....	M 66	B29048105.....	M 73	B35255005.....	M 101
B28080003.....	M 66	B29060085.....	M 73	B35260005.....	M 101
B28080025.....	M 66	B29130020.....	M 73	B35260007.....	M 101
B28080040.....	M 66	B30006001.....	M 99	B35260010.....	M 101
B28085024.....	M 66	B30006003.....	M 99	B35300005.....	M 101
B28085035.....	M 66	B30006005.....	M 99	B35300010.....	M 101
B28085050.....	M 66	B30012001.....	M 99	B39024125.....	M 68
B28110022.....	M 66	B30012002.....	M 99	B39030100.....	M 68
B28130015.....	M 66	B30012003.....	M 99	B39048063.....	M 68
B28130016.....	M 66	B30012005.....	M 99	B39053130.....	M 68
B28130018.....	M 66	B300240012.....	M 99	B39060050.....	M 68
B28130020.....	M 66	B30024002.....	M 99	B39090003.....	M 68
B28130021.....	M 66	B30024003.....	M 99	B39130020.....	M 68
B28130022.....	M 66	B30024005.....	M 99	B39160022.....	M 68
B28130030.....	M 66	B30030002.....	M 99	B39230017.....	M 68
B28130038.....	M 66	B30030003.....	M 99	B45006003.....	M 102
B28150020.....	M 66	B30030005.....	M 99	B45006004.....	M 102
B28160020.....	M 66	B300360018.....	M 99	B45006005.....	M 102
B28220009.....	M 66	B30036002.....	M 99	B45012004.....	M 102
B28220014.....	M 66	B30036005.....	M 99	B45012005.....	M 102
B282200142.....	M 66	B30048002.....	M 99	B45012010.....	M 102
B28220018.....	M 66	B30048003.....	M 99	B45012015.....	M 102
B28220023.....	M 66	B30048005.....	M 99	B450120152.....	M 102
B28230013.....	M 66	B30060001.....	M 99	B45024003.....	M 102
B28240010.....	M 66	B30060003.....	M 99	B45024004.....	M 102
B28240013.....	M 66	B30060005.....	M 99	B45024005.....	M 102
B28240017.....	M 66	B30130002.....	M 99	B45024006.....	M 102
B29002500.....	M 72	B30130003.....	M 99	B45024010.....	M 102
B29002501.....	M 72	B30130005.....	M 99	B45024015.....	M 102
B29002502.....	M 72	B30220003.....	M 99	B45030005.....	M 102
B29002999.....	M 72	B30220005.....	M 99	B45030007.....	M 102
B29003600.....	M 72	B30260005.....	M 99	B45030010.....	M 102
B29006180.....	M 72	B30260007.....	M 99	B45036005.....	M 102
B29006200.....	M 72	B35006001.....	M 100	B45042005.....	M 102
B29006300.....	M 72	B35006002.....	M 100	B45048005.....	M 102
B29006320.....	M 72	B35006005.....	M 100	B45048010.....	M 102
B29006350.....	M 72	B35012001.....	M 100	B45060004.....	M 102
B29006400.....	M 72	B35012002.....	M 100	B45060005.....	M 102
B29006500.....	M 72	B35012003.....	M 100	B45060010.....	M 102
B29006501.....	M 72	B35012005.....	M 100	B45080006.....	M 102
B29006667.....	M 72	B35012010.....	M 100	B45110010.....	M 102
B29006830.....	M 72	B35024002.....	M 100	B45130005.....	M 102
B29006999.....	M 72	B35024003.....	M 100	B45140007.....	M 102
B29007300BL.....	M 72	B35024004.....	M 100	B45140010.....	M 102
B29007410.....	M 72	B35024005.....	M 100	B45150007.....	M 102
B29010400.....	M 72	B35024010.....	M 100	B45220010.....	M 103
B29012125.....	M 72	B350240104.....	M 100	B45240015.....	M 103
B29012250.....	M 72	B35030002.....	M 100	B45250015.....	M 103
B29012333.....	M 72	B35030003.....	M 100	B45260007.....	M 103
B29012417.....	M 72	B35030004.....	M 100	B45260010.....	M 103
B29012500.....	M 72	B35030005.....	M 100	B45260015.....	M 103
B29012625.....	M 72	B350300054.....	M 100	B45380010.....	M 103

INDEX BAILEY NUMBER

Article number	Page	Article number	Page	Article number	Page
B48006010	M 106	B54150005	M 105	BP3606200F	M 15
B48006015	M 106	B54160010	M 105	BP36100401	M 15
B48012005	M 106	B54220005	M 105	BP36120401	M 15
B48012010	M 106	B54220015	M 105	BP36120601	M 15
B48012015	M 106	B54230015	M 105	BP36140801	M 15
B48012025	M 106	B54240015	M 105	BP36140802	M 15
B48024005	M 106	B54250015	M 105	BP36180401	M 15
B48024007	M 106	B54260005	M 105	BP36240501	M 15
B48024010	M 106	B54260006	M 105	BP36280241	M 15
B48024015	M 106	B54260007	M 105	BP36280351	M 15
B48024025	M 106	B54260010	M 105	BP36280401	M 15
B48030010	M 106	B54260015	M 105	BP36280402	M 15
B48042005	M 106	B54380010	M 105	BP36280601	M 15
B48050010	M 106	BP13022001	M 10	BP36480251	M 15
B48075015	M 106	BP13050601	M 10	BP36600201	M 15
B48130005	M 106	BP13050751	M 10	BR23006333	M 61
B48130010	M 106	BP13051151	M 10	BR23012165	M 61
B48130015	M 106	BP13060751	M 10	BR23024080	M 61
B48240025	M 106	BP13120301	M 10	BR230240802	M 61
B48260007	M 106	BP13120601	M 10	BR230280802	M 61
B48260010	M 106	BP13140651	M 10	BR23030040	M 61
B48260015	M 106	BP13280241	M 10	BR23030065	M 61
B54006003	M 104	BP13280401	M 10	BR23030070	M 61
B54006005	M 104	BP137714	M 13	BR23036055	M 61
B54006010	M 104	BP137839	M 13	BR23048040	M 61
B54006015	M 104	BP138097	M 13	BR23060020	M 61
B54012004	M 104	BP23050601	M 11	BR28006333	M 67
B54012005	M 104	BP23050751	M 11	BR28012165	M 67
B54012010	M 104	BP23061151	M 11	BR28024050	M 67
B54012015	M 104	BP23120501	M 11	BR28024080	M 67
B54024002	M 104	BP23120601	M 11	BR280240802	M 67
B54024003	M 104	BP23140651	M 11	BR28028040	M 67
B54024004	M 104	BP23180261	M 11	BR28030065	M 67
B54024005	M 104	BP23240201	M 11	BR28036055	M 67
B54024007	M 104	BP23240241	M 11	BS28006300	M 74
B54024010	M 104	BP23280241	M 11	BS28012165	M 74
B54024015	M 104	BP23280401	M 11	BS28012250	M 74
B54024025	M 104	BP23300201	M 11	BS28024125	M 74
B54027005	M 104	BP23360201	M 11	BS28030067	M 74
B54027010	M 104	BP24050601	M 14	BS28030100	M 74
B54027015	M 104	BP24060601	M 14	BS28048062	M 74
B54030003	M 104	BP24060602	M 14	BS28065046	M 74
B54030005	M 104	BP24062001	M 14	BS28065085	M 74
B54030007	M 104	BP24120401	M 14	BS28080040	M 74
B54030010	M 104	BP24120501	M 14	BS28130020	M 74
B54030015	M 104	BP24140801	M 14	BT35024100	M 69
B54036005	M 104	BP24160301	M 14	BT35050055	M 69
B54040010	M 104	BP24240351	M 14		
B54042003	M 104	BP24280241	M 14	E	
B54042005	M 104	BP24280251	M 14	E23001220	M 75
B54042010	M 104	BP24280401	M 14	E23002200	M 75
B54042015	M 104	BP24360201	M 14	E23002300	M 75
B54048003	M 105	BP24480251	M 14	E23002400	M 75
B54048005	M 105	BP33050601	M 12	E23003301	M 75
B54048007	M 105	BP33050751	M 12	E23003304	M 75
B54048010	M 105	BP33120401	M 12	E23004250	M 75
B54048015	M 105	BP33120601	M 12	E23004300	M 75
B54050010	M 105	BP33180261	M 12	E23006050	M 75
B54060004	M 105	BP33240201	M 12	E23006100	M 75
B54060005	M 105	BP33280241	M 12	E23006150	M 75
B54060007	M 105	BP36022001	M 15	E23006180	M 75
B54060010	M 105	BP36023501	M 15	E23006200	M 75
B54080005	M 105	BP36030151	M 15	E23006320	M 75
B54080007	M 105	BP36050601	M 15	E23006333	M 75
B54095010	M 105	BP36051151	M 15	E23006350	M 75
B54110005	M 105	BP36060401	M 15	E23006500	M 75
B54130005	M 105	BP36060402	M 15	E23012020	M 75
B54130010	M 105	BP36060751	M 15	E23012050	M 75
B54140005	M 105	BP36062001	M 15	E23012100	M 75
B54140007	M 105	BP36062002	M 15	E23012120	M 75
B54140010	M 105	BP36062003	M 15	E23012165	M 75

INDEX BAILEY NUMBER

Article number	Page	Article number	Page	Article number	Page
E23012250.....	M 75	E24006350.....	M 87	E28006830.....	M 78
E23015002.....	M 75	E24006484.....	M 88	E28006999.....	M 78
E23015050.....	M 75	E24006500.....	M 88	E28007100.....	M 78
E23015140.....	M 75	E24006600.....	M 88	E28007300.....	M 78
E23018100.....	M 75	E24006830.....	M 88	E28007320.....	M 78
E23024025.....	M 75	E24007100.....	M 88	E28008100.....	M 78
E23024040.....	M 75	E24007300.....	M 88	E28008150.....	M 78
E23024050.....	M 75	E24010050.....	M 88	E28008300.....	M 78
E23024060.....	M 76	E24012040.....	M 88	E28008375.....	M 78
E23024080.....	M 76	E24012050.....	M 88	E28010050.....	M 78
E23024125.....	M 76	E24012100.....	M 88	E28010200.....	M 78
E23028040.....	M 76	E24012185.....	M 88	E28012020.....	M 78
E23028080.....	M 76	E24012200.....	M 88	E28012050.....	M 78
E23030033.....	M 76	E24012250.....	M 88	E28012100.....	M 78
E23030040.....	M 76	E24012400.....	M 88	E28012120.....	M 78
E23030050.....	M 76	E24014060.....	M 88	E28012125.....	M 78
E23030065.....	M 76	E24018100.....	M 88	E28012165.....	M 78
E23030080.....	M 76	E24019040.....	M 88	E28012183.....	M 78
E23030100.....	M 76	E24019100.....	M 88	E28012200.....	M 78
E23036050.....	M 76	E24024050.....	M 88	E28012250.....	M 78
E23036055.....	M 76	E24024080.....	M 88	E28012415.....	M 78
E23036083.....	M 76	E24024100.....	M 88	E28014080.....	M 78
E23042048.....	M 76	E24024125.....	M 88	E28014100.....	M 78
E23048020.....	M 76	E24024210.....	M 88	E28014200.....	M 78
E23048025.....	M 76	E24028050.....	M 88	E28015002.....	M 78
E23048040.....	M 76	E24030065.....	M 88	E28015050.....	M 78
E23048060.....	M 76	E24030100.....	M 88	E28015133.....	M 78
E23060020.....	M 76	E24036050.....	M 88	E28015200.....	M 78
E23060035.....	M 76	E24048030.....	M 88	E28016050.....	M 78
E23060040.....	M 76	E24048050.....	M 88	E28016100.....	M 78
E23060050.....	M 76	E24060040.....	M 88	E28018020.....	M 79
E23070029.....	M 76	E28001500.....	M 77	E28018100.....	M 79
E23080020.....	M 76	E28002100.....	M 77	E28018110.....	M 79
E23080040.....	M 76	E28002200.....	M 77	E28018170.....	M 79
E23130020.....	M 76	E28002300.....	M 77	E28019040.....	M 79
E23220014.....	M 76	E28002500.....	M 77	E28019090.....	M 79
E23240017.....	M 76	E28002999.....	M 77	E28024025.....	M 79
E24001090.....	M 87	E28003070.....	M 77	E28024040.....	M 79
E24001150.....	M 87	E28003200.....	M 77	E28024050.....	M 79
E24001151.....	M 87	E28003300.....	M 77	E28024060.....	M 79
E24001200.....	M 87	E28003700.....	M 77	E28024080.....	M 79
E24001250.....	M 87	E28004040.....	M 77	E28024100.....	M 79
E24001300.....	M 87	E28004100.....	M 77	E28024125.....	M 79
E24002060.....	M 87	E28004250.....	M 77	E28024165.....	M 79
E24002100.....	M 87	E28004300.....	M 77	E28024210.....	M 79
E24002200.....	M 87	E28004301.....	M 77	E28028040.....	M 79
E24002201.....	M 87	E28004400.....	M 77	E28028050.....	M 79
E24002300.....	M 87	E28004500.....	M 77	E28028070.....	M 79
E24002301.....	M 87	E28004600.....	M 77	E28028100.....	M 79
E24002500.....	M 87	E28004750.....	M 77	E28028170.....	M 79
E24003070.....	M 87	E28005090.....	M 77	E28030002.....	M 79
E24003150.....	M 87	E28005150.....	M 77	E28030040.....	M 79
E24003200.....	M 87	E28006050.....	M 77	E28030050.....	M 79
E24003300.....	M 87	E28006060.....	M 77	E28030065.....	M 79
E24003301.....	M 87	E28006075.....	M 77	E28030080.....	M 79
E24004040.....	M 87	E28006100.....	M 77	E28030100.....	M 79
E24004300.....	M 87	E28006101.....	M 78	E28030165.....	M 79
E24004500.....	M 87	E28006102.....	M 78	E28036033.....	M 79
E24005300.....	M 87	E28006150.....	M 78	E28036050.....	M 79
E24005500.....	M 87	E28006152.....	M 78	E28036055.....	M 79
E24006040.....	M 87	E28006180.....	M 77	E28036085.....	M 79
E24006050.....	M 87	E28006200.....	M 77	E28042045.....	M 79
E24006060.....	M 88	E28006250.....	M 78	E28042070.....	M 79
E24006100.....	M 87	E28006300.....	M 78	E28042120.....	M 79
E24006150.....	M 88	E28006301.....	M 77	E28045002.....	M 79
E24006151.....	M 87	E28006302.....	M 78	E28045004.....	M 79
E24006180.....	M 87	E28006320.....	M 78	E28048002.....	M 79
E24006250.....	M 88	E28006333.....	M 77	E28048020.....	M 80
E24006300.....	M 88	E28006350.....	M 77	E28048040.....	M 80
E24006301.....	M 88	E28006500.....	M 78	E28048050.....	M 80
E24006333.....	M 87	E28006700.....	M 78	E28048060.....	M 80

INDEX BAILEY NUMBER

Article number	Page	Article number	Page	Article number	Page
E28048080	M 80	E29012500GR	M 90	E34012003	M 107
E28048100	M 80	E29014500	M 90	E34012005	M 107
E28048105	M 80	E29016188	M 90	E34012010	M 107
E28050050	M 80	E29019040	M 90	E34018002	M 107
E28052060	M 80	E29024050	M 90	E34024002	M 107
E28060002	M 79	E29024080	M 90	E34024003	M 107
E28060004	M 79	E29024125	M 90	E34024005	M 107
E28060005	M 79	E29024150	M 90	E34028002	M 107
E28060020	M 80	E29024210	M 90	E34030002	M 107
E28060030	M 80	E29028150	M 90	E34030003	M 107
E28060033	M 80	E29030100	M 90	E34030005	M 107
E28060040	M 80	E29030165	M 90	E34042005	M 107
E28060050	M 80	E29035050	M 90	E34048002	M 107
E28060060	M 80	E29036140	M 90	E34048003	M 107
E28060070	M 80	E29042050	M 90	E34060002	M 107
E28060085	M 80	E29048060	M 90	E34060005	M 107
E28070020	M 80	E29048105	M 90	E34110003	M 107
E28070040	M 80	E29060083	M 90	E34110005	M 107
E28080025	M 80	E29130020	M 90	E34130006	M 107
E28080035	M 80	E30004250	M 111	E34220005	M 107
E28080040	M 80	E30004750	M 111	E35006001	M 113
E28085035	M 80	E30006180	M 111	E35006002	M 113
E28110027	M 80	E30006333	M 111	E35006005	M 113
E28130015	M 80	E30006500	M 111	E35008003	M 113
E28130020	M 80	E30006850	M 111	E35012002	M 113
E28130021	M 80	E30012100	M 111	E35012003	M 113
E28130038	M 80	E30012120	M 111	E35012005	M 113
E28160020	M 80	E30012165	M 111	E35024002	M 113
E28220009	M 80	E30012250	M 111	E35024003	M 113
E28220014	M 80	E30012410	M 111	E35024004	M 113
E28220018	M 80	E30024040	M 111	E35024005	M 113
E28220023	M 80	E30024050	M 111	E35030003	M 113
E28230013	M 80	E30024080	M 111	E35030005	M 113
E28230022	M 80	E30024125	M 111	E35036003	M 113
E28240010	M 80	E30024210	M 111	E35036005	M 113
E28240012	M 80	E30030002	M 111	E35042005	M 113
E29002270	M 89	E30030050	M 111	E35048003	M 113
E29002350	M 89	E30030065	M 111	E35048005	M 113
E29002500	M 89	E30030080	M 111	E35060001	M 113
E29002625	M 89	E30030100	M 111	E35060002	M 113
E29002997	M 89	E30030167	M 111	E35060003	M 113
E29002998	M 89	E30036050	M 111	E35060005	M 113
E29002999	M 89	E30036055	M 111	E35080005	M 113
E29003200	M 89	E30036080	M 111	E35110005	M 113
E29004300	M 89	E30036140	M 111	E35130002	M 113
E29004600	M 89	E30042050	M 111	E35130005	M 113
E29004700	M 89	E30042070	M 111	E35130015	M 113
E29005050	M 89	E30042120	M 111	E35140007	M 113
E29005100	M 89	E30045002	M 111	E35150005	M 113
E29005150	M 89	E30048040	M 112	E35160005	M 113
E29005500	M 89	E30048060	M 112	E35230003	M 114
E29006050	M 89	E30048105	M 112	E35260003	M 114
E29006250	M 89	E30060002	M 112	E35260005	M 114
E29006320	M 89	E30060020	M 112	E35260007	M 114
E29006350	M 89	E30060033	M 112	E35260010	M 114
E29006400	M 89	E30060040	M 112	E38030060	M 81
E29006450	M 89	E30060050	M 112	E38030100	M 81
E29006500	M 89	E30060085	M 112	E38048060	M 81
E29006500BL	M 89	E30070002	M 112	E38060030	M 81
E29006830	M 89	E30080035	M 112	E38060050	M 81
E29006999	M 89	E30080063	M 112	E38060085	M 81
E29007240	M 89	E30110045	M 112	E38130030	M 81
E29007300	M 89	E30130020	M 112	E38160025	M 81
E29008450	M 89	E30130040	M 112	E38230018	M 81
E29012100	M 89	E30220014	M 112	E44006003	M 108
E29012170	M 89	E30220023	M 112	E44012003	M 108
E29012200	M 90	E30230013	M 112	E44024002	M 108
E29012250	M 90	E30260019	M 112	E44024003	M 108
E29012330	M 90	E30260027	M 112	E44024005	M 108
E29012410	M 90	E34006001	M 107	E44030005	M 108
E29012500	M 90	E34012002	M 107	E44048005	M 108

INDEX BAILEY NUMBER

Article number	Page	Article number	Page	Article number	Page
E44060005.....	M 108	E48220010.....	M 119	E54060007.....	M 117
E44130005.....	M 108	E48235015.....	M 119	E54060010.....	M 117
E44130006.....	M 108	E48235025.....	M 119	E54060011.....	M 117
E44140010.....	M 108	E48260007.....	M 119	E54060015.....	M 117
E44220010.....	M 108	E48260010.....	M 119	E54065005.....	M 117
E44260007.....	M 108	E48260015.....	M 119	E54065007.....	M 117
E44260010.....	M 108	E50024125.....	M 82	E54065010.....	M 117
E45006005.....	M 115	E50030100.....	M 82	E54065015.....	M 117
E45012005.....	M 115	E50060050.....	M 82	E54070004.....	M 117
E45012010.....	M 115	E50130030.....	M 82	E54070005.....	M 117
E45014005.....	M 115	E50160025.....	M 82	E54072015.....	M 117
E45024003.....	M 115	E50230018.....	M 82	E54080005.....	M 117
E45024005.....	M 115	E53030010.....	M 109	E54080007.....	M 117
E45024010.....	M 115	E53095010.....	M 109	E54080010.....	M 117
E45024015.....	M 115	E53140010.....	M 109	E54080015.....	M 117
E45030005.....	M 115	E53230015.....	M 109	E54095010.....	M 117
E45030007.....	M 115	E53260007.....	M 109	E54110010.....	M 117
E45030010.....	M 115	E53260010.....	M 109	E54110015.....	M 117
E45036005.....	M 115	E53260015.....	M 109	E54130005.....	M 118
E45042005.....	M 115	E54004005.....	M 116	E54130015.....	M 118
E45048005.....	M 115	E54006001.....	M 116	E54140007.....	M 118
E45060005.....	M 115	E54006003.....	M 116	E54140010.....	M 118
E45060007.....	M 115	E54006004.....	M 116	E54150005.....	M 118
E45060010.....	M 115	E54006005.....	M 116	E54160007.....	M 118
E45130005.....	M 115	E54006010.....	M 116	E54220005.....	M 118
E45140007.....	M 115	E54006015.....	M 116	E54220010.....	M 118
E45140010.....	M 115	E54008003.....	M 116	E54220015.....	M 118
E45160005.....	M 115	E54012002.....	M 116	E54240015.....	M 118
E45220010.....	M 115	E54012003.....	M 116	E54260003.....	M 118
E45260005.....	M 115	E54012004.....	M 116	E54260005.....	M 118
E45260007.....	M 115	E54012005.....	M 116	E54260006.....	M 118
E45260010.....	M 115	E54012007.....	M 116	E54260007.....	M 118
E45260015.....	M 115	E54012010.....	M 116	E54260010.....	M 118
E45380010.....	M 115	E54012015.....	M 116	E542600105.....	M 118
E47006006.....	M 110	E54014005.....	M 116	E54260015.....	M 118
E47012006.....	M 110	E54024002.....	M 116	E54380010.....	M 118
E47024005.....	M 110	E54024003.....	M 116	EB0220250.....	M 95
E47024006.....	M 110	E54024004.....	M 116	EB0220300.....	M 95
E47030006.....	M 110	E54024005.....	M 116	EB0220400.....	M 95
E47032006.....	M 110	E54024007.....	M 116	EB0240300.....	M 95
E47048006.....	M 110	E54024010.....	M 116	EB0240400.....	M 95
E47060006.....	M 110	E54024015.....	M 116	EB0240500.....	M 95
E47075006.....	M 110	E54024025.....	M 116	EB0250250.....	M 95
E47110015.....	M 110	E54030002.....	M 116	EB0250300.....	M 95
E47120006.....	M 110	E54030003.....	M 116	EB0330300.....	M 95
E47130003.....	M 110	E54030004.....	M 116	EB0370300.....	M 95
E47130004.....	M 110	E54030005.....	M 116	EB0480300.....	M 95
E47250007.....	M 110	E54030007.....	M 116	EK0250750.....	M 92
E47250010.....	M 110	E54030009.....	M 116	EK0480750.....	M 92
E47250015.....	M 110	E54030010.....	M 117	EK2902240.....	M 92
E48012005.....	M 119	E54030011.....	M 117	EK2902313.....	M 92
E48012010.....	M 119	E54030015.....	M 117	EK2903360.....	M 92
E48012015.....	M 119	E54030016.....	M 117	EK2904320.....	M 92
E48012025.....	M 119	E54032005.....	M 117	EK2904400.....	M 92
E48024003.....	M 119	E54036005.....	M 117	EK2906500.....	M 92
E48024005.....	M 119	E54042003.....	M 117	EK3003090.....	M 92
E48024010.....	M 119	E54042005.....	M 117	EK3003360.....	M 92
E48024015.....	M 119	E54042007.....	M 117	EK3003560.....	M 92
E48024025.....	M 119	E54042010.....	M 117	EK3006270.....	M 92
E48024040.....	M 119	E54042015.....	M 117	EL0120220.....	M 94
E48030005.....	M 119	E54045005.....	M 117	EL0220180.....	M 94
E48042005.....	M 119	E54045010.....	M 117	EL0220250.....	M 94
E48048015.....	M 119	E54048003.....	M 117	EL0220300.....	M 94
E48060007.....	M 119	E54048005.....	M 117	EL0225250.....	M 94
E48060010.....	M 119	E54048010.....	M 117	EL0233270.....	M 94
E48060015.....	M 119	E54048010F.....	M 117	EL0250200.....	M 94
E48065015.....	M 119	E54048015.....	M 117	EL0250300.....	M 94
E48080007.....	M 119	E54060003.....	M 117	EL0330300.....	M 94
E48130005.....	M 119	E540600035.....	M 117	EL0350200.....	M 94
E48130010.....	M 119	E54060004.....	M 117	EL0370300.....	M 94
E48130015.....	M 119	E54060005.....	M 117	EL0380300.....	M 94

INDEX BAILEY NUMBER

Article number	Page
ET35024100	M 85
ET35050055	M 85
ET35060060	M 85
EX3024240	M 93
EX3024300	M 93
EX3036090	M 93
EX3036162	M 93
EX3036216	M 93
EX3036360	M 93
EX3037340	M 93
EX3037560	M 93
EX3040182	M 93
EX3040320	M 93
EX3048288	M 93
EX3060270	M 93
EX3060300	M 93
EX3060540	M 93
EX3060600	M 93

F

F92804250	M 50
F92806180	M 50
F92812120	M 50
F92824040	M 50
F92824050	M 50
F92824080	M 50
F92828040	M 50
F92828050	M 50
F92830050	M 50
F92830070	M 50
F92836050	M 50
F92836070	M 50
F92848025	M 50
F92848040	M 50
F92848050	M 50
F92860020	M 50
F92870020	M 50

K

KE0320020500	M 91
KE0320020625	M 91
KE0320020833	M 91
KE0320020900	M 91
KE0320021000	M 91
KE0320021250	M 91
KE0320021666	M 91
KE0320022083	M 91
KE0320030448	M 91
KE0320030533	M 91
KE0320030666	M 91
KE0320030898	M 91
KE0320031338	M 91
KE0320040520	M 91
KE0320041041	M 91
KE032006005	M 91
KE032012005	M 91
KE032024010	M 91
KE032028012	M 91
KE032060010	M 91
KE032120010	M 91
KE032130005	M 91
KE032130008	M 91

L

LAMPEXSET	M 148
LAMPEXT1	M 148
LAMPEXT112	M 148
LAMPEXT114	M 148
LAMPEXT134	M 148
LAMPEXT2	M 148
LAMPEXT234	M 148

Article number	Page
LAMPEXT314	M 148
LAMPEXT4	M 148
LAMPEXT5	M 148

M

MB16060401	M 28
MB16062001	M 28
MB16140801	M 28
MB16240201	M 28
MB16240301	M 28
MB16280401	M 28
MB16280402	M 28
MB16300401	M 28
MB16320331	M 28
MB16360251	M 28
MB16600201	M 28
MF02020501	M 17
MF02050601	M 17
MF02051151	M 17
MF02060501	M 17
MF02120501	M 17
MF02140301	M 17
MF02160301	M 17
MF02240201	M 17
MF02280201	M 17
MF03010751	M 18
MF03050211	M 18
MF03050301	M 18
MF03050601	M 18
MF03050751	M 18
MF03051151	M 18
MF03060401	M 18
MF03060701	M 18
MF03120201	M 18
MF03120301	M 18
MF03120601	M 18
MF03140651	M 18
MF03180261	M 18
MF03240201	M 18
MF03240241	M 18
MF03280201	M 18
MF03280241	M 18
MF03280401	M 18
MF03360201	M 18
MF0401060L	M 20
MF0401090L	M 20
MF04023001	M 20
MF04024501	M 20
MF04060401	M 20
MF04120501	M 20
MF04240401	M 20
MF04280401	M 20
MF06010601	M 21
MF06020601	M 21
MF06022001	M 21
MF06023001	M 21
MF06023501	M 21
MF06030151	M 21
MF06030301	M 21
MF06042501	M 21
MF06050202	M 21
MF06050301	M 21
MF06050602	M 21
MF06051151	M 21
MF06060401	M 21
MF06060402	M 21
MF06060601	M 21
MF06060701	M 21
MF06060751	M 21
MF06061001	M 21
MF06062001	M 21

Article number	Page
MF06062002	M 21
MF06062003	M 21
MF06100151	M 21
MF06100401	M 21
MF06120201	M 21
MF06120401	M 21
MF06120601	M 21
MF06120751	M 21
MF06121001	M 21
MF06140401	M 21
MF06140501	M 21
MF06140801	M 22
MF06140802	M 22
MF06140803	M 22
MF06180261	M 22
MF06180401	M 22
MF06190401	M 22
MF06240201	M 22
MF06240251	M 22
MF06240401	M 22
MF06240501	M 22
MF06240502	M 22
MF06240601	M 22
MF06240801	M 22
MF06280241	M 22
MF06280251	M 22
MF06280301	M 22
MF06280401	M 22
MF06280402	M 22
MF06280403	M 22
MF06280404	M 22
MF06280601	M 22
MF06280801	M 22
MF06320331	M 22
MF06360201	M 22
MF06360301	M 22
MF06360401	M 22
MF06480201	M 22
MF06480251	M 22
MF06480301	M 22
MF06480401	M 22
MF06600201	M 22
MF06600301	M 22
MF14050601	M 19
MF14051151	M 19
MF14060701	M 19
MF14062001	M 19
MF14120201	M 19
MF14120301	M 19
MF14120401	M 19
MF14120601	M 19
MF14121001	M 19
MF14240201	M 19
MF14280201	M 19
MF14280241	M 19
MF14280401	M 19
MG06010601	M 23
MG06020601	M 23
MG06023501	M 23
MG0602350L	M 23
MG06050401	M 23
MG06050602	M 23
MG06060401	M 23
MG06060402	M 23
MG06060601	M 23
MG06060751	M 23
MG06061251	M 23
MG06061502	M 23
MG06062001	M 23
MG06062002	M 23
MG06062003	M 23

INDEX BAILEY NUMBER

Article number	Page	Article number	Page	Article number	Page
MG06100151	M 23	MS06120601	M 26	NB30220PG	M 144
MG06100401	M 23	MS06120801	M 26	NB30380GC	M 144
MG06120201	M 23	MS06121001	M 26	NB30380PC	M 144
MG06120401	M 23	MS06121201	M 26	NB30380PG	M 144
MG06120601	M 23	MS06121271	M 26	NB35110GC	M 144
MG06120751	M 23	MS06140201	M 26	NB35220GC	M 144
MG06121001	M 23	MS06140401	M 27	NB35380GC	M 144
MG06121201	M 23	MS06140501	M 27	NB54110GC	M 144
MG06140201	M 23	MS06140801	M 27	NB54110PC	M 144
MG06140501	M 23	MS06140802	M 27	NB54220GC	M 144
MG06140801	M 23	MS06180401	M 27	NB54220PC	M 144
MG06140802	M 23	MS06240201	M 27	NB54380GC	M 144
MG06140803	M 23	MS06240351	M 27	NB54380PC	M 144
MG06180401	M 23	MS06240401	M 27	NB60110GC	M 147
MG06220401	M 23	MS06240501	M 27	NB60220GC	M 147
MG06240201	M 24	MS06240601	M 27	NE23110GC	M 143
MG06240251	M 24	MS06240801	M 27	NE23110GG	M 143
MG06240351	M 24	MS06280251	M 27	NE23110PC	M 143
MG06240401	M 24	MS06280401	M 27	NE23220GC	M 143
MG06240501	M 24	MS06280402	M 27	NE23220GG	M 143
MG06240601	M 24	MS06280801	M 27	NE23220PC	M 143
MG06240801	M 24	MS06360201	M 27	NE23220PG	M 143
MG06280201	M 24	MS06480201	M 27	NE23380GC	M 143
MG06280241	M 24	MS06600201	M 27	NE23380PC	M 143
MG06280251	M 24	MT18061001	M 25	NE28110GC	M 143
MG06280301	M 24	MT18120501	M 25	NE28110GG	M 143
MG06280302	M 24	MT18140501	M 25	NE28110PC	M 143
MG06280351	M 24	MT18180331	M 25	NE28110PG	M 143
MG06280401	M 24	MT18180501	M 25	NE28220GC	M 143
MG06280402	M 24	MT18240251	M 25	NE28220GG	M 143
MG06280403	M 24	MT18280201	M 25	NE28220PC	M 143
MG06280404	M 24	MT18280401	M 25	NE28220PG	M 143
MG06280601	M 24			NE28380GC	M 143
MG06280651	M 24			NE28380GG	M 143
MG06280801	M 24			NE28380PC	M 143
MG06320331	M 24	NB20110GC	M 140	NE28380PG	M 143
MG06360201	M 24	NB20220GC	M 140	NE30110GC	M 146
MG06360301	M 24	NB22085GC	M 140	NE30110GG	M 146
MG06360401	M 24	NB22110GC	M 140	NE30110PC	M 146
MG06480201	M 24	NB22220GC	M 140	NE30110PG	M 146
MG06480251	M 24	NB23110GC	M 142	NE30220GC	M 146
MG06480301	M 24	NB23110GG	M 142	NE30220GG	M 146
MG06480302	M 24	NB23110PC	M 142	NE30220PC	M 146
MG06480401	M 24	NB23110PG	M 142	NE30220PG	M 146
MG06600201	M 24	NB23220GC	M 142	NE30380GC	M 146
MG06600301	M 24	NB23220GG	M 142	NE30380GG	M 146
MG06700201	M 24	NB23220PC	M 142	NE30380PC	M 146
MS06010601	M 26	NB23220PG	M 142	NE30380PG	M 146
MS06010751	M 26	NB23380GC	M 142	NE35110GC	M 146
MS06011101	M 26	NB23380GG	M 142	NE35220GC	M 146
MS06020601	M 26	NB23380PC	M 142	NE35380GC	M 146
MS06022001	M 26	NB23380PG	M 142	NE38110GC	M 145
MS06023001	M 26	NB28110GC	M 142	NE38220GC	M 145
MS06023501	M 26	NB28110GG	M 142	NE54110GC	M 146
MS06030151	M 26	NB28110PC	M 142	NE54110PC	M 146
MS06032001	M 26	NB28110PG	M 142	NE54110PG	M 146
MS06040601	M 26	NB28220GC	M 142	NE54220GC	M 146
MS06043501	M 26	NB28220GG	M 142	NE54220PC	M 146
MS06050601	M 26	NB28220PC	M 142	NE54220PG	M 146
MS06051151	M 26	NB28220PG	M 142	NE54380GC	M 146
MS06060401	M 26	NB28380GC	M 142	NE54380PC	M 146
MS06060501	M 26	NB28380GG	M 142	NE60220GC	M 147
MS06060601	M 26	NB28380PC	M 142	NF10065GC	M 138
MS06061001	M 26	NB28380PG	M 142	NF16065GC	M 138
MS06061501	M 26	NB30065PC	M 144	NF16110GC	M 138
MS06062001	M 26	NB30110GC	M 144	NF16110GG	M 138
MS06062002	M 26	NB30110GG	M 144	NF16220GC	M 138
MS06081501	M 26	NB30110PC	M 144	NF16220GG	M 138
MS06100151	M 26	NB30110PG	M 144	NG16065GC	M 139
MS06120401	M 26	NB30220GC	M 144	NG16110GC	M 139
MS06120501	M 26	NB30220GG	M 144	NG16110GG	M 139
		NB30220PC	M 144		

INDEX BAILEY NUMBER

Article number	Page
NG16220GC.....	M 139
NG16220GG.....	M 139
NS54220GC.....	M 144
NT16110GC.....	M 141
NT16220GC.....	M 141
NT21065GC.....	M 141
NT21220GC.....	M 141
NT22065GC.....	M 141
NT22110GC.....	M 141
NT22220GC.....	M 141
NT30065GC.....	M 141
NT30110GC.....	M 141
NT30220GC.....	M 141
NT30220GG.....	M 141
NT43220GC.....	M 141
NT44110GC.....	M 141
NT44110GG.....	M 141
NT44220GC.....	M 141
NT44220GG.....	M 141

P

PB0220250.....	M 97
PB0220300.....	M 97
PB0220400.....	M 97
PB0240300.....	M 97
PB0240400.....	M 97
PB0250300.....	M 97
PB0370300.....	M 97
PK0220470.....	M 98
PK0240500.....	M 98
PK0240700.....	M 98
PK0360750.....	M 98
PK0360800.....	M 98
PK0361000.....	M 98
PK0401000.....	M 98
PK0475500.....	M 98
PK0480750.....	M 98
PK0540540.....	M 98
PK0600500.....	M 98
PK0600750.....	M 98
PK0720750.....	M 98
PK0960500.....	M 98
PK1200700.....	M 98
PK1440700.....	M 98
PR0125250.....	M 96
PR0190650.....	M 96
PR0233270.....	M 96
PR0235350.....	M 96
PR0238500.....	M 96
PR0247300.....	M 96
PR0250200.....	M 96
PR0270150.....	M 96
PR0360500.....	M 96
PR0370300.....	M 96
PR0375860.....	M 96
PR0475500.....	M 96
PR0480300.....	M 96
PR0480500.....	M 96
PR0490300.....	M 96
PR0595500.....	M 96
PR0720500.....	M 96
PR0863500.....	M 96
PR1250250.....	M 96

S

S62406050.....	M 120
S62406100.....	M 120
S62406165.....	M 120
S62406500.....	M 120
S62408220.....	M 120
S62412050.....	M 120

S62412100.....	M 120
S62412165.....	M 120
S62412250.....	M 120
S62424050.....	M 120
S62424125.....	M 120
S62426040.....	M 120
S62428070.....	M 120
S62428107.....	M 120
S62806200.....	M 121
S62806500.....	M 121
S62812100.....	M 121
S62812250.....	M 121
S62824050.....	M 121
S62824125.....	M 121
S62826110.....	M 121
S62848050.....	M 121
S62850050.....	M 121
S62860050.....	M 121
S63106040.....	M 122
S63106050.....	M 122
S63106150.....	M 122
S63106250.....	M 122
S63106300.....	M 122
S63106500.....	M 122
S63108150.....	M 122
S63108250.....	M 122
S63108300.....	M 122
S63112100.....	M 122
S63112150.....	M 122
S63112165.....	M 122
S63112250.....	M 122
S63112300.....	M 122
S63113300.....	M 122
S63118100.....	M 122
S63118167.....	M 122
S63124050.....	M 122
S63124062.....	M 122
S63124080.....	M 122
S63124125.....	M 122
S63126040.....	M 122
S63128070.....	M 122
S63130050.....	M 122
S63130100.....	M 122
S63148062.....	M 122
S63165046.....	M 122
S63604001.....	M 123
S63606003.....	M 123
S63612001.....	M 123
S63612003.....	M 123
S63615001.....	M 123
S636180012.....	M 123
S63618003.....	M 123
S63624001.....	M 123
S63624002.....	M 123
S63624003.....	M 123
S63626001.....	M 123
S63628002.....	M 123
S63628003.....	M 123
S63630003.....	M 123
S63636003.....	M 123
S63648003.....	M 123
S63660003.....	M 123
S63906003.....	M 124
S63912001.....	M 124
S63912003.....	M 124
S639150012.....	M 124
S63917002.....	M 124
S63918003.....	M 124
S63924001.....	M 124
S63924002.....	M 124
S63924003.....	M 124

S63928002.....	M 124
S63928003.....	M 124
S63930003.....	M 124
S63932003.....	M 124
S63936003.....	M 124
S63948003.....	M 124
S63960003.....	M 124
S72812003.....	M 125
S72812005.....	M 125
S72824002.....	M 125
S72824003.....	M 125
S72824005.....	M 125
S72830002.....	M 125
S72832003.....	M 125
S73106003.....	M 126
S73106005.....	M 126
S73107100.....	M 126
S73112001.....	M 126
S73112002.....	M 126
S73112003.....	M 126
S73112005.....	M 126
S73115001.....	M 126
S73115003.....	M 126
S73118003.....	M 126
S731240012.....	M 126
S731240015.....	M 126
S73124002.....	M 126
S73124003.....	M 126
S73124005.....	M 126
S73128005.....	M 126
S73130003.....	M 126
S73130005.....	M 126
S73132003.....	M 126
S73136003.....	M 126
S73148003.....	M 126
S73148005.....	M 126
S73160001.....	M 126
S73160003.....	M 126
S73160005.....	M 126
S73606003.....	M 127
S73606005.....	M 127
S73612003.....	M 127
S73612005.....	M 127
S73624002.....	M 127
S73624003.....	M 127
S73624005.....	M 127
S73628003.....	M 127
S73630003.....	M 127
S73630005.....	M 127
S73648003.....	M 127
S73648005.....	M 127
S73660003.....	M 127
S73906003.....	M 128
S73906005.....	M 128
S739120012.....	M 128
S73912003.....	M 128
S73912005.....	M 128
S73916003.....	M 128
S739240012.....	M 128
S73924003.....	M 128
S73924005.....	M 128
S73930003.....	M 128
S73930005.....	M 128
S73948005.....	M 128
S83006005.....	M 129
S83006010.....	M 129
S83012005.....	M 129
S83012010.....	M 129
S83024005.....	M 129
S83024010.....	M 129
S83606005.....	M 130

INDEX BAILEY NUMBER

Article number	Page	Article number	Page	Article number	Page
S83606010.....	M 130	S84506015.....	M 134	SXRL44260085.....	M 137
S83612003.....	M 130	S84506018.....	M 134	SXRL44260085F.....	M 137
S83612005.....	M 130	S84512003.....	M 134		
S83612010.....	M 130	S84512005.....	M 134	T	
S83624003.....	M 130	S84512010.....	M 134	T2304040.....	M 47
S83624005.....	M 130	S84512015.....	M 134	T2305040.....	M 47
S83624010.....	M 130	S84512018.....	M 134	T2306040.....	M 47
S83906000.....	M 131	S84512021.....	M 134	T2310040.....	M 47
S83906003.....	M 131	S84524003.....	M 134	T2312040.....	M 47
S83906005.....	M 131	S84524005.....	M 134	T2316040.....	M 47
S83912000.....	M 131	S84524010.....	M 134	T2318040.....	M 47
S83912001.....	M 131	S84524015.....	M 134	T2324040.....	M 47
S83912003.....	M 131	S84524018.....	M 134	T2328040.....	M 47
S83912005.....	M 131	S84528010.....	M 134	T2348040.....	M 47
S83912010.....	M 131	S84530005.....	M 134	T2806140.....	M 48
S83918005.....	M 131	S84530010.....	M 134	T2812170.....	M 48
S83924001.....	M 131	S84536005.....	M 134	T2824073.....	M 48
S83924002.....	M 131	S84548005.....	M 134	T2828040.....	M 48
S83924003.....	M 131	S84548010.....	M 134	T2848053.....	M 48
S83924003G.....	M 131	S84560003.....	M 134	T2860050.....	M 48
S83924003R.....	M 131	S84560005.....	M 134	T2899025.....	M 48
S83924005.....	M 131	S84560010.....	M 134	T2899026.....	M 48
S83924005G.....	M 131	S84580005.....	M 134	T3006040.....	M 41
S83924005R.....	M 131	S84580010.....	M 134	T3012050.....	M 41
S83924010.....	M 131	SF2612100.....	M 136	T3024020.....	M 41
S83930002.....	M 131	SF3106100.....	M 136	T3024050.....	M 41
S83930003.....	M 131	SF3106101.....	M 136	T3048020.....	M 41
S83930005.....	M 131	SF3106150.....	M 136	T3048040.....	M 41
S83936003.....	M 131	SF3106151.....	M 136	T3060018.....	M 41
S83936005.....	M 131	SF3106250.....	M 136	T4505120.....	M 35
S83948003.....	M 131	SF3106300.....	M 136	T4506020.....	M 35
S83948005.....	M 131	SF3108100.....	M 136	T4506040.....	M 35
S83960003.....	M 131	SF3108150.....	M 136	T4506050.....	M 35
S83960005.....	M 131	SF3108250.....	M 136	T4506070.....	M 35
S84212005.....	M 132	SF3108300.....	M 136	T4506100.....	M 35
S84224005.....	M 132	SF3112100.....	M 136	T4506200.....	M 35
S84224010.....	M 132	SF3112150.....	M 136	T4512020.....	M 35
S84242005.....	M 132	SF3112151.....	M 136	T4512040.....	M 35
S84248005.....	M 132	SF3112251.....	M 136	T4512050.....	M 35
S84406003.....	M 133	SF3112300.....	M 136	T4512100.....	M 35
S84406005.....	M 133	SF3624125.....	M 136	T4518025.....	M 35
S84406010.....	M 133	SX84412003.....	M 135	T4524020.....	M 35
S84412003.....	M 133	SX84412003F.....	M 135	T4524030.....	M 35
S84412005.....	M 133	SX84412005.....	M 135	T4524040.....	M 35
S84412010.....	M 133	SX84412005F.....	M 135	T4524050.....	M 35
S84412010F.....	M 133	SX84412006.....	M 135	T4530020.....	M 35
S84412015.....	M 133	SX84412006F.....	M 135	T4530040.....	M 35
S84415005.....	M 133	SX84412010.....	M 135	T4532033.....	M 35
S84418005.....	M 133	SX84412010F.....	M 135	T4536020.....	M 35
S84424001.....	M 133	SX844220072.....	M 135	T4536035.....	M 35
S84424002.....	M 133	SX84424003.....	M 135	T4548020.....	M 35
S84424003.....	M 133	SX84424003F.....	M 135	T4548030.....	M 35
S84424003A.....	M 133	SX84424005.....	M 135	T4560020.....	M 35
S84424003G.....	M 133	SX84424005F.....	M 135	T4606020.....	M 36
S84424003R.....	M 133	SX84424006.....	M 135	T4606040.....	M 36
S84424004.....	M 133	SX84424006F.....	M 135	T4606050.....	M 36
S84424005.....	M 133	SX84424010.....	M 135	T4606100.....	M 36
S84424005G.....	M 133	SX84424010F.....	M 135	T4606200.....	M 36
S84424005R.....	M 133	SXRL4412005.....	M 137	T4612020.....	M 36
S84424010.....	M 133	SXRL4412005F.....	M 137	T4612040.....	M 36
S84424020.....	M 133	SXRL44120085.....	M 137	T4612050.....	M 36
S84430003.....	M 133	SXRL44120085F.....	M 137	T4612100.....	M 36
S84430005.....	M 133	SXRL4412010.....	M 137	T4616060.....	M 36
S84430010.....	M 133	SXRL4412010F.....	M 137	T4618025.....	M 36
S84442005.....	M 133	SXRL4424005.....	M 137	T4624020.....	M 36
S84448003.....	M 133	SXRL4424005F.....	M 137	T4624030.....	M 36
S84448005.....	M 133	SXRL44240085.....	M 137	T4624040.....	M 36
S84460003.....	M 133	SXRL44240085F.....	M 137	T4624050.....	M 36
S84460005.....	M 133	SXRL4424010.....	M 137	T4628020.....	M 36
S84506005.....	M 134	SXRL4424010F.....	M 137	T4628040.....	M 36
S84506010.....	M 134	SXRL44260051F.....	M 137	T4630020.....	M 36

INDEX BAILEY NUMBER

Article number	Page	Article number	Page	Article number	Page
T4630030.....	M 36	T5618025.....	M 37	T6548060.....	M 43
T4630040.....	M 36	T5624020.....	M 37	T6552020.....	M 43
T4632033.....	M 36	T5624030.....	M 37	T6560020.....	M 43
T4636020.....	M 36	T5624040.....	M 37	T6560040.....	M 43
T4636035.....	M 36	T5624050.....	M 37	T6560050.....	M 43
T4648020.....	M 36	T5624080.....	M 37	T6560060.....	M 43
T4648030.....	M 36	T5624100.....	M 37	T6570020.....	M 43
T4660020.....	M 36	T5626040.....	M 37	T6585024.....	M 43
T4670020.....	M 36	T5628040.....	M 37	T6806020.....	M 44
T5506020.....	M 39	T5628050.....	M 37	T6806040.....	M 44
T5506040.....	M 39	T5630020.....	M 37	T6806050.....	M 44
T5506050.....	M 39	T5630040.....	M 37	T6806080.....	M 44
T5506080.....	M 39	T5630050.....	M 37	T6806100.....	M 44
T5506100.....	M 39	T5632033.....	M 37	T6806200.....	M 44
T5506200.....	M 39	T5636020.....	M 37	T6812020.....	M 44
T5512020.....	M 39	T5636040.....	M 37	T6812030.....	M 44
T5512040.....	M 39	T5636050.....	M 37	T6812040.....	M 44
T5512050.....	M 39	T5648020.....	M 37	T6812050.....	M 44
T5512080.....	M 39	T5648025.....	M 37	T6812080.....	M 44
T5512100.....	M 39	T5648030.....	M 38	T6812100.....	M 44
T5514020.....	M 39	T5652020.....	M 38	T6812120.....	M 44
T5516050.....	M 39	T5660020.....	M 38	T6818025.....	M 44
T5518025.....	M 39	T5670020.....	M 38	T6818040.....	M 44
T5518066.....	M 39	T6006040.....	M 46	T6818100.....	M 44
T5524020.....	M 39	T6012020.....	M 46	T6824020.....	M 44
T5524025.....	M 39	T6012050.....	M 46	T6824025.....	M 44
T5524030.....	M 39	T6024020.....	M 46	T6824035.....	M 44
T5524040.....	M 39	T6024040.....	M 46	T6824040.....	M 44
T5524050.....	M 39	T6024050.....	M 46	T6824050.....	M 44
T5524060.....	M 39	T6024060.....	M 46	T6824060.....	M 44
T5524080.....	M 39	T6028045.....	M 46	T6824080.....	M 44
T5526040.....	M 39	T6028050.....	M 46	T6824100.....	M 44
T5528020.....	M 39	T6036020.....	M 46	T6828025.....	M 44
T5528040.....	M 39	T6036035.....	M 46	T6828040.....	M 44
T5528050.....	M 39	T6036050.....	M 46	T6828045.....	M 44
T5530020.....	M 39	T6048020.....	M 46	T6828050.....	M 44
T5530030.....	M 39	T6048030.....	M 46	T6830020.....	M 44
T5530040.....	M 39	T6060020.....	M 46	T6830025.....	M 44
T5530050.....	M 39	T6060040.....	M 46	T6830040.....	M 45
T5530080.....	M 40	T6060055.....	M 46	T6830050.....	M 45
T5532033.....	M 40	T6060060.....	M 46	T6830080.....	M 45
T5536020.....	M 40	T6506020.....	M 42	T6830100.....	M 45
T5536030.....	M 40	T6506040.....	M 42	T6836020.....	M 45
T5536033.....	M 40	T6506080.....	M 42	T6836033.....	M 45
T5536035.....	M 40	T6506100.....	M 42	T6836040.....	M 45
T5536040.....	M 40	T6506200.....	M 42	T6836050.....	M 45
T5536050.....	M 40	T6512020.....	M 42	T6836100.....	M 45
T5540050.....	M 40	T6512040.....	M 42	T6848020.....	M 45
T5548020.....	M 40	T6512050.....	M 42	T6848025.....	M 45
T5548025.....	M 40	T6512100.....	M 42	T6848040.....	M 45
T5548030.....	M 40	T6512120.....	M 42	T6848050.....	M 45
T5548040.....	M 40	T6518025.....	M 42	T6850020.....	M 45
T5548050.....	M 40	T6518055.....	M 42	T6850050.....	M 45
T5552020.....	M 40	T6524020.....	M 42	T6860020.....	M 45
T5560020.....	M 40	T6524025.....	M 42	T6860040.....	M 45
T5560030.....	M 40	T6524040.....	M 42	T6860050.....	M 45
T5560040.....	M 40	T6524050.....	M 42	T6860060.....	M 45
T5570020.....	M 40	T6524080.....	M 42	T6870020.....	M 45
T5570040.....	M 40	T6524100.....	M 42	T6870025.....	M 45
T5580020.....	M 40	T6526040.....	M 42	T6870030.....	M 45
T5606020.....	M 37	T6530020.....	M 42	T6870040.....	M 45
T5606040.....	M 37	T6530040.....	M 42	T6880020.....	M 45
T5606050.....	M 37	T6536020.....	M 42	T6880040.....	M 45
T5606100.....	M 37	T6536040.....	M 42	T6890020.....	M 45
T5606160.....	M 37	T6536050.....	M 42	T7006041.....	M 49
T5606200.....	M 37	T6536060.....	M 42	T7012020.....	M 49
T5612020.....	M 37	T6548020.....	M 42	T7017045.....	M 49
T5612040.....	M 37	T6548025.....	M 42	T7024055.....	M 49
T5612050.....	M 37	T6548030.....	M 42	T7024100.....	M 49
T5612100.....	M 37	T6548040.....	M 42	T7045037.....	M 49
T5616060.....	M 37	T6548050.....	M 42	T9024040.....	M 51

INDEX BAILEY NUMBER

Article number	Page
T9024080.....	M 51
T9024125.....	M 51
T9028105.....	M 51
T9040075.....	M 51
T9048045.....	M 51
T9048065.....	M 51
T9060035.....	M 51
T9060050.....	M 51
T9070050.....	M 51
TE038012005.....	M 83
TE038024005.....	M 83
TE038048005.....	M 83
TE038160005.....	M 83
TE038255005.....	M 83
TE038260010.....	M 83
TE043024005.....	M 84
TE043027005.....	M 84
TE043130010.....	M 84
TE043250007.....	M 84
TE043260010.....	M 84
TERASAKI2824.....	M 16
TERASAKI2840.....	M 16

V

VS10045008.....	M 86
VS10045008R.....	M 86
VS10070008.....	M 86
VS10070008R.....	M 86

W

WA04030601.....	M 8
WA04060501.....	M 8
WA04090501.....	M 8
WA04120501.....	M 8
WB20060301.....	M 29
WB20060401.....	M 29
WB20060801.....	M 29
WB20061501.....	M 29
WB20061671.....	M 29
WB20062001.....	M 29
WB20063331.....	M 29
WB20120301.....	M 29
WB20120801.....	M 29
WB20121001.....	M 29
WB20121651.....	M 29
WB20140801.....	M 29
WB20140802.....	M 29
WB20141001.....	M 29
WB20240301.....	M 29
WB20240401.....	M 29
WB20240501.....	M 29
WB2024050R.....	M 29
WB20240801.....	M 29
WB20280401.....	M 29
WB28061501.....	M 31
WB28061671.....	M 31
WB28062001.....	M 31
WB28062501.....	M 31
WB28063171.....	M 31
WB28063331.....	M 31
WB28065001.....	M 31
WB28068301.....	M 31
WB28071001.....	M 31
WB28121001.....	M 31
WB28121251.....	M 31
WB28121651.....	M 31
WB28121831.....	M 31
WB28122501.....	M 31
WB28124001.....	M 31
WB28140801.....	M 31
WB28141901.....	M 31

WB28142401.....	M 31
WB28142701.....	M 31
WB28240801.....	M 31
WB28241251.....	M 31
WB28241651.....	M 31
WB28242081.....	M 31
WB28280601.....	M 31
WB28281001.....	M 31
WB28282001.....	M 31
WB2830002F.....	M 31
WB28320631.....	M 31
WB28600401.....	M 31
WB35120417.....	M 33
WB35120583.....	M 33
WB35120667.....	M 33
WB35120833.....	M 33
WB35121000.....	M 33
WB35121250.....	M 33
WB35121500.....	M 33
WB35121667.....	M 33
WB35130690.....	M 33
WB35240417.....	M 33
WE02050601.....	M 3
WE02050801.....	M 3
WE02051151.....	M 3
WE02120501.....	M 3
WE02240201.....	M 3
WE03030151.....	M 4
WE03050211.....	M 4
WE03050301.....	M 4
WE03050601.....	M 4
WE03050602.....	M 4
WE0305060L.....	M 4
WE03050751.....	M 4
WE03051151.....	M 4
WE03051251.....	M 4
WE03060501.....	M 4
WE03060601.....	M 4
WE03060701.....	M 4
WE03100271.....	M 4
WE03120301.....	M 4
WE03120401.....	M 4
WE03120501.....	M 4
WE03120601.....	M 4
WE03130251.....	M 4
WE03140401.....	M 4
WE03140651.....	M 4
WE03140801.....	M 4
WE03180261.....	M 4
WE03240201.....	M 4
WE03280241.....	M 4
WE03360201.....	M 4
WE04010301.....	M 5
WE04010701.....	M 5
WE04011001.....	M 5
WE04031901.....	M 5
WE04050601.....	M 5
WE04051151.....	M 5
WE04060301.....	M 5
WE04060401.....	M 5
WE04060601.....	M 5
WE04061001.....	M 5
WE04062001.....	M 5
WE04100151.....	M 5
WE04120201.....	M 5
WE04120351.....	M 5
WE04120401.....	M 5
WE04120601.....	M 5
WE04120801.....	M 5
WE04121001.....	M 5
WE04130301.....	M 5

WE04140801.....	M 5
WE04240351.....	M 5
WE04240352.....	M 5
WE04240401.....	M 5
WE04280251.....	M 5
WE04280401.....	M 5
WE04480251.....	M 5
WE05010601.....	M 6
WE05040601.....	M 6
WE05060401.....	M 6
WE05060402.....	M 6
WE05062001.....	M 6
WE05062002.....	M 6
WE05120301.....	M 6
WE05120401.....	M 6
WE05120402.....	M 6
WE05120501.....	M 6
WE05120801.....	M 6
WE05121001.....	M 6
WE05240351.....	M 6
WE05280401.....	M 6
WE05280402.....	M 6
WE06023501.....	M 7
WE06030151.....	M 7
WE06050151.....	M 7
WE06050601.....	M 7
WE06060401.....	M 7
WE06060402.....	M 7
WE06060752.....	M 7
WE06061001.....	M 7
WE06062001.....	M 7
WE06062002.....	M 7
WE06062003.....	M 7
WE06100151.....	M 7
WE06120401.....	M 7
WE06120601.....	M 7
WE06140801.....	M 7
WE06140802.....	M 7
WE06141001.....	M 7
WE06180401.....	M 7
WE06240401.....	M 7
WE06240501.....	M 7
WE06240601.....	M 7
WE06280241.....	M 7
WE06280401.....	M 7
WE06280402.....	M 7
WE06280403.....	M 7
WE06280601.....	M 7
WE06360201.....	M 7
WE06480201.....	M 7
WE06600201.....	M 7
WN03120602.....	M 34
WN04120402.....	M 34
WN04121002.....	M 34
WN04280402.....	M 34
WN05141004.....	M 34
WN05240402.....	M 34
WP04040601.....	M 9
WP04060251.....	M 9
WP04060401.....	M 9
WP04060402.....	M 9
WP04060403.....	M 9
WP04060601.....	M 9
WP04060603.....	M 9
WP04060801.....	M 9
WP04080401.....	M 9
WP04080402.....	M 9
WP04080403.....	M 9
WP04080601.....	M 9
WP04080603.....	M 9
WP04080801.....	M 9

INDEX BAILEY NUMBER

Article number	Page	Article number	Page	Article number	Page
WP04080803	M 9				
WP04120401	M 9				
WP04120402	M 9				
WP04120403	M 9				
WP04120601	M 9				
WP04120603	M 9				
WP04140401	M 9				
WP04140402	M 9				
WP04140403	M 9				
WP04140803	M 9				
WP04240401	M 9				
WR20060301	M 30				
WR20120831	M 30				
WR20140301	M 30				
WR20280301	M 30				
WR20480251	M 30				
WR20600201	M 30				
X					
XWB28122501	M 32				
XWB28122501F	M 32				
XWB28124171	M 32				
XWB28124171F	M 32				
XWB28124172	M 32				
XWB28124172F	M 32				
XWB28125001	M 32				
XWB28125001F	M 32				
XWB28125831	M 32				
XWB28125831F	M 32				
XWB28242081	M 32				
XWB28242081F	M 32				
XWB28243131	M 32				
XWB28243131F	M 32				
XWB28244171	M 32				
XWB28244171F	M 32				
XWB28282001	M 32				
XWB28282001F	M 32				
Z					
ZSILICT114A	M 149				
ZSILICT114B	M 149				
ZSILICT114G	M 149				
ZSILICT114R	M 149				
ZSILICT114Y	M 149				
ZSILICT134A	M 149				
ZSILICT134B	M 149				
ZSILICT134G	M 149				
ZSILICT134R	M 149				
ZSILICT134Y	M 149				
ZSILICT1A	M 149				
ZSILICT1B	M 149				
ZSILICT1G	M 149				
ZSILICT1R	M 149				
ZSILICT1Y	M 149				
ZSILICT314A	M 149				
ZSILICT314B	M 149				
ZSILICT314G	M 149				
ZSILICT314R	M 149				
ZSILICT314Y	M 149				

INDEX UNIQUE NUMBER/BAILEY NUMBER

Unique number	Bailey number	Page	Unique number	Bailey number	Page
1112	WB28121001	M 31	375	MF06030151	M 21
1177	E28036085	M 79	376	MF06280601	M 22
1309	E28012183	M 78	377	MF06060751	M 21
1487	E28014200	M 78	378	MS06062002	M 26
158	WB28142401	M 31	379	MG06062002	M 23
159	WB28061501	M 31	380	MF06060402	M 21
1705	WE06140802	M 7	381	MF06062002	M 21
1730	WE06060401	M 7	382	MF06140801	M 22
1739	WE06060752	M 7	385	MF06280402	M 22
1764	WE06280403	M 7	386	MG06140802	M 23
1764LSV	WE06280601	M 7	387	MF06280403	M 22
1768	MS06062001	M 26	388	MG06280403	M 24
1784	WE06062001	M 7	394	MF06120401	M 21
1813	B28014100	M 64	397	MG06100401	M 23
1815	B28014200	M 64	398	MG06062003	M 23
1820	B28028100	M 64	399	MS06280401	M 27
1823	E28048100	M 80	40	E28006150	M 78
1826	B28018170	M 64	400	WB28281001	M 31
1829	B28028070	M 64	4032	BP24120401	M 14
1835	B28055050	M 65	411	E28006060	M 77
1850	B28005090	M 62	43	B28002500	M 62
1864	B28028170	M 64	44	B28006250	M 63
1869	WE06100151	M 7	457	MG06220401	M 23
1873	B28028200	M 64	46	E28006250	M 78
1891	B28014240	M 64	47	B28006150	M 63
2041	WE06240601	M 7	49	B28002060	M 62
2102	WE06180401	M 7	501	WB28124001	M 31
2112	WE06062003	M 7	504	WB28122501	M 31
2114	WE04060601	M 5	515	WE04051151	M 5
2135	WE04010301	M 5	516	WB28063331	M 31
2158	WE06030151	M 7	5682	MS06140501	M 27
2162	WE06141001	M 7	583	WE04050601	M 5
2169	WE06023501	M 7	6022	WE03050211	M 4
2174	WE06120401	M 7	6033	WE06280241	M 7
2176	WE06240501	M 7	6201	MG06600201	M 24
2180	WE06060402	M 7	634	WE04062001	M 5
2181	WE06062002	M 7	640	B24006300	M 70
2182	WE06140801	M 7	641	B24006500	M 70
2185	WE06280401	M 7	643	B24012185	M 70
2187	WE06280402	M 7	655	WB28282001	M 31
2200	WE06050601	M 7	656	WB28280601	M 31
222	EL0225250	M 94	658	WB28140801	M 31
253	MG0602350L	M 23	680	WE03050601	M 4
259	WB28062501	M 31	683	WE03050602	M 4
266	MG06023501	M 23	6833	WE02050601	M 3
268	MF06023501	M 21	6838	WE03280241	M 4
280	MS06121271	M 26	6839	MF03280241	M 18
3024	MF03120301	M 18	685	MF03050601	M 18
3092	MF03280201	M 18	687	MS06240401	M 27
3094	MF03060401	M 18	698	MG06010601	M 23
32	MF03120601	M 18	7051	WE03120401	M 4
324	WE04031901	M 5	709	MG06100151	M 23
327	MF06280404	M 22	713	WE03050751	M 4
328	MF06062001	M 21	714	MF03050751	M 18
329	MF06030301	M 21	715	WE03051151	M 4
330	MF06140803	M 22	7153	WE02051151	M 3
331	MF06010601	M 21	718	MF03051151	M 18
334	MG06280404	M 24	7205	WE03030151	M 4
334LSV	MG06280601	M 24	7210	WE03050301	M 4
335	MS06280402	M 27	7216	WE03051251	M 4
336	MG06140803	M 23	7218	WE03100271	M 4
337	MG06062001	M 23	7219	WE03120601	M 4
338	MF06020601	M 21	7220	WE03180261	M 4
342	MS06060401	M 26	7241	MF03180261	M 18
344	MF06100151	M 21	73	WB20140801	M 29
345	MF06060401	M 21	73	WB20140802	M 29
349	MF06062003	M 21	7309	BP24060602	M 14
367	MF06100401	M 21	7310	BP24062001	M 14
368	MF06022001	M 21	7312	MS06023501	M 26
370	MF06180401	M 22	7313	MS06030151	M 26
373	MS06140802	M 27	7318	MS06050601	M 26

INDEX UNIQUE NUMBER/BAILEY NUMBER

Unique number	Bailey number	Page
7319.....	MS06051151.....	M 26
7327.....	BP36280402.....	M 15
7328.....	BP36062002.....	M 15
7330.....	BP36140802.....	M 15
7333.....	MF06050602.....	M 21
7335.....	MF06051151.....	M 21
7347.....	MG06050602.....	M 23
7349.....	BP36062003.....	M 15
7351.....	MG06060402.....	M 23
7352.....	MG06061502.....	M 23
7354.....	MG06120401.....	M 23
7355.....	MG06280402.....	M 24
7356.....	MG06280651.....	M 24
7361.....	BP36050601.....	M 15
7362.....	BP36051151.....	M 15
7367.....	BP36100401.....	M 15
7370.....	BP36180401.....	M 15
7371.....	BP36120401.....	M 15
7375.....	BP36030151.....	M 15
7377.....	BP36060751.....	M 15
7380.....	BP36060402.....	M 15
7382.....	BP36140801.....	M 15
7387.....	BP36280401.....	M 15
749.....	WE04010701.....	M 5
753.....	WE04120601.....	M 5
754.....	WE04120801.....	M 5
7583.....	BP24050601.....	M 14
7632.....	BP24280401.....	M 14
7646.....	BP24140801.....	M 14
7683.....	BP13050601.....	M 10
770.....	WE04240352.....	M 5
7714 SPECIAL.....	BP137714.....	M 13
7714.....	BP13050751.....	M 10
7715.....	BP13051151.....	M 10
772.....	WE04120351.....	M 5
7748.....	BP36480251.....	M 15
7839 SPECIAL.....	BP137839.....	M 13
7839.....	BP13280241.....	M 10
7868.....	BP36023501.....	M 15
7876.....	BP36280601.....	M 15
7945.....	BP36060401.....	M 15
7968.....	BP36022001.....	M 15
8022.....	MF03050211.....	M 18
8097 SPECIAL.....	BP138097.....	M 13
8097.....	BP13120601.....	M 10
8102.....	MF03010751.....	M 18
8111.....	WE03140651.....	M 4
8112.....	MF03140651.....	M 18
8362.....	MS06140801.....	M 27
85.....	WB20280401.....	M 29
8608.....	WE04100151.....	M 5
8627.....	WE04280401.....	M 5
8632.....	MF04280401.....	M 20
8640.....	WE04140801.....	M 5
8661.....	WE04060401.....	M 5
8666.....	WE02050801.....	M 3
8669.....	MS06010601.....	M 26
8691.....	MS06100151.....	M 26
8704.....	MG06020601.....	M 23
8705.....	MG06060401.....	M 23
8708.....	MG06060751.....	M 23
906.....	WB35130690.....	M 33
912.....	WB35121000.....	M 33
917.....	WB35121250.....	M 33
923.....	WB35120833.....	M 33
925.....	WB35121667.....	M 33
987.....	E24012185.....	M 88
KPR102.....	PK0240700.....	M 98
KPR103.....	PK0360750.....	M 98
KPR104.....	PK0220470.....	M 98
KPR112.....	PK0600750.....	M 98

Unique number	Bailey number	Page
KPR113.....	PK0480750.....	M 98
KPR1941.....	PK0475500.....	M 98
KPR5984.....	PK0401000.....	M 98
PR12.....	PR0595500.....	M 96
PR13.....	PR0475500.....	M 96
PR15.....	PR0480500.....	M 96
PR16.....	PR1250250.....	M 96
PR17.....	PR0490300.....	M 96
PR18.....	PR0720500.....	M 96
PR2.....	PR0238500.....	M 96
PR20.....	PR0863500.....	M 96
PR3.....	PR0360500.....	M 96
PR30.....	PR0375860.....	M 96
PR4.....	PR0233270.....	M 96
PR5.....	PR0235350.....	M 96
PR6.....	PR0247300.....	M 96
PR7.....	PR0370300.....	M 96
PR8.....	PR0190650.....	M 96
PR9.....	PR0270150.....	M 96

This catalogue has been composed with our full attention and care and we are convinced that it should be correct at the time of printing. However, Bailey Electric & Electronics bv can never accept any responsibility on descriptions and drawings or any other printing errors.

Bailey Electric & Electronics bv is free to delete or alter lamp types and descriptions.

Photography by Claudia Aaldijk

© Copyright 2009 Bailey Electric & Electronics bv
No contents of this catalogue may be reproduced without prior written approval.



Bailey Electric & Electronics bv
P.O. Box 142
4900 AC Oosterhout NB

Everdenberg 21
4902 TT Oosterhout NB
The Netherlands

tel.: +31 (0) 162 52 24 46
fax: +31 (0) 162 52 25 01
+31 (0) 162 51 84 94

info@bailey.nl
www.bailey.nl