

RIVA : *the longlife quality lamp*



catalogue



TABLE OF CONTENTS


**PART
R**

RIVA

GLS longlife lamps	R2
E27 Reinforced	R2
B22d Reinforced	R4
Ball longlife lamps	R6
E14 Reinforced	R6
E27 Reinforced	R8
Ba15d Reinforced	R10
B22d Reinforced	R12
Candle longlife lamps	R14
E14 Reinforced	R14
Ba15d Reinforced	R16
Oven longlife lamps	R18
Ball - GLS	R18
Sewing machine lamps	R19
E14 - Ba15d	R19



TABLE OF CONTENTS



: the longlife quality lamp


quality lamps | products | about RIVA | contact | home

search by sector | search by application | search by type of lamp

RIVA lamps are used around the world in places where lighting requires special attention.

On this website, you can learn about several application areas and sectors in which RIVA lamps are in use.

Special applications demand good, well-considered solutions. One more reason to choose RIVA.



+31 (0)162 52 24 46



info@riva-lamps.eu

www.riva-lamps.eu

GLS longlife lamps

E27 Reinforced

60X105mm



Bailey type No.	Volt	Watt	Finish	Life	Box Qty
GR270120152/22	12	15	Clear	3000	100
GR270120152F/22	12	15	Frosted	3000	100
GR270120252/22	12	25	Clear	3000	100
GR270120252F/22	12	25	Frosted	3000	100
GR270120402/22	12	40	Clear	3000	100
GR270120402F/22	12	40	Frosted	3000	100
GR270120602/22	12	60	Clear	3000	100
GR270120602F/22	12	60	Frosted	3000	100
GR27012100/22	12	100	Clear	1000	100
GR27012100F/22	12	100	Frosted	1000	100
GR270240154/22	24	15	Clear	5000	100
GR270240154F/22	24	15	Frosted	5000	100
GR270240254/22	24	25	Clear	5000	100
GR270240254F/22	24	25	Frosted	5000	100
GR270240402/22	24	40	Clear	3000	100
GR270240402F/22	24	40	Frosted	3000	100
GR270240602/22	24	60	Clear	3000	100
GR270240602F/22	24	60	Frosted	3000	100
GR270241002/22	24	100	Clear	3000	100
GR270241002F/22	24	100	Frosted	3000	100
GR270420154/22	42	15	Clear	5000	100
GR270420154F/22	42	15	Frosted	5000	100
GR270420254/22	42	25	Clear	5000	100
GR270420254F/22	42	25	Frosted	5000	100
GR270420404/22	42	40	Clear	5000	100
GR270420404F/22	42	40	Frosted	5000	100
GR270420602/22	42	60	Clear	3000	100
GR270420602F/22	42	60	Frosted	3000	100
GR270421002/22	42	100	Clear	3000	100
GR270421002F/22	42	100	Frosted	3000	100



GLS longlife lamps

E27 Reinforced

60X105mm

Bailey type No.	Volt	Watt	Finish	Life	Box Qty
GR270650154/22	65	15	Clear	5000	100
GR270650154F/22	65	15	Frosted	5000	100
GR270650254/22	65	25	Clear	5000	100
GR270650254F/22	65	25	Frosted	5000	100
GR270650404/22	65	40	Clear	5000	100
GR270650404F/22	65	40	Frosted	5000	100
GR270650604/22	65	60	Clear	5000	100
GR270650604F/22	65	60	Frosted	5000	100
GR270651002/22	65	100	Clear	3000	100
GR270651002F/22	65	100	Frosted	3000	100
GR271300154/22	110-130	15	Clear	5000	100
GR271300154F/22	110-130	15	Frosted	5000	100
GR271300254/22	110-130	25	Clear	5000	100
GR271300254F/22	110-130	25	Frosted	5000	100
GR271300404/22	110-130	40	Clear	5000	100
GR271300404F/22	110-130	40	Frosted	5000	100
GR271300604/22	110-130	60	Clear	5000	100
GR271300604F/22	110-130	60	Frosted	5000	100
GR271301004/22	110-130	100	Clear	5000	100
GR271301004F/22	110-130	100	Frosted	5000	100
GR272400154/22	220-240	15	Clear	5000	100
GR272400154F/22	220-240	15	Frosted	5000	100
GR272400254/22	220-240	25	Clear	5000	100
GR272400254F/22	220-240	25	Frosted	5000	100
GR272400404/22	220-240	40	Clear	5000	100
GR272400404F/22	220-240	40	Frosted	5000	100
GR272400604/22	220-240	60	Clear	5000	100
GR272400604F/22	220-240	60	Frosted	5000	100
GR272401004/22	220-240	100	Clear	5000	100
GR272401004F/22	220-240	100	Frosted	5000	100
GR272600154/22	260	15	Clear	5000	100
GR272600154F/22	260	15	Frosted	5000	100
GR272600254/22	260	25	Clear	5000	100
GR272600254F/22	260	25	Frosted	5000	100
GR272600404/22	260	40	Clear	5000	100
GR272600404F/22	260	40	Frosted	5000	100
GR272600604/22	260	60	Clear	5000	100
GR272600604F/22	260	60	Frosted	5000	100
GR272601004/22	260	100	Clear	5000	100
GR272601004F/22	260	100	Frosted	5000	100



GLS longlife lamps

B22d Reinforced

60X105mm



Bailey type No.	Volt	Watt	Finish	Life	Box Qty
GR220120152/22	12	15	Clear	3000	100
GR220120152F/22	12	15	Frosted	3000	100
GR220120252/22	12	25	Clear	3000	100
GR220120252F/22	12	25	Frosted	3000	100
GR220120402/22	12	40	Clear	3000	100
GR220120402F/22	12	40	Frosted	3000	100
GR220120602/22	12	60	Clear	3000	100
GR220120602F/22	12	60	Frosted	3000	100
GR22012100/22	12	100	Clear	1000	100
GR22012100F/22	12	100	Frosted	1000	100
GR220240154/22	24	15	Clear	5000	100
GR220240154F/22	24	15	Frosted	5000	100
GR220240254/22	24	25	Clear	5000	100
GR220240254F/22	24	25	Frosted	5000	100
GR220240402/22	24	40	Clear	3000	100
GR220240402F/22	24	40	Frosted	3000	100
GR220240602/22	24	60	Clear	3000	100
GR220240602F/22	24	60	Frosted	3000	100
GR220241002/22	24	100	Clear	3000	100
GR220241002F/22	24	100	Frosted	3000	100
GR220420154/22	42	15	Clear	5000	100
GR220420154F/22	42	15	Frosted	5000	100
GR220420254/22	42	25	Clear	5000	100
GR220420254F/22	42	25	Frosted	5000	100
GR220420404/22	42	40	Clear	5000	100
GR220420404F/22	42	40	Frosted	5000	100
GR220420602/22	42	60	Clear	3000	100
GR220420602F/22	42	60	Frosted	3000	100
GR220421002/22	42	100	Clear	3000	100
GR220421002F/22	42	100	Frosted	3000	100




GLS longlife lamps B22d Reinforced 60X105mm

Bailey type No.	Volt	Watt	Finish	Life	Box Qty
GR220650154/22	65	15	Clear	5000	100
GR220650154F/22	65	15	Frosted	5000	100
GR220650254/22	65	25	Clear	5000	100
GR220650254F/22	65	25	Frosted	5000	100
GR220650404/22	65	40	Clear	5000	100
GR220650404F/22	65	40	Frosted	5000	100
GR220650604/22	65	60	Clear	5000	100
GR220650604F/22	65	60	Frosted	5000	100
GR220651002/22	65	100	Clear	3000	100
GR220651002F/22	65	100	Frosted	3000	100
GR221300154/22	110-130	15	Clear	5000	100
GR221300154F/22	110-130	15	Frosted	5000	100
GR221300254/22	110-130	25	Clear	5000	100
GR221300254F/22	110-130	25	Frosted	5000	100
GR221300404/22	110-130	40	Clear	5000	100
GR221300404F/22	110-130	40	Frosted	5000	100
GR221300604/22	110-130	60	Clear	5000	100
GR221300604F/22	110-130	60	Frosted	5000	100
GR221301004/22	110-130	100	Clear	5000	100
GR221301004F/22	110-130	100	Frosted	5000	100
GR222400154/22	220-240	15	Clear	5000	100
GR222400154F/22	220-240	15	Frosted	5000	100
GR222400254/22	220-240	25	Clear	5000	100
GR222400254F/22	220-240	25	Frosted	5000	100
GR222400404/22	220-240	40	Clear	5000	100
GR222400404F/22	220-240	40	Frosted	5000	100
GR222400604/22	220-240	60	Clear	5000	100
GR222400604F/22	220-240	60	Frosted	5000	100
GR222401004/22	220-240	100	Clear	5000	100
GR222401004F/22	220-240	100	Frosted	5000	100
GR222600154/22	260	15	Clear	5000	100
GR222600154F/22	260	15	Frosted	5000	100
GR222600254/22	260	25	Clear	5000	100
GR222600254F/22	260	25	Frosted	5000	100
GR222600404/22	260	40	Clear	5000	100
GR222600404F/22	260	40	Frosted	5000	100
GR222600604/22	260	60	Clear	5000	100
GR222600604F/22	260	60	Frosted	5000	100
GR222601004/22	260	100	Clear	5000	100
GR222601004F/22	260	100	Frosted	5000	100

Ball longlife lamps

E14 Reinforced

45X75mm



Bailey type No.	Volt	Watt	Finish	Life	Box Qty
KRE4750120152/22	12	15	Clear	3000	100
KRE4750120152F/22	12	15	Frosted	3000	100
KRE4750120252/22	12	25	Clear	3000	100
KRE4750120252F/22	12	25	Frosted	3000	100
KRE4750120402/22	12	40	Clear	3000	100
KRE4750120402F/22	12	40	Frosted	3000	100
KRE4750120602/22	12	60	Clear	3000	100
KRE4750120602F/22	12	60	Frosted	3000	100
KRE4750240154/22	24	15	Clear	5000	100
KRE4750240154F/22	24	15	Frosted	5000	100
KRE4750240254/22	24	25	Clear	5000	100
KRE4750240254F/22	24	25	Frosted	5000	100
KRE4750240402/22	24	40	Clear	3000	100
KRE4750240402F/22	24	40	Frosted	3000	100
KRE4750240602/22	24	60	Clear	3000	100
KRE4750240602F/22	24	60	Frosted	3000	100
KRE4750420154/22	42	15	Clear	5000	100
KRE4750420154F/22	42	15	Frosted	5000	100
KRE4750420254/22	42	25	Clear	5000	100
KRE4750420254F/22	42	25	Frosted	5000	100
KRE4750420404/22	42	40	Clear	5000	100
KRE4750420404F/22	42	40	Frosted	5000	100
KRE4750420602/22	42	60	Clear	3000	100
KRE4750420602F/22	42	60	Frosted	3000	100
KRE4750650154/22	65	15	Clear	5000	100
KRE4750650154F/22	65	15	Frosted	5000	100
KRE4750650254/22	65	25	Clear	5000	100
KRE4750650254F/22	65	25	Frosted	5000	100
KRE4750650404/22	65	40	Clear	5000	100
KRE4750650404F/22	65	40	Frosted	5000	100



Ball longlife lamps


E14 Reinforced

45X75mm

Bailey type No.	Volt	Watt	Finish	Life	Box Qty
KRE4750650604/22	65	60	Clear	5000	100
KRE4750650604F/22	65	60	Frosted	5000	100
KRE4751300154/22	110-130	15	Clear	5000	100
KRE4751300154F/22	110-130	15	Frosted	5000	100
KRE4751300254/22	110-130	25	Clear	5000	100
KRE4751300254F/22	110-130	25	Frosted	5000	100
KRE4751300404/22	110-130	40	Clear	5000	100
KRE4751300404F/22	110-130	40	Frosted	5000	100
KRE4751300604/22	110-130	60	Clear	5000	100
KRE4751300604F/22	110-130	60	Frosted	5000	100
KRE4752400154/22	220-240	15	Clear	5000	100
KRE4752400154F/22	220-240	15	Frosted	5000	100
KRE4752400254/22	220-240	25	Clear	5000	100
KRE4752400254F/22	220-240	25	Frosted	5000	100
KRE4752400404/22	220-240	40	Clear	5000	100
KRE4752400404F/22	220-240	40	Frosted	5000	100
KRE4752400604/22	220-240	60	Clear	5000	100
KRE4752400604F/22	220-240	60	Frosted	5000	100
KRE4752600154/22	260	15	Clear	5000	100
KRE4752600154F/22	260	15	Frosted	5000	100
KRE4752600254/22	260	25	Clear	5000	100
KRE4752600254F/22	260	25	Frosted	5000	100
KRE4752600404/22	260	40	Clear	5000	100
KRE4752600404F/22	260	40	Frosted	5000	100
KRE4752600604/22	260	60	Clear	5000	100
KRE4752600604F/22	260	60	Frosted	5000	100



Ball longlife lamps E27 Reinforced 45X75mm



Bailey type No.	Volt	Watt	Finish	Life	Box Qty
KRE7750120152/22	12	15	Clear	3000	100
KRE7750120152F/22	12	15	Frosted	3000	100
KRE7750120252/22	12	25	Clear	3000	100
KRE7750120252F/22	12	25	Frosted	3000	100
KRE7750120402/22	12	40	Clear	3000	100
KRE7750120402F/22	12	40	Frosted	3000	100
KRE7750120602/22	12	60	Clear	3000	100
KRE7750120602F/22	12	60	Frosted	3000	100
KRE7750240154/22	24	15	Clear	5000	100
KRE7750240154F/22	24	15	Frosted	5000	100
KRE7750240254/22	24	25	Clear	5000	100
KRE7750240254F/22	24	25	Frosted	5000	100
KRE7750240402/22	24	40	Clear	3000	100
KRE7750240402F/22	24	40	Frosted	3000	100
KRE7750240602/22	24	60	Clear	3000	100
KRE7750240602F/22	24	60	Frosted	3000	100
KRE7750420154/22	42	15	Clear	5000	100
KRE7750420154F/22	42	15	Frosted	5000	100
KRE7750420254/22	42	25	Clear	5000	100
KRE7750420254F/22	42	25	Frosted	5000	100
KRE7750420404/22	42	40	Clear	5000	100
KRE7750420404F/22	42	40	Frosted	5000	100
KRE7750420602/22	42	60	Clear	3000	100
KRE7750420602F/22	42	60	Frosted	3000	100
KRE7750650154/22	65	15	Clear	5000	100
KRE7750650154F/22	65	15	Frosted	5000	100
KRE7750650254/22	65	25	Clear	5000	100
KRE7750650254F/22	65	25	Frosted	5000	100
KRE7750650404/22	65	40	Clear	5000	100
KRE7750650404F/22	65	40	Frosted	5000	100



Ball longlife lamps

E27 Reinforced

45X75mm

Bailey type No.	Volt	Watt	Finish	Life	Box Qty
KRE7750650604/22	65	60	Clear	5000	100
KRE7750650604F/22	65	60	Frosted	5000	100
KRE7751300154/22	110-130	15	Clear	5000	100
KRE7751300154F/22	110-130	15	Frosted	5000	100
KRE7751300254/22	110-130	25	Clear	5000	100
KRE7751300254F/22	110-130	25	Frosted	5000	100
KRE7751300404/22	110-130	40	Clear	5000	100
KRE7751300404F/22	110-130	40	Frosted	5000	100
KRE7751300604/22	110-130	60	Clear	5000	100
KRE7751300604F/22	110-130	60	Frosted	5000	100
KRE7752400154/22	220-240	15	Clear	5000	100
KRE7752400154F/22	220-240	15	Frosted	5000	100
KRE7752400254/22	220-240	25	Clear	5000	100
KRE7752400254F/22	220-240	25	Frosted	5000	100
KRE7752400404/22	220-240	40	Clear	5000	100
KRE7752400404F/22	220-240	40	Frosted	5000	100
KRE7752400604/22	220-240	60	Clear	5000	100
KRE7752400604F/22	220-240	60	Frosted	5000	100
KRE7752600154/22	260	15	Clear	5000	100
KRE7752600154F/22	260	15	Frosted	5000	100
KRE7752600254/22	260	25	Clear	5000	100
KRE7752600254F/22	260	25	Frosted	5000	100
KRE7752600404/22	260	40	Clear	5000	100
KRE7752600404F/22	260	40	Frosted	5000	100
KRE7752600604/22	260	60	Clear	5000	100
KRE7752600604F/22	260	60	Frosted	5000	100



Ball longlife lamps

Ba15d Reinforced

45X75mm



Bailey type No.	Volt	Watt	Finish	Life	Box Qty
KRB5750120152/22	12	15	Clear	3000	100
KRB5750120152F/22	12	15	Frosted	3000	100
KRB5750120252/22	12	25	Clear	3000	100
KRB5750120252F/22	12	25	Frosted	3000	100
KRB5750120402/22	12	40	Clear	3000	100
KRB5750120402F/22	12	40	Frosted	3000	100
KRB5750120602/22	12	60	Clear	3000	100
KRB5750120602F/22	12	60	Frosted	3000	100
KRB5750240254/22	24	25	Clear	5000	100
KRB5750240254F/22	24	25	Frosted	5000	100
KRB5750240402/22	24	40	Clear	3000	100
KRB5750240402F/22	24	40	Frosted	3000	100
KRB5750240602/22	24	60	Clear	3000	100
KRB5750240602F/22	24	60	Frosted	3000	100
KRB5750420154/22	42	15	Clear	5000	100
KRB5750420154F/22	42	15	Frosted	5000	100
KRB5750420254F/22	42	25	Frosted	5000	100
KRB5750420254F/22	42	25	Frosted	5000	100
KRB5750420404/22	42	40	Clear	5000	100
KRB5750420404F/22	42	40	Frosted	5000	100
KRB5750420602/22	42	60	Clear	3000	100
KRB5750420602F/22	42	60	Frosted	3000	100
KRB5750650154/22	65	15	Clear	5000	100
KRB5750650154F/22	65	15	Frosted	5000	100
KRB5750650254/22	65	25	Clear	5000	100
KRB5750650254F/22	65	25	Frosted	5000	100
KRB5750650404/22	65	40	Clear	5000	100
KRB5750650404F/22	65	40	Frosted	5000	100
KRB5750650604/22	65	60	Clear	5000	100
KRB5750650604F/22	65	60	Frosted	5000	100



Ball longlife lamps

Ba15d Reinforced

45X75mm

Bailey type No.	Volt	Watt	Finish	Life	Box Qty
KRB5751300154/22	110-130	15	Clear	5000	100
KRB5751300154F/22	110-130	15	Frosted	5000	100
KRB5751300254/22	110-130	25	Clear	5000	100
KRB5751300254F/22	110-130	25	Frosted	5000	100
KRB5751300404/22	110-130	40	Clear	5000	100
KRB5751300404F/22	110-130	40	Frosted	5000	100
KRB5751300604/22	110-130	60	Clear	5000	100
KRB5751300604F/22	110-130	60	Frosted	5000	100
KRB5752400154/22	220-240	15	Clear	5000	100
KRB5752400154F/22	220-240	15	Frosted	5000	100
KRB5752400254/22	220-240	25	Clear	5000	100
KRB5752400254F/22	220-240	25	Frosted	5000	100
KRB5752400404/22	220-240	40	Clear	5000	100
KRB5752400404F/22	220-240	40	Frosted	5000	100
KRB5752400604/22	220-240	60	Clear	5000	100
KRB5752400604F/22	220-240	60	Frosted	5000	100
KRB5752600154/22	260	15	Clear	5000	100
KRB5752600154F/22	260	15	Frosted	5000	100
KRB5752600254/22	260	25	Clear	5000	100
KRB5752600254F/22	260	25	Frosted	5000	100
KRB5752600404/22	260	40	Clear	5000	100
KRB5752600404F/22	260	40	Frosted	5000	100
KRB5752600604/22	260	60	Clear	5000	100
KRB5752600604F/22	260	60	Frosted	5000	100



Ball longlife lamps

B22d Reinforced

45X75mm



Bailey type No.	Volt	Watt	Finish	Life	Box Qty
KRB2750120152/22	12	15	Clear	3000	100
KRB2750120152F/22	12	15	Frosted	3000	100
KRB2750120252/22	12	25	Clear	3000	100
KRB2750120252F/22	12	25	Frosted	3000	100
KRB2750120402/22	12	40	Clear	3000	100
KRB2750120402F/22	12	40	Frosted	3000	100
KRB2750120602/22	12	60	Clear	3000	100
KRB2750120602F/22	12	60	Frosted	3000	100
KRB2750240254/22	24	25	Clear	5000	100
KRB2750240254F/22	24	25	Frosted	5000	100
KRB2750240402/22	24	40	Clear	3000	100
KRB2750240402F/22	24	40	Frosted	3000	100
KRB2750240602/22	24	60	Clear	3000	100
KRB2750240602F/22	24	60	Frosted	3000	100
KRB2750420154/22	42	15	Clear	5000	100
KRB2750420154F/22	42	15	Frosted	5000	100
KRB2750420254F/22	42	25	Frosted	5000	100
KRB2750420254F/22	42	25	Frosted	5000	100
KRB2750420404/22	42	40	Clear	5000	100
KRB2750420404F/22	42	40	Frosted	5000	100
KRB2750420602/22	42	60	Clear	3000	100
KRB2750420602F/22	42	60	Frosted	3000	100
KRB2750650154/22	65	15	Clear	5000	100
KRB2750650154F/22	65	15	Frosted	5000	100
KRB2750650254/22	65	25	Clear	5000	100
KRB2750650254F/22	65	25	Frosted	5000	100
KRB2750650404/22	65	40	Clear	5000	100
KRB2750650404F/22	65	40	Frosted	5000	100
KRB2750650604/22	65	60	Clear	5000	100
KRB2750650604F/22	65	60	Frosted	5000	100



Ball longlife lamps

B22d Reinforced

45X75mm

Bailey type No.	Volt	Watt	Finish	Life	Box Qty
KRB2751300154/22	110-130	15	Clear	5000	100
KRB2751300154F/22	110-130	15	Frosted	5000	100
KRB2751300254/22	110-130	25	Clear	5000	100
KRB2751300254F/22	110-130	25	Frosted	5000	100
KRB2751300404/22	110-130	40	Clear	5000	100
KRB2751300404F/22	110-130	40	Frosted	5000	100
KRB2751300604/22	110-130	60	Clear	5000	100
KRB2751300604F/22	110-130	60	Frosted	5000	100
KRB2752400154/22	220-240	15	Clear	5000	100
KRB2752400154F/22	220-240	15	Frosted	5000	100
KRB2752400254/22	220-240	25	Clear	5000	100
KRB2752400254F/22	220-240	25	Frosted	5000	100
KRB2752400404/22	220-240	40	Clear	5000	100
KRB2752400404F/22	220-240	40	Frosted	5000	100
KRB2752400604/22	220-240	60	Clear	5000	100
KRB2752400604F/22	220-240	60	Frosted	5000	100
KRB2752600154/22	260	15	Clear	5000	100
KRB2752600154F/22	260	15	Frosted	5000	100
KRB2752600254/22	260	25	Clear	5000	100
KRB2752600254F/22	260	25	Frosted	5000	100
KRB2752600404/22	260	40	Clear	5000	100
KRB2752600404F/22	260	40	Frosted	5000	100
KRB2752600604/22	260	60	Clear	5000	100
KRB2752600604F/22	260	60	Frosted	5000	100



Candle longlife lamps

E14 Reinforced

35X100mm



Bailey type No.	Volt	Watt	Finish	Life	Box Qty
CRE4980120152/22	12	15	Clear	3000	100
CRE4980120152F/22	12	15	Frosted	3000	100
CRE4980120252/22	12	25	Clear	3000	100
CRE4980120252F/22	12	25	Frosted	3000	100
CRE4980120402/22	12	40	Clear	3000	100
CRE4980120402F/22	12	40	Frosted	3000	100
CRE4980120602/22	12	60	Clear	3000	100
CRE4980120602F/22	12	60	Frosted	3000	100
CRE4980240154/22	24	15	Clear	5000	100
CRE4980240154F/22	24	15	Frosted	5000	100
CRE4980240254/22	24	25	Clear	5000	100
CRE4980240254F/22	24	25	Frosted	5000	100
CRE4980240402/22	24	40	Clear	3000	100
CRE4980240402F/22	24	40	Frosted	3000	100
CRE4980240602/22	24	60	Clear	3000	100
CRE4980240602F/22	24	60	Frosted	3000	100
CRE4980420154/22	42	15	Clear	5000	100
CRE4980420154F/22	42	15	Frosted	5000	100
CRE4980420254/22	42	25	Clear	5000	100
CRE4980420254F/22	42	25	Frosted	5000	100
CRE4980420404/22	42	40	Clear	5000	100
CRE4980420404F/22	42	40	Frosted	5000	100
CRE4980420602/22	42	60	Clear	3000	100
CRE4980420602F/22	42	60	Frosted	3000	100
CRE4980650154/22	65	15	Clear	5000	100
CRE4980650154F/22	65	15	Frosted	5000	100
CRE4980650254/22	65	25	Clear	5000	100
CRE4980650254F/22	65	25	Frosted	5000	100
CRE4980650404/22	65	40	Clear	5000	100
CRE4980650404F/22	65	40	Frosted	5000	100



Candle longlife lamps

E14 Reinforced

35X100mm

Bailey type No.	Volt	Watt	Finish	Life	Box Qty
CRE4980650604/22	65	60	Clear	5000	100
CRE4980650604F/22	65	60	Frosted	5000	100
CRE4981300154/22	110-130	15	Clear	5000	100
CRE4981300154F/22	110-130	15	Frosted	5000	100
CRE4981300254/22	110-130	25	Clear	5000	100
CRE4981300254F/22	110-130	25	Frosted	5000	100
CRE4981300404/22	110-130	40	Clear	5000	100
CRE4981300404F/22	110-130	40	Frosted	5000	100
CRE4981300604/22	110-130	60	Clear	5000	100
CRE4981300604F/22	110-130	60	Frosted	5000	100
CRE4982400154/22	220-240	15	Clear	5000	100
CRE4982400154F/22	220-240	15	Frosted	5000	100
CRE4982400254/22	220-240	25	Clear	5000	100
CRE4982400254F/22	220-240	25	Frosted	5000	100
CRE4982400404/22	220-240	40	Clear	5000	100
CRE4982400404F/22	220-240	40	Frosted	5000	100
CRE4982400604/22	220-240	60	Clear	5000	100
CRE4982400604F/22	220-240	60	Frosted	5000	100
CRE4982600154/22	260	15	Clear	5000	100
CRE4982600154F/22	260	15	Frosted	5000	100
CRE4982600254/22	260	25	Clear	5000	100
CRE4982600254F/22	260	25	Frosted	5000	100
CRE4982600404/22	260	40	Clear	5000	100
CRE4982600404F/22	260	40	Frosted	5000	100
CRE4982600604/22	260	60	Clear	5000	100
CRE4982600604F/22	260	60	Frosted	5000	100



Candle longlife lamps

Ba15d Reinforced

35X100mm



Bailey type No.	Volt	Watt	Finish	Life	Box Qty
CRB5980120152/22	12	15	Clear	3000	100
CRB5980120152F/22	12	15	Frosted	3000	100
CRB5980120252/22	12	25	Clear	3000	100
CRB5980120252F/22	12	25	Frosted	3000	100
CRB5980120402/22	12	40	Clear	3000	100
CRB5980120402F/22	12	40	Frosted	3000	100
CRB5980120602/22	12	60	Clear	3000	100
CRB5980120602F/22	12	60	Frosted	3000	100
CRB5980240154/22	24	15	Clear	5000	100
CRB5980240154F/22	24	15	Frosted	5000	100
CRB5980240254/22	24	25	Clear	5000	100
CRB5980240254F/22	24	25	Frosted	5000	100
CRB5980240402/22	24	40	Clear	3000	100
CRB5980240402F/22	24	40	Frosted	3000	100
CRB5980240602/22	24	60	Clear	3000	100
CRB5980240602F/22	24	60	Frosted	3000	100
CRB5980420154/22	42	15	Clear	5000	100
CRB5980420154F/22	42	15	Frosted	5000	100
CRB5980420254/22	42	25	Clear	5000	100
CRB5980420254F/22	42	25	Frosted	5000	100
CRB5980420404/22	42	40	Clear	5000	100
CRB5980420404F/22	42	40	Frosted	5000	100
CRB5980420602/22	42	60	Clear	3000	100
CRB5980420602F/22	42	60	Frosted	3000	100
CRB5980650154/22	65	15	Clear	5000	100
CRB5980650154F/22	65	15	Frosted	5000	100
CRB5980650254/22	65	25	Clear	5000	100
CRB5980650254F/22	65	25	Frosted	5000	100
CRB5980650404/22	65	40	Clear	5000	100
CRB5980650404F/22	65	40	Frosted	5000	100



Candle longlife lamps

Ba15d Reinforced


35X100mm

Bailey type No.	Volt	Watt	Finish	Life	Box Qty
CRB5980650604/22	65	60	Clear	5000	100
CRB5980650604F/22	65	60	Frosted	5000	100
CRB5981300154/22	110-130	15	Clear	5000	100
CRB5981300154F/22	110-130	15	Frosted	5000	100
CRB5981300254/22	110-130	25	Clear	5000	100
CRB5981300254F/22	110-130	25	Frosted	5000	100
CRB5981300404/22	110-130	40	Clear	5000	100
CRB5981300404F/22	110-130	40	Frosted	5000	100
CRB5981300604/22	110-130	60	Clear	5000	100
CRB5981300604F/22	110-130	60	Frosted	5000	100
CRB5982400154/22	220-240	15	Clear	5000	100
CRB5982400154F/22	220-240	15	Frosted	5000	100
CRB5982400254/22	220-240	25	Clear	5000	100
CRB5982400254F/22	220-240	25	Frosted	5000	100
CRB5982400404/22	220-240	40	Clear	5000	100
CRB5982400404F/22	220-240	40	Frosted	5000	100
CRB5982400604/22	220-240	60	Clear	5000	100
CRB5982400604F/22	220-240	60	Frosted	5000	100
CRB5982600154/22	260	15	Clear	5000	100
CRB5982600154F/22	260	15	Frosted	5000	100
CRB5982600254/22	260	25	Clear	5000	100
CRB5982600254F/22	260	25	Frosted	5000	100
CRB5982600404/22	260	40	Clear	5000	100
CRB5982600404F/22	260	40	Frosted	5000	100
CRB5982600604/22	260	60	Clear	5000	100
CRB5982600604F/22	260	60	Frosted	5000	100

Oven longlife lamps

Ball - GLS

300° - 500° Celsius




Bailey type No.	Volt	Watt	Base	Shape	Finish	° Celsius	Box Qty
KCE475024040F/22	24	40	E14	Ball	Frosted	300	100
KCE775024040/22	24	40	E27	Ball	Clear	300	100
KCE775024040F/22	24	40	E27	Ball	Frosted	300	100
KCE775240025500/22	240	25	E27	Ball	Clear	500	100
KCE775240040500/22	240	40	E27	Ball	Clear	500	100
GC27024060/22	24	60	E27	GLS	Clear	300	100
GC27024060F/22	24	60	E27	GLS	Frosted	300	100
GC27024100/22	24	100	E27	GLS	Clear	300	100
GC27240040/22	240	40	E27	GLS	Clear	300	100
GC27240060F/22	240	60	E27	GLS	Frosted	300	100
GC27240100/22	240	100	E27	GLS	Clear	300	100
GC27240100500/22	240	100	E27	GLS	Clear	500	100
GC22240040/22	240	40	B22d	GLS	Clear	300	100
GC22240060/22	240	60	B22d	GLS	Clear	300	100

Sewing machine lamps

E14 - Ba15d

Tube



Bailey type No.	Volt	Watt	Base	Finish	d (mm)	l (mm)	Box Qty
SM451240015/22	220-235	15	E14	Clear	22	51	100
SM457240015F/22	220-235	15	E14	Frosted	22	57	100
SM457240020F/22	220-235	20	E14	Frosted	22	57	100
SM463240020F/22	220-235	20	E14	Frosted	22	63	100
SM463240025F/22	220-235	25	E14	Frosted	22	63	100
SM557240015F/22	220-235	15	Ba15d	Frosted	22	57	100
SM557240020F/22	220-235	20	Ba15d	Frosted	22	57	100
SM557240025/22	220-235	25	Ba15d	Clear	22	57	100
SM557240025F/22	220-235	25	Ba15d	Frosted	22	57	100



INDEX BAILEY NUMBER

Article number	Page	Article number	Page	Article number	Page
C					
CRB5980120152/22	R 16	CRE4980240602/22	R 14	GR220241002/22	R 4
CRB5980120152F/22	R 16	CRE4980240602F/22	R 14	GR220241002F/22	R 4
CRB5980120252/22	R 16	CRE4980420154/22	R 14	GR220420154/22	R 4
CRB5980120252F/22	R 16	CRE4980420154F/22	R 14	GR220420154F/22	R 4
CRB5980120402/22	R 16	CRE4980420254/22	R 14	GR220420254/22	R 4
CRB5980120402F/22	R 16	CRE4980420254F/22	R 14	GR220420254F/22	R 4
CRB5980120602/22	R 16	CRE4980420404/22	R 14	GR220420404/22	R 4
CRB5980120602F/22	R 16	CRE4980420404F/22	R 14	GR220420404F/22	R 4
CRB5980240154/22	R 16	CRE4980420602/22	R 14	GR220420602/22	R 4
CRB5980240154F/22	R 16	CRE4980420602F/22	R 14	GR220420602F/22	R 4
CRB5980240254/22	R 16	CRE4980650154/22	R 14	GR220421002/22	R 4
CRB5980240254F/22	R 16	CRE4980650154F/22	R 14	GR220421002F/22	R 4
CRB5980240402/22	R 16	CRE4980650254/22	R 14	GR220650154/22	R 5
CRB5980240402F/22	R 16	CRE4980650254F/22	R 14	GR220650154F/22	R 5
CRB5980240602/22	R 16	CRE4980650404/22	R 14	GR220650254/22	R 5
CRB5980240602F/22	R 16	CRE4980650404F/22	R 14	GR220650254F/22	R 5
CRB5980420154/22	R 16	CRE4980650604/22	R 15	GR220650404/22	R 5
CRB5980420154F/22	R 16	CRE4980650604F/22	R 15	GR220650404F/22	R 5
CRB5980420254/22	R 16	CRE4981300154/22	R 15	GR220650604/22	R 5
CRB5980420254F/22	R 16	CRE4981300154F/22	R 15	GR220650604F/22	R 5
CRB5980420404/22	R 16	CRE4981300254/22	R 15	GR220651002/22	R 5
CRB5980420404F/22	R 16	CRE4981300254F/22	R 15	GR220651002F/22	R 5
CRB5980420602/22	R 16	CRE4981300404/22	R 15	GR221300154/22	R 5
CRB5980420602F/22	R 16	CRE4981300404F/22	R 15	GR221300154F/22	R 5
CRB5980650154/22	R 16	CRE4981300604/22	R 15	GR221300254/22	R 5
CRB5980650154F/22	R 16	CRE4981300604F/22	R 15	GR221300254F/22	R 5
CRB5980650254/22	R 16	CRE4982400154/22	R 15	GR221300404/22	R 5
CRB5980650254F/22	R 16	CRE4982400154F/22	R 15	GR221300404F/22	R 5
CRB5980650404/22	R 16	CRE4982400254/22	R 15	GR221300604/22	R 5
CRB5980650404F/22	R 16	CRE4982400254F/22	R 15	GR221300604F/22	R 5
CRB5980650604/22	R 17	CRE4982400404/22	R 15	GR221301004/22	R 5
CRB5980650604F/22	R 17	CRE4982400404F/22	R 15	GR221301004F/22	R 5
CRB5981300154/22	R 17	CRE4982400604/22	R 15	GR222400154/22	R 5
CRB5981300154F/22	R 17	CRE4982400604F/22	R 15	GR222400154F/22	R 5
CRB5981300254/22	R 17	CRE4982600154/22	R 15	GR222400254/22	R 5
CRB5981300254F/22	R 17	CRE4982600154F/22	R 15	GR222400254F/22	R 5
CRB5981300404/22	R 17	CRE4982600254/22	R 15	GR222400404/22	R 5
CRB5981300404F/22	R 17	CRE4982600254F/22	R 15	GR222400404F/22	R 5
CRB5981300604/22	R 17	CRE4982600404/22	R 15	GR222400604/22	R 5
CRB5981300604F/22	R 17	CRE4982600404F/22	R 15	GR222400604F/22	R 5
CRB5982400154/22	R 17	CRE4982600604/22	R 15	GR222401004/22	R 5
CRB5982400154F/22	R 17	CRE4982600604F/22	R 15	GR222401004F/22	R 5
CRB5982400254/22	R 17	G		GR222600154/22	R 5
CRB5982400254F/22	R 17	GC22240040/22	R 18	GR222600154F/22	R 5
CRB5982400404/22	R 17	GC22240060/22	R 18	GR222600254/22	R 5
CRB5982400404F/22	R 17	GC27024060/22	R 18	GR222600254F/22	R 5
CRB5982400604/22	R 17	GC27024060F/22	R 18	GR222600404/22	R 5
CRB5982400604F/22	R 17	GC27024100/22	R 18	GR222600404F/22	R 5
CRB5982600154/22	R 17	GC27240040/22	R 18	GR222600604/22	R 5
CRB5982600154F/22	R 17	GC27240060F/22	R 18	GR222601004/22	R 5
CRB5982600254/22	R 17	GC27240100/22	R 18	GR222601004F/22	R 5
CRB5982600254F/22	R 17	GC27240100500/22	R 18	GR270120152/22	R 2
CRB5982600404/22	R 17	GR220120152/22	R 4	GR270120152F/22	R 2
CRB5982600404F/22	R 17	GR220120152F/22	R 4	GR270120252/22	R 2
CRB5982600604/22	R 17	GR220120252/22	R 4	GR270120252F/22	R 2
CRB5982600604F/22	R 17	GR220120402/22	R 4	GR270120402/22	R 2
CRE4980120152/22	R 14	GR220120402F/22	R 4	GR270120602/22	R 2
CRE4980120152F/22	R 14	GR220120602/22	R 4	GR270120602F/22	R 2
CRE4980120252/22	R 14	GR220120602F/22	R 4	GR27012100/22	R 2
CRE4980120252F/22	R 14	GR22012100/22	R 4	GR27012100F/22	R 2
CRE4980120402/22	R 14	GR22012100F/22	R 4	GR270240154/22	R 2
CRE4980120402F/22	R 14	GR220240154/22	R 4	GR270240154F/22	R 2
CRE4980120602/22	R 14	GR220240154F/22	R 4	GR270240254/22	R 2
CRE4980120602F/22	R 14	GR220240254/22	R 4	GR270240254F/22	R 2
CRE4980240154/22	R 14	GR220240254F/22	R 4	GR270240402/22	R 2
CRE4980240154F/22	R 14	GR220240402/22	R 4	GR270240402F/22	R 2
CRE4980240254/22	R 14	GR220240402F/22	R 4	GR270240602/22	R 2
CRE4980240254F/22	R 14	GR220240602/22	R 4	GR270240602F/22	R 2
CRE4980240402/22	R 14	GR220240602F/22	R 4	GR270241002/22	R 2
CRE4980240402F/22	R 14				



INDEX BAILEY NUMBER

Article number	Page	Article number	Page	Article number	Page
GR270241002F/22	R 2	KRB2750240602F/22	R 12	KRB5751300254/22	R 11
GR270420154/22	R 2	KRB2750420154/22	R 12	KRB5751300254F/22	R 11
GR270420154F/22	R 2	KRB2750420154F/22	R 12	KRB5751300404/22	R 11
GR270420254/22	R 2	KRB2750420254F/22	R 12	KRB5751300404F/22	R 11
GR270420254F/22	R 2	KRB2750420404/22	R 12	KRB5751300604/22	R 11
GR270420404/22	R 2	KRB2750420404F/22	R 12	KRB5751300604F/22	R 11
GR270420404F/22	R 2	KRB2750420602/22	R 12	KRB5752400154/22	R 11
GR270420602/22	R 2	KRB2750420602F/22	R 12	KRB5752400154F/22	R 11
GR270420602F/22	R 2	KRB2750650154/22	R 12	KRB5752400254/22	R 11
GR270421002/22	R 2	KRB2750650154F/22	R 12	KRB5752400254F/22	R 11
GR270421002F/22	R 2	KRB2750650254/22	R 12	KRB5752400404/22	R 11
GR270650154/22	R 3	KRB2750650254F/22	R 12	KRB5752400404F/22	R 11
GR270650154F/22	R 3	KRB2750650404/22	R 12	KRB5752400604/22	R 11
GR270650254/22	R 3	KRB2750650404F/22	R 12	KRB5752600154/22	R 11
GR270650254F/22	R 3	KRB2750650604/22	R 12	KRB5752600154F/22	R 11
GR270650404/22	R 3	KRB2751300154/22	R 13	KRB5752600254/22	R 11
GR270650404F/22	R 3	KRB2751300154F/22	R 13	KRB5752600254F/22	R 11
GR270650604/22	R 3	KRB2751300254/22	R 13	KRB5752600404/22	R 11
GR270650604F/22	R 3	KRB2751300254F/22	R 13	KRB5752600404F/22	R 11
GR270651002/22	R 3	KRB2751300404/22	R 13	KRB5752600604/22	R 11
GR270651002F/22	R 3	KRB2751300404F/22	R 13	KRB5752600604F/22	R 11
GR271300154/22	R 3	KRB2751300604/22	R 13	KRE4750120152/22	R 6
GR271300154F/22	R 3	KRB2751300604F/22	R 13	KRE4750120152F/22	R 6
GR271300254/22	R 3	KRB2752400154/22	R 13	KRE4750120252/22	R 6
GR271300254F/22	R 3	KRB2752400154F/22	R 13	KRE4750120252F/22	R 6
GR271300404/22	R 3	KRB2752400254/22	R 13	KRE4750120402/22	R 6
GR271300404F/22	R 3	KRB2752400254F/22	R 13	KRE4750120402F/22	R 6
GR271300604/22	R 3	KRB2752400404/22	R 13	KRE4750120602/22	R 6
GR271300604F/22	R 3	KRB2752400404F/22	R 13	KRE4750120602F/22	R 6
GR271301004/22	R 3	KRB2752400604/22	R 13	KRE4750240154/22	R 6
GR271301004F/22	R 3	KRB2752400604F/22	R 13	KRE4750240154F/22	R 6
GR272400154/22	R 3	KRB2752600154/22	R 13	KRE4750240254/22	R 6
GR272400154F/22	R 3	KRB2752600154F/22	R 13	KRE4750240254F/22	R 6
GR272400254/22	R 3	KRB2752600254/22	R 13	KRE4750240402/22	R 6
GR272400254F/22	R 3	KRB2752600254F/22	R 13	KRE4750240402F/22	R 6
GR272400404/22	R 3	KRB2752600404/22	R 13	KRE4750240602/22	R 6
GR272400404F/22	R 3	KRB2752600404F/22	R 13	KRE4750420154/22	R 6
GR272400604/22	R 3	KRB2752600604/22	R 13	KRE4750420154F/22	R 6
GR272400604F/22	R 3	KRB2752600604F/22	R 13	KRE4750420254/22	R 6
GR272401004/22	R 3	KRB5750120152/22	R 10	KRE4750420254F/22	R 6
GR272401004F/22	R 3	KRB5750120152F/22	R 10	KRE4750420402/22	R 6
GR272600154/22	R 3	KRB5750120252/22	R 10	KRE4750420602/22	R 6
GR272600154F/22	R 3	KRB5750120252F/22	R 10	KRE4750650154/22	R 6
GR272600254/22	R 3	KRB5750120402/22	R 10	KRE4750650154F/22	R 6
GR272600254F/22	R 3	KRB5750120402F/22	R 10	KRE4750650254/22	R 6
GR272600404/22	R 3	KRB5750120602/22	R 10	KRE4750650254F/22	R 6
GR272600404F/22	R 3	KRB5750120602F/22	R 10	KRE4750650404/22	R 6
GR272600604/22	R 3	KRB5750240254/22	R 10	KRE4750650404F/22	R 6
GR272600604F/22	R 3	KRB5750240254F/22	R 10	KRE4750650604/22	R 7
GR272601004/22	R 3	KRB5750240402/22	R 10	KRE4750650604F/22	R 7
GR272601004F/22	R 3	KRB5750240402F/22	R 10	KRE4751300154/22	R 7
		KRB5750240602/22	R 10	KRE4751300154F/22	R 7
		KRB5750240602F/22	R 10	KRE4751300254/22	R 7
		KRB5750420154/22	R 10	KRE4751300254F/22	R 7
		KRB5750420154F/22	R 10	KRE4751300404/22	R 7
		KRB5750420254/22	R 10	KRE4751300404F/22	R 7
		KRB5750420254F/22	R 10	KRE4751300604/22	R 7
		KRB5750420404/22	R 10	KRE4751300604F/22	R 7
		KRB5750420404F/22	R 10	KRE4752400154/22	R 7
		KRB5750420602/22	R 10	KRE4752400154F/22	R 7
		KRB5750420602F/22	R 10	KRE4752400254/22	R 7
		KRB5750650154/22	R 10	KRE4752400254F/22	R 7
		KRB5750650154F/22	R 10	KRE4752400404/22	R 7
		KRB5750650254/22	R 10	KRE4752400404F/22	R 7
		KRB5750650254F/22	R 10	KRE4752400604/22	R 7
		KRB5750650404/22	R 10	KRE4752400604F/22	R 7
		KRB5750650404F/22	R 10	KRE4752600154/22	R 7
		KRB5750650604/22	R 10		
		KRB5750650604F/22	R 10		
		KRB5751300154/22	R 11		
		KRB5751300154F/22	R 11		

K



INDEX BAILEY NUMBER

Article number	Page	Article number	Page	Article number	Page
KRE4752600154F/22	R 7	SM557240020F/22	R 19		
KRE4752600254/22	R 7	SM557240025/22	R 19		
KRE4752600254F/22	R 7	SM557240025F/22	R 19		
KRE4752600404/22	R 7				
KRE4752600404F/22	R 7				
KRE4752600604/22	R 7				
KRE4752600604F/22	R 7				
KRE7750120152/22	R 8				
KRE7750120152F/22	R 8				
KRE7750120252/22	R 8				
KRE7750120252F/22	R 8				
KRE7750120402/22	R 8				
KRE7750120402F/22	R 8				
KRE7750120602/22	R 8				
KRE7750120602F/22	R 8				
KRE7750240154/22	R 8				
KRE7750240154F/22	R 8				
KRE7750240254/22	R 8				
KRE7750240254F/22	R 8				
KRE7750240402/22	R 8				
KRE7750240402F/22	R 8				
KRE7750240602/22	R 8				
KRE7750240602F/22	R 8				
KRE7750420154/22	R 8				
KRE7750420154F/22	R 8				
KRE7750420254/22	R 8				
KRE7750420254F/22	R 8				
KRE7750420404/22	R 8				
KRE7750420404F/22	R 8				
KRE7750420602/22	R 8				
KRE7750420602F/22	R 8				
KRE7750650154/22	R 8				
KRE7750650154F/22	R 8				
KRE7750650254/22	R 8				
KRE7750650254F/22	R 8				
KRE7750650404/22	R 8				
KRE7750650404F/22	R 8				
KRE7750650604/22	R 9				
KRE7750650604F/22	R 9				
KRE7751300154/22	R 9				
KRE7751300154F/22	R 9				
KRE7751300254/22	R 9				
KRE7751300254F/22	R 9				
KRE7751300404/22	R 9				
KRE7751300404F/22	R 9				
KRE7751300604/22	R 9				
KRE7751300604F/22	R 9				
KRE7752400154/22	R 9				
KRE7752400154F/22	R 9				
KRE7752400254/22	R 9				
KRE7752400254F/22	R 9				
KRE7752400404/22	R 9				
KRE7752400404F/22	R 9				
KRE7752400604/22	R 9				
KRE7752400604F/22	R 9				
KRE7752600154/22	R 9				
KRE7752600154F/22	R 9				
KRE7752600254/22	R 9				
KRE7752600254F/22	R 9				
KRE7752600404/22	R 9				
KRE7752600404F/22	R 9				
KRE7752600604/22	R 9				
KRE7752600604F/22	R 9				
S					
SM451240015/22	R 19				
SM457240015F/22	R 19				
SM457240020F/22	R 19				
SM463240020F/22	R 19				
SM463240025F/22	R 19				
SM557240015F/22	R 19				