



Product Catalogue 2009

Philips tanning lamps

iSOLde

Professional tanning lamps

PHILIPS

Tanning as a way of life

The Philips range consists of a wide variety of tanning lamps that have been designed to suit different skin types and different purposes. They have been manufactured with the most advanced materials and are amongst the best in performance and product standards. Years of research with various medical institutes have established and substantiated our understanding of the effects of UV-rays on the skin. The results of these studies have served as the basis for our outstanding technologies and forward-thinking product development.

Philips' BodyTone range of tanning lamps

Philips BodyTone lamps are available in a choice of three ranges – Regular, Premium and Elite. All are characterized by their great tanning and feel-good features and provide additional benefits as well. The entire range of tanning lamps has been specifically designed to allow manufacturers to build beds according to the new EU guidelines. Even older sun beds can be upgraded right away to provide more skin-friendly tanning.



Regular

- Enjoy a natural tan with confidence
- Feels good on the skin:
 - Less redness
 - Less skin tension
 - Less tanning odor

Premium

- Up to 15% better tanning results
- Enjoy a natural tan with confidence
- Feels good on the skin:
 - Less redness
 - Less skin tension
 - Less tanning odor

Elite

- Up to 30% better tanning results
- 1000 hours consistent output
- Enjoy a natural tan with confidence
- Feels good on the skin:
 - Less redness
 - Less skin tension
 - Less tanning odor
 - Patented phosphor for better tanning results
 - Phosphor coating technology allows for better maintenance

Starter

- With Philips BodyTone starters, you are choosing a safe and reliable ignition. Additional advantages are:
- environmentally-friendly operation
 - up to 25% longer lamp life
 - easy installation



Philips BodyTone X<= 35

	Lamp Wattage	Reflector	XPT	Diameter in mm	Length in mm	UVA W	UVB/ UVA%	Tanning-time in min	Useful life hrs	Ordering code
Philips BodyTone Elite										
Philips BodyTone F71T12 100W / 35 / E	100	No	No	38	1763	32	1,3	18	1000	926521040
Philips BodyTone F71T12 100W-R / 35 / E	100	Yes	No	38	1763	30	0,8	18	1000	926523440
Philips BodyTone Premium										
Philips BodyTone F71T12 100W-R / 35 / P	100	Yes	No	38	1763	30	0,8	18	800	926610140
Philips BodyTone										
Philips BodyTone 40W / 35	40	No	No	38	596	8,1	0,8	18	800	926533340
Philips BodyTone 40W-R / 35	40	Yes	No	38	596	7,6	0,8	18	800	926535740
Philips BodyTone F59T12 80W / 35	80	No	No	38	1506	24	1	15	800	926541840
Philips BodyTone F59T12 80W-R / 35	80	Yes	No	38	1506	22	1	15	800	926548740
Philips BodyTone F71T12 100W / 35	100	No	No	38	1763	31	1	15	800	926550040
Philips BodyTone F71T12 100W-R / 35	100	Yes	No	38	1763	27	1	15	800	926554840
Philips BodyTone F59T12 140W-R / 35 XPT	140	Yes	Yes	38	1506	35	0,8	18	800	926565440
Philips BodyTone F71T12 160W-R / 35	160	Yes	No	38	1763	38	0,5	18	800	926567840
Philips BodyTone F71T12 160W-R / 35 XPT	160	Yes	Yes	38	1763	40	0,5	18	800	926569240
Philips BodyTone F79T12 180W-R / 35 XPT	180	Yes	Yes	38	2000	45	0,5	18	800	926572240

Philips BodyTone X<=45

	Lamp Wattage	Reflector	XPT	Diameter in mm	Length in mm	UVA W	UVB/ UVA%	Tanning-time in min	Useful life hrs	Ordering code
Philips BodyTone Premium										
Philips BodyTone F71T12 100W-R / 45 / P	100	Yes	No	38	1763	28	1,2	13	800	926612540
Philips BodyTone F71T12 160W-R / 45 / P	160	Yes	No	38	1763	41	1,7	13	800	926614940
Philips BodyTone F71T12 160W-R / 45 / P XPT	160	Yes	Yes	38	1763	43	0,7	13	800	926616340
Philips BodyTone F79T12 180W-R / 45 / P XPT	180	Yes	Yes	38	2000	48	0,7	13	800	926618740
Philips BodyTone										
Philips BodyTone F59T12 80W-R / 45	80	Yes	No	38	1506	20	1,4	12	800	926577740
Philips BodyTone F71T12 100W / 45	100	No	No	38	1763	27	1,4	12	800	926579140
Philips BodyTone F71T12 100W-R / 45	100	Yes	No	38	1763	26	1,4	12	800	926581440
Philips BodyTone F71T12 160W / 45	160	No	No	38	1763	39	1,4	10	800	926583840
Philips BodyTone F71T12 160W-R / 45	160	Yes	No	38	1763	39	0,8	13	800	926585240
Philips BodyTone F71T12 160W-R / 45 XPT	160	Yes	Yes	38	2000	44	0,9	13	800	926587640
Philips BodyTone F79T12 180W-R / 45 XPT	180	Yes	Yes	38	2000	45	0,7	13	800	926620040

Philips BodyTone Starter

	Circuit	Mains voltage range	Wattage range	Packaging configuration	Ordering code
Philips BodyTone Starter 15-20W	Single/Series	110-130V/220-240V	15-20W	20*25	990334126
Philips BodyTone Starter 25-100W	Single	220-240V	25-100W	20*25	990370926
				1000	990370928
Philips BodyTone Starter 120-180W	Single	230-240V	120-200W	20*25	990348826
				1000	990348828
Philips BodyTone Starter electronic 15-180W	Single	200-260V	15-180W	20*25	990353226

The CLEO tanning lamps portfolio

CLEO tanning lamps offer high effectiveness throughout their entire lifetime, and, additionally, each individual lamp provides a constant output which means more reliable tanning results.



CLEO lamp diversity

The lamp types: CLEO Advantage, CLEO Swift and CLEO Professional-S offer a very effective, immediate and long-lasting pigmentation. Due to their high UV output, a wonderfully dark tan is reached within a short amount of time. These lamps are particularly suited to shorter tanning sessions.

The lamp types CLEO Professional, CLEO Performance-S and Performance, Effect, CLEO Compact and CLEO Emotions promote gentle tanning. These lamps have immediate tanning results. Because the lamp is milder, they are ideal for people who enjoy longer sessions in the solarium. Additionally, they help people with sensitive skin in achieving long-lasting tans. They are suitable for home and recreational tanning. The high-pressure lamps, CLEO HPA, are characterized by their high power and intensity. They are perfectly adapted to all CLEO low-pressure lamps. The wide range of lamps covers all levels of performance and provides more flexibility while reaching operating temperatures more quickly.

Starter

The CLEO starter range is a complete set which has been designed to perfectly suit the characteristics of the CLEO lamp series. Fast and reliable ignition prolongs the economic life of the lamp. The CLEO starters are safe in handling, UV consistent, insensitive to voltage fluctuations, interference-free and especially environmentally friendly.





Philips CLEO Advantage

	Lamp Watt-age	Reflec-tor	XPT	Dia-meter in mm	Lengt in mm	UVA W	UVB/ UVA%	Tanning-time in min	Useful life hrs	Ordering code
Philips CLEO Advantage F59T12 80W-R	80	Yes	No	38	1506	22	3,1	7	800	986619640
Philips CLEO Advantage F71T12 100W	100	No	No	38	1763	30	3,1	7	800	986566340
Philips CLEO Advantage F71T12 100 W-R	100	Yes	No	38	1763	30	3,1	7	800	971036940
Philips CLEO Advantage F59T12 140W-R XPT	140	Yes	Yes	38	1506	34	3,1	6	800	926313140
Philips CLEO Advantage F71T12 160W-R	160	Yes	No	38	1763	36	3,1	5	800	971038340
Philips CLEO Advantage F71T12 160W-R XPT	160	Yes	Yes	38	1763	42	3,1	5	800	926295040
Philips CLEO Advantage F79T12 235W-R XPT	225 max	Yes	Yes	38	2000	56	3,1	4	800	995088840

Philips CLEO Swift

	Lamp Watt-age	Reflec-tor	XPT	Dia-meter in mm	Lengt in mm	UVA W	UVB/ UVA%	Tanning-time in min	Useful life hrs	Ordering code
Philips CLEO Swift F59T12 80W-R	80	Yes	No	38	1506	24	1,8	8	800	986571740
Philips CLEO Swift F71T12 100W	100	No	No	38	1763	31	2	8	800	986728540
Philips CLEO Swift F71T12 100W-R	100	Yes	No	38	1763	31	1,8	8	800	986617240
Philips CLEO Swift F59T12 140W-R XPT	140	Yes	Yes	38	1506	39	2	7	800	926309440
Philips CLEO Swift F71T12 160W-R	160	Yes	No	38	1763	44	2	6	800	986567040
Philips CLEO Swift F71T12 160W-R XPT	160	Yes	Yes	38	1763	46	2	6	800	926266040
Philips CLEO Swift F79T12 180W-R XPT	180	Yes	Yes	38	2000	51	2	6	800	926435040
Philips CLEO Swift F79T12 200W-R XPT	200	Yes	Yes	38	2000	53	2	6	800	954135240
Philips CLEO Swift F71T12 200W-R XPT	200	Yes	Yes	38	1763	48	2	6	800	989107540
Philips CLEO Swift F79T12 225W-R XPT	225	Yes	Yes	38	2000	59	2	5	800	995039040

Philips CLEO Professional S

	Lamp Watt-age	Reflec-tor	XPT	Dia-meter in mm	Lengt in mm	UVA W	UVB/ UVA%	Tanning-time in min	Useful life hrs	Ordering code
Philips CLEO Professional S F59T12 80W-R	80	Yes	No	38	1506	20	2,4	10	800	964165640
Philips CLEO Professional S F71T12 100W	100	No	No	38	1763	27	2,4	10	800	964169440
Philips CLEO Professional S F71T12 100W-R	100	Yes	No	38	1763	26	2,4	10	800	964171740
Philips CLEO Professional S F59T12 140W-R	140	Yes	No	38	1506	32	2,4	8	800	964111340
Philips CLEO Professional S F71T12 160W-R	160	Yes	No	38	1763	36	2,4	8	800	964113740

Philips CLEO Professional

	Lamp Watt-age	Reflec-tor	XPT	Dia-meter in mm	Lengt in mm	UVA W	UVB/ UVA%	Tanning-time in min	Useful life hrs	Ordering code
Philips CLEO Professional F59T12 80W-R	80	Yes	No	38	1506	20	1,4	12	800	962218140
Philips CLEO Professional F71T12 100W	100	No	No	38	1763	27	1,4	12	800	962219840
Philips CLEO Professional F71T12 100W-R	100	Yes	No	38	1763	26	1,4	12	800	962220440
Philips CLEO Professional F59T12 140W-R	140	Yes	No	38	1506	32	1,4	10	800	962940140
Philips CLEO Professional F71T12 160W-R	160	Yes	No	38	1763	37	1,4	10	800	962934040

Philips CLEO Performance S

	Lamp Wattage	Reflector	XPT	Diameter in mm	Length in mm	Ordering-code
Philips CLEO Performance S F59T12 80W	80	No	No	38	1506	964423740
Philips CLEO Performance S F59T12 80W-R	80	Yes	No	38	1506	964425140
Philips CLEO Performance S F71T12 100W	100	No	No	38	1763	964404640
Philips CLEO Performance S F71T12 100W-R	100	Yes	No	38	1763	964406040

Philips CLEO Performance

	Lamp Wattage	Reflector	XPT	Diameter in mm	Length in mm	Ordering-code
Philips CLEO Performance 40W	40	No	No	38	596	962830540
Philips CLEO Performance 40W-R	40	Yes	No	38	596	962835040
Philips CLEO Performance F59T12 80W	80	No	No	38	1506	962831240
Philips CLEO Performance F59T12 80W-R	80	Yes	No	38	1506	962836740
Philips CLEO Performance F71T12 100W	100	No	No	38	1763	962833640
Philips CLEO Performance F71T12 100W-R	100	Yes	No	38	1763	962838140
Philips CLEO Performance F71T12 160W-R	160	Yes	No	38	1763	963641640
Philips CLEO Progressive F71T12 160W-R XPT	160	Yes	Yes	38	1763	989361140

Philips CLEO Compact S

	Lamp Wattage	Reflector	XPT	Diameter in mm	Length in mm	UVA W	UVB/ UVA%	Tanning-time in min	Useful life hrs	Ordering code
Philips CLEO Compact S 25W	25	No	No	16	524	4,7	2	12	500	962979127
Philips CLEO Compact S 25W-R	25	Yes	No	16	524	4,7	2	12	500	963369927

Philips CLEO Compact

	Lamp Wattage	Reflector	XPT	Diameter in mm	Length in mm	UVA W	UVB/ UVA%	Tanning-time in min	Useful life hrs	Ordering code
Philips CLEO Compact 15W	15	No	No	16	295	2,3	1	16	500	971646027
Philips CLEO Compact 20W	20	No	No	28	444	3,8	1	16	500	961205240
Philips CLEO Compact 25W	25	No	No	16	524	4,7	1	16	500	961911227

Philips CLEO Emotions Active Red

	Lamp Wattage	Reflector	XPT	Diameter in mm	Length in mm	UVA W	UVB/ UVA%	Tanning-time in min	Useful life hrs	Ordering code
Philips CLEO Emot.Active Red F71T12 160W-R XPT	160	Yes	Yes	38	1763	40	2,5	5	800	961202140
Philips CLEO Emot.Active Red F79T12 225W-R XPT	225	Yes	Yes	38	2000	58	2,5	4	800	995086440

Philips CLEO Effect

	Lamp Wattage	Reflector	XPT	Diameter in mm	Length in mm	UVA W	UVB/ UVA%	Tanning-time in min	Useful life hrs	Ordering code
Philips CLEO Effect 90W	90	No	No	28	1507	27	0,9	16	800	955999940
Philips CLEO Effect 90W-R	90	Yes	No	28	1507	24	0,9	16	800	955992040

Philips CLEO HPA

	Lamp Wattage	Main Voltage	Cap/Base	UVA (Radiation 1 hrs. IEC) W	Overall Length in mm	Useful life hrs	Ordering code
Philips CLEO HPA 400 SE	400	230	single ended / GY 9.5	82	126.5 +2	800	919822845
Philips CLEO HPA 400 S	400	230	R7S (clip-in) / R7S	87	117,9	800	919220245
Philips CLEO HPA 400/30 S	400	230	R7S (clip-in) / R7S	94	104	800	919159541
Philips CLEO HPA 400/30 S L	400	230	R7S (clip-in) / R7S	94	106	800	913138841
Philips CLEO HPA 400/30 SD	400	230	R7S (clip-in) / R7S	94	104	800	919165645
Philips CLEO HPA 400/30 SD L	400	230	R7S (clip-in) / R7S	94	106	800	913137141
Philips CLEO HPA 400/30 SC	400	230	cable / Ferrule	94	96 +2	800	919118245
Philips CLEO HPA 400/30 SDC	400	230	cable / Ferrule	94	96 +2	800	919300145
Philips CLEO HPA 250-500 SE FX	250/500	230	single ended / GY 9.5	42/123	113	800	913134045
Philips CLEO HPA 250-500/30 SD	250/500	230	R7S (clip-in) / R7S	51/125	104	800	920184345
Philips CLEO HPA 250-500/30 SD FX	250/500	230	R7S (clip-in) / R7S	51/125	104	800	913132641
Philips CLEO HPA 610 FX	600	230	Contact plate 600	141	141±1	800	921378541
Philips CLEO HPA 620 FX	600	230	cable / cover	141	158±1.5	800	921376145
Philips CLEO HPA 630 FX	600	230	Contact pin 600	141	141±1	800	921380841
Philips CLEO HPA 640 SE FX	400/600	230	single ended / GY 9.5	94/141	113; from cap max 109	800	914211755

Philips CLEO HPA High Wattage

	Lamp Wattage	Main Voltage	Cap/Base	UVA (Radiation 1 hrs. IEC) W	Overall Length in mm	Useful life hrs	Ordering code
Philips CLEO HPA 700 S FX	700	230	R7S (clip-in) / R7S	187	117,9	800	920669541
Philips CLEO HPA 700/800 FX C	700	230	Cable / cover	187	126.5 +2	800	920674931
Philips CLEO HPA 1000 SE	1000	230	Single Ended / Cap GQ 9.5	245	138 (max)	800	919930075
Philips CLEO HPA 1000 SE FX	1000	230	Single Ended / GQ 9.5	245	138 (max)	800	913129645
Philips CLEO HPA 1000 FX	1000	230	Cable / C14X ferrule	243	147 +2	800	938666545
Philips CLEO HPA 1000 S	1000	230	Cable / Ferrule	243	147 +2	800	919109045
Philips CLEO HPA 1010 SE FX	1000	230	Single Ended / Cap GQ 9.5	245	109.5 (max)	800	938670245
Philips CLEO HPA 1040 SE FX	1000	230	Single Ended / Cap GQ 9.5	245	124 (max)	800	913128945
Philips CLEO HPA 1200 S	1200	230	Cable / cover	308	139 +2	800	919130445
Philips CLEO HPA 1200 S FX	1200	230	Cable / C10.5 S cover	308	139 +2	800	938668945
Philips CLEO HPA 1200 FX	1200	400	Cable / C10.5 L cover	308	166 +2	800	913103645
Philips CLEO HPA 1220 FX	1200	400	Cable / C cover	317	137 +3	800	913133345
Philips CLEO HPA 2000 S	2000	400	Cable / C14X ferrule	550	177 +2	800	919127445
Philips CLEO HPA 2000 S FX	2000	400	Cable / C14X ferrule	550	177 +2	800	938667245
Philips CLEO HPA 2020 S	2000	400	Cable / cover	537	185 +3	800	919535745
Philips CLEO HPA 2020 S FX	2000	400	Cable / C10.5 L cover	537	171 +3	800	938665845
Philips CLEO HPA 2040 S FX	2000	230	Cable / C10.5 L cover	576	171 +3	800	920671845

Philips CLEO Starter

	Circuit	Mains voltage range	Wattage range	Packaging configuration	Ordering code
Philips CLEO starter S12	Single	220-240V	115-140W	20*25	990379226
				1000	990379228
Philips CLEO starter S16	Single	230-240V	120-200W	20*25	990356331
				1000	990356328

iSOLde

Professional tanning lamps



iSOLde Licht GmbH, a subsidiary of JW Holding GmbH, Germany, has been the exclusive supplier for the successful Philips tanning range since taking over the business in January of 2009. With its founding, this corporation has laid the groundwork for a professional continuation of the 25 years of success that the world-renowned Philips brand has had in the tanning industry.

JW Holding GmbH is an international company, which has been successful in the field of solar applications for over 30 years. The company is one of the world leaders in the tanning industry. Its business activities range from physiological applications of UV light (tanning) to solar heat (solar thermal systems). A significant emphasis is

placed on the product segment tanning lamps. With their sophisticated technologies and market-leading product portfolios, the company is very compelling. With the acquisition of Philips' tanning lamps, its core competence has been expanded.

iSOLde Licht GmbH

Kölner Straße 8

70376 Stuttgart, Germany

Telefon +49 711-656 962-0

Telefax +49 711-656 962-55

E-Mail: info@isoldelicht.de

www.isoldelicht.de

Warning: DANGER-Ultraviolet radiation. Follow instructions. Avoid overexposure. As with natural sunlight, overexposure can cause eye and skin injury and allergic reactions. Repeated exposure may cause premature aging of the skin and skin cancer. WEAR PROTECTIVE EYEWEAR; FAILURE TO MAY RESULT IN SEVERE BURNS OF LONG-TERM INJURY TO THE EYES. Medications or cosmetics may increase your sensitivity to the ultraviolet radiation. Consult physician before using sunlamp if you use medications or have a history of skin problems or believe yourself especially sensitive to sun-light.

Disclaimer: iSOLde Licht's liability is limited to defects in manufacture or design. iSOLde Licht cannot be held responsible for the consequences of careless usage of this product or for the consequences of a violation of local regulations.



Date of release: ??-2009
Printed in Germany